

## ДЕРЕВЬЯ И ДЕКОРАТИВНЫЕ КУСТАРНИКИ (стр. 1-96) ХВОЙНИКИ (стр. 96-97)

УВАЖАЕМЫЕ ГОСПОДА!

ВАШЕМУ ВНИМАНИЮ ПОСАДОЧНЫЙ МАТЕРИАЛ ИЗ ЛУЧШИХ ПИТОМНИКОВ ЗАПАДНОЙ ЕВРОПЫ (БЕЛЬГИЯ, ГОЛЛАНДИЯ, ВЕНГРИЯ И ПОЛЬША) ДЛЯ УЛИЧНОГО

ОЗЕЛЕНЕНИЯ И ПИТОМНИКОВОДСТВА. ВСЕ РАСТЕНИЯ ПРЕДЛАГАЕМЫЕ НАМИ ПРЕДНАЗНАЧЕНЫ ДЛЯ ВЫРАЩИВАНИЯ В УСЛОВИЯХ 3-8 КЛИМАТИЧЕСКОЙ ЗОНЫ (ОТ -35С° ДО +40С°).

ЦЕНЫ УКАЗАНЫ В РУБЛЯХ. /КОМПАНИЯ ОСТАВЛЯЕТ ЗА СОБОЙ ПРАВО ИЗМЕНЕНИЯ ЦЕНЫ В СЛУЧАЕ РЕЗКОГО - БОЛЕЕ 5% ИЗМЕНЕНИЯ КУРСА ЕВРО; ПРИ ОТСУТСТВИИ 100% ПРЕДОПЛАТЫ/

МЫ ПРЕДЛАГАЕМ СЛЕДУЮЩИЕ УСЛОВИЯ ПРИОБРЕТЕНИЯ:

ПРИ ЗАКАЗЕ ОБЯЗАТЕЛЬНАЯ ПРЕДОПЛАТА - 50%

ПРИ ЗАКАЗЕ СВЫШЕ 1 000 000 РУБ. - СКИДКА 10%

ПРИ ЗАКАЗЕ СВЫШЕ 2 000 000 РУБ. - СКИДКА 20%

ПРИ ЗАКАЗЕ СВЫШЕ 2 500 000 РУБ. - СКИДКА 30%

ПРИ ЗАКАЗЕ СВЫШЕ 3 000 000 РУБ. - СКИДКА 40%

ПОЖАЛУЙСТА, УКАЗЫВАЙТЕ НЕОБХОДИМЫЕ ВАМ СРОКИ ПОЛУЧЕНИЯ ЗАКАЗА.

ПО ВСЕМ ВОПРОСАМ ОБРАЩАЙТЕСЬ ПО КРУГЛОСУТОЧНЫМ ТЕЛЕФОНАМ: 8-905-799-45-49 (Алёна); 5-905-590-48-44 (Мария).

УДАЧИ ВАМ!

НАИМЕНОВАНИЕ		ОПИСАНИЕ	РАЗМЕР	ЦЕНА/ШТ.
ACER (КЛЁН)				
<i>buergerianum</i>		Small, bushy tree with 3-lobed, long-persistent leaves often red or orange in autumn.(6)	150-175	1 074p.
			175-200	1 486p.
			200-250	1 787p.
			250-300	2 241p.
			St6-8	2 798p.
			St8-10	3 851p.
			St10-12	5 028p.
			St12-14	6 565p.
			St14-16	9 786p.
St16-18	15 360p.			
<i>campestre</i>		Hedge or field maple. Shrub or round headed tree, young branches often already becoming corky. Foliage turns brilliant yellow in autumn. Tolerates sun or shade and any soil. (6) Grows well in sun or/off shade. Can be used as a clipped hedge or low growing tree.	SHR80-120	321p.
			150-175	858p.
			175-200	1 085p.
			200-250	1 312p.
			250-300	1 807p.
			St6-8	2 034p.
			St8-10	2 601p.
			St10-12	3 727p.
			St12-14	5 017p.
St14-16	6 834p.			
St16-18	11 273p.			
<i>campestre</i>	'Carnival'	Like the species. Leaves with silver-white margin, young shoots and leaves pink in spring.(6)	150-175	2 271p.
<i>campestre</i>	'Elsrijk'	Mildew-resistant selection with uniform broad-oval crown and dark green leaves.(6) Ideal small street tree also for pedestrian and residential areas.	150-175	1 147p.
			175-200	1 374p.
			200-250	1 714p.
			250-300	2 147p.
			St6-8	2 705p.
			St8-10	3 386p.
			St10-12	4 285p.
			St12-14	5 925p.
St14-16	7 969p.			

			St16-18	12 408p.
			150-175	1 147p.
			175-200	1 374p.
			200-250	1 714p.
			250-300	2 147p.
<i>campestre</i>	'Lienco'	like 'Elsrijk' but with a narrow crownhead.	St6-8	2 705p.
			St8-10	3 386p.
			St10-12	4 285p.
			St12-14	5 925p.
			St14-16	7 969p.
			St16-18	12 408p.
<i>campestre</i>	'Nanum'	A shrubby form of dense, bushy habit.(6)	HSt 6-8	3 108p.
			St6-8	4 728p.
			St8-10	5 905p.
			St10-12	7 093p.
			St12-14	8 827p.
<i>campestre</i>	'Queen Elisabeth'	Cultivar with small, grey-green, white margined leaves. Young leaves and branches are always rosy-red. Picturesque medium-sized tree.	St6-8	2 705p.
			St8-10	3 386p.
			St10-12	4 285p.
			St12-14	5 925p.
			St14-16	7 969p.
			St16-18	12 408p.
<i>campestre</i>	'Red Shine'	New leaves and stems shining coppery-red.	HSt 6-8	3 108p.
			St6-8	4 728p.
			St8-10	5 905p.
			St10-12	7 093p.
			St12-14	8 827p.
<i>capillipes</i>		A small tree with striated bark and bright green, the young growths coral-red. Attractive autumn tints of orange and red.(6)	RB60-80	858p.
			150-175	1 858p.
			175-200	2 126p.
			200-250	2 695p.
			250-300	3 365p.
			St6-8	3 954p.
			St8-10	4 801p.
			St10-12	6 772p.
<i>cappadocicum</i>		Medium sized tree. Young leaves bronze-yellow, that turn light green in summer and assume yellow autumn tints.(6) Popular tree for lawn and park planting.	150-175	1 787p.
			175-200	2 374p.
			200-250	3 283p.
			250-300	3 851p.
			St8-10	3 851p.
			St10-12	5 028p.
			St12-14	5 967p.
			St14-16	8 951p.
<i>cappadocicum</i>	'Aureum'	A medium-sized tree. Leaves in spring and fall yellow, otherwise bright green.(6)	150-175	2 230p.
			175-200	2 819p.
			St6-8	3 530p.
			200-250	3 562p.
			250-300	4 728p.
			St8-10	4 728p.
			St10-12	6 503p.
<i>cappadocicum</i>	'Rubrum'	A medium-size tree. The young leaves are blood red, later generally greening, in fall a splendid gold-yellow.(6)	150-175	1 787p.
			175-200	2 374p.
			St6-8	3 252p.
			200-250	3 283p.
			250-300	3 851p.
			St8-10	3 851p.
			St10-12	5 028p.
			St12-14	5 967p.
			St14-16	8 951p.
			St16-18	14 174p.
<i>circinatum</i>			Pot 150-175	4 129p.
			RB60-80	858p.

davidii		A small tree with attractively striated green and white bark. The shining, dark green, ovate leaves colour richly in the autumn. The green fruits are often attractively red and hang all along the branches in autumn.(6)	150-175	1 858p.
			175-200	2 126p.
			200-250	2 695p.
			250-300	3 365p.
			St6-8	3 365p.
			St8-10	4 512p.
freemanii	'Armstrong'	Armstrong Freeman Maple. Growth upright, narrowly columnar. The leaves are silver-gray at the underside ; gold in fall.(3)	St10-12	6 214p.
			St6-8	2 932p.
			St8-10	3 851p.
			St10-12	5 028p.
freemanii	'Elegant'	Similar tot the species but with a more compact habit, and little smaller leaves.(3) <i>Synonym for : Acer s.'Elegant'</i>	St12-14	5 967p.
			St6-8	1 931p.
			St8-10	2 354p.
			St10-12	3 241p.
			St12-14	4 182p.
freemanii			St14-16	5 678p.
			St16-18	9 456p.
griseum		Paperback maple, spreading tree with striking, peeling, orange-brown and cinnamon-coloured bark. Trifoliated leaves turn scarlet-red in autumn. One of the most beautiful of all small trees.(6) <i>Is much sought for its peeling tissue-thin coppery bark.</i>	RB50-60	3 459p.
japonicum	'Aconitifolium'	Large scrub or small tree. Can reach 3 to 5 m in height and 3 to 4 m in spread. Leaves deeply lobed and cut, colouring rich ruby-crimson in autumn.(6)	RB30-40	2 922p.
			RB40-50	3 716p.
			RB50-60	4 718p.
			RB60-80	5 533p.
negundo		Ash-leaved maple or box elder, fast growing tree with a wide, spreading, rather open habit. Large, pale green pinnate leaves. Tolerates extreme conditions, including wet or dry soil. Wind resistant.(2) <i>Fast growing shade tree for parks and great gardens.</i>	SHR80-120	321p.
			150-175	578p.
			175-200	692p.
			200-250	858p.
			HSt 6-8	1 147p.
			St6-8	1 704p.
			St8-10	2 034p.
			St10-12	2 716p.
			St12-14	3 418p.
			St14-16	4 553p.
St16-18	6 772p.			
negundo	'Auratum'	Rather large tree with white-hairy branches. Golden yellow leaves are bronze tinged when young and splendid in full sunshine.(2) <i>Solitar because his beautiful leaves.</i>	SHR60-80	1 250p.
			150-175	1 486p.
			175-200	1 642p.
			200-250	1 849p.
			HSt 6-8	1 911p.
			St6-8	2 952p.
			St8-10	3 851p.
St10-12	5 317p.			
negundo	'Aureomarginatum'	Rather slow growing form, mostly multi-stemmed. Leaves margined yellow.(2) <i>All variegated negundo are best planted in light shade.</i>	SHR60-80	1 250p.
			150-175	1 425p.
			175-200	1 569p.
			200-250	1 766p.
			HSt 6-8	1 828p.
			St6-8	2 828p.
			St8-10	3 675p.
			St10-12	5 079p.
			St12-14	6 379p.
			St14-16	9 105p.
St16-18	15 784p.			
		Silver variegated leaves with brilliant pink	SHR60-80	1 250p.
			150-175	1 486p.
			175-200	1 642p.
			200-250	1 849p.

negundo	'Flamingo'	young growth. The leaves droop softly to enhance the lacy foliage effect. One of the most conspicuous of all variegated hardy trees.(2) <i>Plant of medium growing in the sun.</i>	HSt 6-8	1 911p.
			St6-8	2 952p.
			St8-10	3 851p.
			St10-12	5 317p.
			St12-14	6 680p.
			St14-16	9 538p.
negundo	'Variegatum'	Forms a rounded spreading multi-stemmed small tree. Has pinkish then white-margined bright green leaves.(7) <i>Remove any all-green shoots and any suckers as soon as seen on these forms.</i>	St16-18	16 537p.
			SHR60-80	1 250p.
			150-175	1 425p.
			175-200	1 569p.
			200-250	1 766p.
			HSt 6-8	1 828p.
			St6-8	2 828p.
			St8-10	3 675p.
			St10-12	5 079p.
			St12-14	6 379p.
			St14-16	9 105p.
			St16-18	15 784p.
palmatum		Bushy-headed shrub or tree (5-6m). Fully hardy. Palmate, deeply lobed, mid-green leaves turn brilliant orange-red or yellow in	C60-80	1 167p.
			C80-100	1 404p.
			C100-125	1 858p.
palmatum	'Atropurpureum'	Bloodleaf Japanese Maple. Like A.palmatum but with bright red foliage from Spring to Autumn.(6)	RB50-60	1 796p.
			RB60-80	2 489p.
			RB80-100	3 170p.
			RB100-125	4 459p.
palmatum	'Bloodgood'	Leaves very deep reddish-purple, holding their colour well, red in autumn.(6)	RB50-60	2 023p.
			RB60-80	2 767p.
			RB80-100	3 665p.
			RB100-125	5 111p.
palmatum	'Butterfly'	A medium-sized shrub of upright habit. Leaves rather small, deeply cut, grey-green	RB50-60	2 922p.
			RB60-80	4 005p.
palmatum	'Crimson queen'	Leaves very deep reddish-purple, the colour longlasting, deeply divided into slender, finely cut lobes.(6)	RB30-40	2 922p.
palmatum	'Dissectum'	A group of clones in which the leaves are divided to the base into 5,7 or 9 pinnatifid lobes. They are shrubby in habit, mushroom-	RB30-40	2 922p.
			RB40-50	3 613p.
			RB50-60	4 232p.
palmatum	'Garnet'	Growth and foliage like that of 'Dissectum', very dark brown-red and remaining so for the entire summer. (6) <i>Protection of winds and</i>	RB30-40	2 922p.
			RB40-50	3 613p.
			RB50-60	4 232p.
palmatum	'Inaba-shidare'	This form has the largest dark purple leaves.(6)	RB30-40	2 922p.
palmatum	'Nigrum'	A form with leaves of deep purple, very vigorous, can reach 4-5m, in height and spread.(6) <i>Protection strong freezing and winds.</i>	RB30-40	3 613p.
palmatum	'Ornatum'	Leaves as on 'Dissectum', at first brown-green, later light brown-green.(6) <i>Protection from freezing and winds.</i>	RB30-40	2 922p.
palmatum	'Osakazuki'	Leaves green, turning in autumn to fiery, probably the most brilliant of all Japanese Maples.(6) <i>Protection from freezing and</i>	RB50-60	2 489p.
			RB60-80	3 191p.
			RB80-100	3 872p.
palmatum	'Sangokaku'	'Coral Bark Maple'. An invaluable shrub or small tree for winter effect, bark of the young twigs have a light coral red colour. Leaves	RB50-60	3 613p.
			RB60-80	4 232p.
			RB80-100	5 533p.
pensylvanicum		Snake-bark maple, small tree, often multiple stems. Green branches becoming boldly striped with white lines. Large lobed., jade-green leaves turn bright yellow in autumn. The striped bark is very conspicuous in winter.(4) <i>One of the best snakebarkmaples.</i>	150-175	1 858p.
			175-200	2 126p.
			200-250	2 695p.
			250-300	3 365p.
			St6-8	3 365p.
			St8-10	4 512p.
			St10-12	6 214p.

platanoides		Norway maple, vigorous spreading tree 25m high, 15m width. Has large broad, sharply lobed, bright green leaves that turn yellow or orange in autumn. Clusters of yellow flowers borne in spring before the leaves appear. (3) <i>Very popular for lawn and street planting.</i>	150-175	630p.
			175-200	754p.
			200-250	920p.
			250-300	1 271p.
			St6-8	1 931p.
			St8-10	2 427p.
			St10-12	3 159p.
			St12-14	4 553p.
platanoides	'Autumn Blaze'	Tree with a columnar habit making an oval head. The flowers are gold yellowish clusters; the leaves are light green turns in spring to yellow.(3)	St14-16	6 379p.
			St16-18	10 148p.
			St6-8	2 560p.
			St8-10	3 241p.
			St10-12	3 964p.
platanoides	'Cleveland'	As the species but with more compact branching 12-15m high. Rounded, symmetrical habit and heavy textured green leaves. Young growth reddish. Autumn colour yellow-orange. (3)	St12-14	5 368p.
			St14-16	7 402p.
			St16-18	11 809p.
			150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.
			St6-8	2 560p.
			St8-10	3 252p.
platanoides	'Columnare'	Narrow, dense, columnar habit. Excellent for street planting, accent and formal effect. The most practical of all columnar trees. Generally free of pests, disease and wide wind damage.(3)	St10-12	3 964p.
			St12-14	5 730p.
			St14-16	8 114p.
			St16-18	12 997p.
			150-175	1 353p.
			175-200	1 642p.
			200-250	1 941p.
			St6-8	2 663p.
platanoides	'Crimson King'	Medium sized tree, dark coppery-purple, to purple-crimson, glossy leaves throughout the summer, fading to golden and orange in autumn. Handsome tree, not as fast growing as 'Royal Red'.(3)	St8-10	3 427p.
			St10-12	4 140p.
			St12-14	5 730p.
			St14-16	8 114p.
			St16-18	12 997p.
			150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.
platanoides	'Deborah'	Similar to Acer P.'Schwedleri' but with a superior branching habit. A vigorous grower with a strong central leader. Reddish-purple leaves in Spring turning dark bronzy-green in Summer.(3)	St6-8	2 560p.
			St8-10	3 252p.
			St10-12	3 964p.
			St12-14	5 368p.
			St14-16	7 402p.
			150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.
platanoides	'Drumondii'	Harlequin maple, leaves distinctly margined with creamy-white. Slow growing (15m height) Reverting shoots should be removed.(3)	St6-8	2 663p.
			St8-10	3 427p.
			St10-12	4 140p.
			St12-14	5 730p.
			St14-16	8 114p.
			St16-18	12 997p.
			150-175	1 197p.
			175-200	1 436p.

<i>platanoides</i>	'Emerald Queen'	Very rapid grower. Straight trunk and good branching tendencies form a balanced oval crown. Young shoots light pink to purple. Does well in urban areas.(3)	200-250 St6-8 St8-10 St10-12 St12-14 St14-16 St16-18	1 672p. 2 560p. 3 241p. 3 964p. 5 368p. 7 402p. 11 809p.
<i>platanoides</i>	'Faassen's Black'	Norway Maple, similar to 'Crimson King', but the leaves are deeper red-brown.(3)	150-175 SHR80-120 175-200 200-250 HSt 6-8 St6-8 St8-10 St10-12 St12-14 St14-16 St16-18	1 197p. 1 250p. 1 436p. 1 672p. 1 787p. 2 663p. 3 427p. 4 140p. 5 730p. 8 114p. 12 997p.
<i>platanoides</i>	'Globosum'	Globe maple, very slow growing small tree. Dark green leaves turning golden yellow in Autumn. Naturally forms a dense globe. Top-grafted.(3)	HSt 6-8 St6-8 St8-10 St10-12 St12-14 St14-16 St16-18	1 993p. 2 881p. 3 562p. 4 739p. 6 607p. 10 251p. 16 239p.
<i>platanoides</i>	'Princeton Gold'	This sparkling new cultivar has golden yellow spring foliage which hardens to yellow/green in summer. We recommend it for both park and street planting. Will make a stunning accent plant in the landscape. It does well on most soil types, tolerates air pollution and resists drought. Mature height: 10-15m	150-175 175-200 200-250 250-300 St6-8	1 858p. 2 126p. 2 695p. 3 365p. 3 365p.
<i>pensylvanicum</i>	'Princeton Sentry'		150-175 175-200 200-250 250-300 St6-8 St8-10 St10-12	1 858p. 2 126p. 2 695p. 3 365p. 3 365p. 4 512p. 6 214p.
<i>platanoides</i>	'Royal Red'	An improved 'Crimson King' type of Norway maple. Strong trunk and well shaped head. Fine, dark purplish-brown foliage.(3)	150-175 175-200 200-250 HSt 6-8 St6-8 St8-10 St10-12 St12-14 St14-16	1 197p. 1 436p. 1 672p. 1 787p. 2 663p. 3 427p. 4 140p. 5 730p. 8 114p.
<i>platanoides</i>	'Schwedleri'	Leaves and young growths rich crimson-purple. Most effective when pruned hard every other autumn.(3)	150-175 175-200 200-250 St6-8 St8-10 St10-12 St12-14 St14-16 150-175	1 197p. 1 436p. 1 672p. 2 560p. 3 241p. 3 964p. 5 368p. 7 402p. 630p.

pseudoplatanus		Sycamore Maple. Tree with a broad arched crown, to 40m, bark peeling in small flakes. Leaves are rounded, 5lobed, darkgreen, gold-yellow in fall.(6) <i>A picturesque, large tree, and one of the best for exposed situations in any soil ; Superior park tree, tolerate the shade.</i>	175-200	754p.
			200-250	920p.
			250-300	1 271p.
			St6-8	1 931p.
			St8-10	2 427p.
			St10-12	3 159p.
pseudoplatanus	'Atropurpureum'	Leaves the upperside dark green, red-brown in spring, underside deep red.(6)	St12-14	4 553p.
			St14-16	6 379p.
			150-175	1 147p.
			175-200	1 374p.
			200-250	1 601p.
			St6-8	2 374p.
pseudoplatanus	'Brilliantissimum'	A distinct small tree of slow growth. The young leaves in spring are a glorious shrimp-pink later changing to pale yellow-green and finally green.(6)	St8-10	2 963p.
			St10-12	3 727p.
			St12-14	4 904p.
			St14-16	6 834p.
			HSt 6-8	2 963p.
			St6-8	4 512p.
pseudoplatanus	'Bruchem'	Tree with a compact, small pyramidal crown. Leaves deep dark green, deeply 5-lobed, underside blue-green.(6)	St8-10	5 636p.
			St10-12	6 772p.
			St12-14	8 423p.
			St14-16	6 834p.
			St6-8	2 374p.
			St8-10	2 963p.
pseudoplatanus	'Erectum'	Crown is quite narrow when young, becoming erect, oval-rounded, dense with age. Leaves like A.pseudoplatanus.(6)	St10-12	3 727p.
			St12-14	4 904p.
			St14-16	6 834p.
			St6-8	2 374p.
			St8-10	2 963p.
			St10-12	3 727p.
pseudoplatanus	'Leopoldii'	Leaves normal,5-lobed, new foliage copper-pink and yellow, later very dense with light yellow to yellow-white dots and specks.(6)	St12-14	4 904p.
			St14-16	6 834p.
			150-175	1 147p.
			175-200	1 374p.
			200-250	1 601p.
			HSt 6-8	1 704p.
			St6-8	2 374p.
			St8-10	2 963p.
pseudoplatanus	'Negenia'	Fast growing, large conical habit. Large dark green leaves.(6)	St10-12	3 727p.
			St12-14	4 904p.
			St14-16	6 834p.
			150-175	1 147p.
			175-200	1 374p.
			200-250	1 601p.
			St6-8	2 374p.
			St8-10	2 963p.
pseudoplatanus	'Nizetii'	Leaves heavily blotched and streaked pale green and white, purple-tinged beneath.(6)	St10-12	3 727p.
			St12-14	4 904p.
			St14-16	6 834p.
			150-175	1 147p.
			175-200	1 374p.
			200-250	1 601p.
pseudoplatanus	'Prinz Handjery'	A small slow-growing tree similar to 'Brilliantissimum'. New foliage and twigs at first brick red, later becoming green and underside pale violet-red.(6)	St6-8	2 808p.
			St8-10	3 365p.
			St10-12	4 512p.
			RB60-80	1 704p.
			HSt 6-8	2 963p.
			St6-8	4 512p.
			St8-10	5 636p.
			St10-12	6 772p.
			St12-14	8 423p.
			150-175	1 147p.
			175-200	1 374p.

pseudoplatanus	'Rotterdam'	Large tree. Crown broadly columnar when young, later more upright. Leaves dark green.(6) <i>Street tree.</i>	200-250	1 601p.
			St6-8	2 374p.
			St8-10	2 973p.
			St10-12	3 727p.
			St12-14	4 904p.
pseudoplatanus	'Worley'	Medium-sized tree. Leaves soft yellow-green at first then golden, finally green.(6)	St14-16	6 834p.
			150-175	1 425p.
			175-200	1 704p.
			HSt 6-8	1 704p.
			200-250	2 126p.
			St6-8	2 539p.
			St8-10	3 365p.
rubrum		Red maple, round-headed, medium-sized tree. In spring bare branches are covered with tiny red flowers. Dark green leaves turn bright red in autumn, looking alike the Canadian national emblem. Producing best colour on neutral or acid soil. Excellent for wet sites and is tolerant to atmospheric pollution.(3)	St10-12	4 356p.
			St12-14	5 698p.
			St14-16	7 969p.
			150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.
			St6-8	2 663p.
rubrum	'October Glory'	The October Glory Red Maple tree, Acer rubrum 'October Glory', is one of the best and most popular of the Red Maple cultivars. Red Maple trees are excellent for intense fall color	St8-10	3 427p.
			St10-12	4 140p.
			St12-14	5 730p.
			St14-16	8 114p.
rubrum	'Red Sunset'	Red Sunset, is considered one of the best trees for early fall color! This is a large deciduous tree that has pyramidal form when young becoming rounded with age. Glossy	St6-8	3 314p.
			St8-10	4 253p.
			St10-12	5 554p.
			St12-14	6 680p.
rubrum	'Scanlon'	A medium-sized tree forming a broadly columnar head of branches. Beautiful orange-red autumn colour.(3)	St6-8	3 314p.
			St8-10	4 253p.
			St10-12	5 554p.
			St12-14	6 680p.
rufinerve		Young stems glaucous, older stems and trunk green with conspicuous white striations. Bright red and yellow autumn colours.(6)	RB60-80	858p.
			150-175	1 858p.
			175-200	2 126p.
			200-250	2 695p.
			250-300	3 365p.
			St6-8	3 365p.
			St8-10	4 512p.
saccharinum		Silver maple, fast-growing large spreading tree. Deeply lobed, mid-green leaves with silver undersides give a nice effect, when ruffled by the wind. Attractive yellow autumn tints. (3)Performs well in damp areas and is suitable for parks and large properties.(3) <i>Avoid exposed windswept sites.</i>	St10-12	6 214p.
			150-175	672p.
			175-200	785p.
			200-250	961p.
			St6-8	1 590p.
			St8-10	2 126p.
			St10-12	2 840p.
saccharinum	'Asplenifolium'	Large tree, rather upright growth, branches long and limp, but not as wide as the very similar 'Wieri' and also less pendulous leaves very deeply incised, veins closer together.(3)	St12-14	3 943p.
			St14-16	5 492p.
			150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.
			St6-8	1 931p.
			St8-10	2 354p.
saccharinum	'Borns Graciosa'	Strong grower, upright, leaves lobed nearly to the base. Very winter hardy.(3)	St10-12	3 252p.
			St12-14	4 418p.
			St14-16	5 967p.
			150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.



saccharinum	'Elegant'	Similar to the species but with a more compact habit and little smaller leaves. Beautiful park tree.(3) <i>Synonym for : Acer *</i>	150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.
saccharinum	'Laciniatum Wieri'	Cutleaf silver maple, a selection with pendulous lower branches and loose open crown. Leaves are very deeply divided into sharply cut lobes.(3)	150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.
			St6-8	2 014p.
			St8-10	2 489p.
			St10-12	3 427p.
			St12-14	4 769p.
saccharinum	'Lutescens'	Leaves soft yellow-green during summer, orange -yellow when young.(3)	150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.
			St6-8	2 014p.
			St8-10	2 489p.
			St10-12	3 427p.
			St12-14	4 769p.
saccharinum	'Pyramidale'	Growth broad columnar. Smaller leaves than the type. In autumn, large, lobed leaves turn brilliant orange and red.(3)	150-175	1 197p.
			175-200	1 436p.
			200-250	1 672p.
			St6-8	1 931p.
			St8-10	2 354p.
			St10-12	3 252p.
			St12-14	4 418p.
saccharum		The Sugar Maple is one of the most important Canadian trees, being (with Black Maple) the major source of sap for making maple syrup. It is a deciduous tree normally reaching heights of 25–35 m tall. The leaves are deciduous, 8-15 cm long and equally wide with five palmate lobes. The fall color is	150-175	1 941p.
			175-200	2 230p.
			200-250	2 819p.
			St6-8	3 530p.
			250-300	3 530p.
			St8-10	4 728p.
shirasawanum	'Aureum'	Slow growing, especially when young, bushy shrub, with many sharply-toothed lobes on soft yellow leaves. Colour stays throughout the season, but can scorch in full sun. In autumn the leaves turn to yellow-orange and red.(6) <i>They grow best in sheltered positions and in good, moist well-drained soil; half-shade.</i>	RB20-25	2 975p.
			150-175	1 250p.
			175-200	1 755p.
			200-250	2 250p.
			250-300	2 849p.
			St6-8	3 097p.
tataricum	'Flame'	Amur maple, spreading tree or large shrub. Fragrant white flowers in summer amid dainty green leaves, that turn intense red in autumn.(4) <i>Selected for its red autumn color. A very colorful tree used in shelterbelts and for wildlife habitat.</i>	St8-10	4 016p.
			St10-12	5 255p.
			St12-14	6 865p.
			St14-16	10 231p.
			SHR80-120	486p.
			150-175	1 250p.
			175-200	1 755p.
tataricum	ginnala	Amur maple. A large shrub or small tree of vigorous, spreading habit. The bright green, three-lobed leaves turn to orange often whitish marbled. The flowers are yellowish white,fragrant, in long stalked panicles.(4)	200-250	2 250p.
			250-300	2 849p.
			St6-8	3 097p.
			St8-10	4 016p.
			St10-12	5 255p.
			St12-14	6 865p.
			St14-16	10 231p.
			150-175	1 250p.
			175-200	1 755p.

zoeschense	'Annae'	A small-sized tree, 5-lobed, dark green leaves. Very near A.campestre.(6)	175-200	1 486p.
			200-250	1 734p.
			St6-8	2 674p.
			St8-10	3 397p.
			St10-12	4 150p.
			St12-14	5 616p.
AESCULUS (КАШТАН)			St14-16	7 733p.
	'Digitata'	Dwarf form with smaller, deeply incised leaves. Linear, deep green, petiole somewhat	St8-10	4 728p.
			St10-12	6 503p.
carnea		Red Flowering Horsechestnut. Similar to A. hippocastanum but smaller and more compact. A large tree with palmate leaves with pink-red flowers, gives not so much fruits.(3)	175-200	3 129p.
			200-250	3 716p.
			St8-10	4 285p.
			St10-12	5 533p.
			St12-14	7 412p.
carnea	'Briotii'	'Red Horse Chestnut'. Flowers rose-pink in panicles up to 20 cm long ; large, dark green, palmate leaves.(3) <i>Street- and parktree.</i>	St14-16	10 364p.
			175-200	3 129p.
			200-250	3 716p.
			St8-10	4 285p.
			St10-12	5 533p.
carnea	'Plantariensis'	Hybrid from A. hippocastanum * A.* carnea. Large tree resembling A. hippocastanum but with pale pink flowers. Long leaflets, bluntly serrate. Sterile flowers.(3)	St12-14	7 412p.
			St14-16	10 364p.
			St8-10	4 285p.
			St10-12	5 533p.
			St12-14	7 412p.
hippocastanum		Common Horsechestnut. Imposing deciduous tree with rounded or ovoidal top. Has large leaves with 5 or 7 leaflets and spires of single white flowers, flushed pink and yellow in centres. Large brown chestnuts.(3) <i>Beautiful parktree, not as street tree because his big falling chestnuts.</i>	St14-16	6 379p.
			175-200	1 425p.
			200-250	1 993p.
			St8-10	3 056p.
			St10-12	3 613p.
			St12-14	4 553p.
hippocastanum	'Baumannii'	Similar to the species but with double white flowers. Does not produce concurs.(3) <i>Ver popular as a park and street tree.</i>	St14-16	9 683p.
			175-200	2 840p.
			200-250	3 397p.
			St8-10	4 285p.
			St10-12	5 533p.
hippocastanum	'Pyramidalis'	growth narrowly upright, weak, dense crown, branches at 45° angle from the stem.(3)	St12-14	7 412p.
			St10-12	5 533p.
			St8-10	4 285p.
parviflora		Bottlebrush buckeye, open, spreading shrub with many suckers. Leaves are bronze when young, dark green in summer and yellow in	RB80-100	3 831p.
			RB60-80	2 819p.
			RB50-60	1 920p.
pavia	var.discolor	'Red Buckeye'. A beautiful medium-sized to large shrub or small tree, leaves with 5 glossy green leaflets; pink flowers in panicles 15 cm	St10-12	6 503p.
			St8-10	4 728p.
			HSt 6-8	2 963p.
AILANTHUS (АЙЛАНТ)				
altissima		Tree of heaven. Fast growing trees with large, pinnate leaves.(5) <i>Extremely tolerant of atmospheric pollution.</i>	St8-10	2 374p.
			St10-12	2 716p.
			St12-14	3 252p.
			St14-16	4 553p.
ALNUS (ОЛЬХА)				
cordata		Italian alder, splendid medium to large-sized tree with conical habit. Yellow male catkins appear in early spring. Heart-shaped, glossy, glistening, green leaves. Persistent round, woody fruits in autumn.(6) <i>Tree for all types of soil and adaptable to wet or dry conditions.</i>	150-175	723p.
			175-200	858p.
			200-250	1 002p.
			250-300	1 415p.
			St6-8	1 704p.
			St8-10	2 034p.
			St10-12	2 601p.
			St12-14	3 191p.

			St14-16	4 326p.
			150-175	516p.
			175-200	630p.
			200-250	858p.
			250-300	1 136p.
			300-350	1 415p.
			St6-8	1 477p.
			St8-10	1 869p.
			St10-12	2 209p.
			St12-14	2 911p.
			St14-16	3 769p.
			150-175	1 704p.
			175-200	1 993p.
			200-250	2 447p.
			St6-8	3 035p.
			St8-10	3 675p.
			St10-12	4 636p.
			St12-14	6 267p.
			St14-16	8 547p.
			150-175	1 704p.
			175-200	1 993p.
			200-250	2 447p.
			250-300	3 035p.
			St6-8	3 035p.
			St8-10	3 675p.
			St10-12	4 636p.
			St12-14	6 267p.
			St14-16	8 547p.
			150-175	1 569p.
			175-200	1 858p.
			200-250	2 271p.
			250-300	2 808p.
			St6-8	2 808p.
			300-350	3 365p.
			St8-10	3 365p.
			St10-12	3 954p.
			St12-14	4 398p.
			St14-16	5 698p.
			150-175	516p.
			175-200	630p.
			200-250	858p.
			250-300	1 136p.
			300-350	1 415p.
			St6-8	1 477p.
			St8-10	1 869p.
			St10-12	2 209p.
			St12-14	2 911p.
			St14-16	3 769p.
			150-175	1 704p.
			175-200	1 993p.
			200-250	2 447p.
			St6-8	2 808p.
			St8-10	3 365p.
			St10-12	4 356p.
			St12-14	5 698p.
			St14-16	7 969p.
			150-175	1 704p.
			175-200	1 993p.
			200-250	2 447p.
			St6-8	2 808p.
			St8-10	3 365p.
			150-175	1 704p.
			175-200	1 993p.
			200-250	2 447p.
			St6-8	2 808p.
			St8-10	3 365p.

		dissecta.(2)	St10-12	4 356p.
			St12-14	5 698p.
			St14-16	7 969p.
<i>incana</i>	'Pendula'	Small weeping forming a large mound of pendulous branches and grey-green leaves.(2)	St6-8	2 808p.
			St8-10	3 365p.
			St10-12	4 356p.
			St12-14	5 698p.
			St14-16	7 969p.
<i>rubra</i>		Red Alder. Medium-sized, pyramidal tree. fast-growing. Of graceful habit festooned in spring with the 10-15 cm long male catkins. Leaves larger than A. incana, dark-green above, blue-gray beneath. Red Catkins in	St6-8	2 312p.
			St8-10	2 808p.
			St10-12	3 613p.
			St12-14	4 677p.
			St14-16	6 721p.
<i>spaethii</i>		A fast growing tree of medium size, with large leaves purplish when young, dark green in summer. Outstanding when in catkin.(5)	150-175	1 642p.
			175-200	1 941p.
			200-250	2 374p.
			St6-8	2 932p.
			St8-10	3 530p.
			St10-12	4 553p.
			St12-14	5 967p.
			St14-16	8 352p.
<b>AMELANCHIER (MPGA)</b>				
<i>arborea</i>		Leaves : Alternate and simple, often cordate and acute or acuminate. When the young leaves are emerging, they are often covered	St6-8	2 816p.
			St8-10	3 384p.
			St10-12	4 542p.
<i>arborea</i>	'Robin Hill'	Large shrub or small tree of dense, upright habit. Flowers deep pink in bud, opening pale pink, becoming white.(4)	RB50-60	1 209p.
			St6-8	3 252p.
			St8-10	3 964p.
			St10-12	5 616p.
			St12-14	7 155p.
			St14-16	10 736p.
<i>laevis</i>	'Ballerina'	A vigorous large shrub or small tree with dark green leaves becomes bronze-red in autumn. Flowers long pendulous racemes. Large fruits dark red, sweet juicy.(4)	C,50-60	1 209p.
			150-175	1 972p.
			175-200	2 230p.
			200-250	2 581p.
			250-300	3 170p.
			St6-8	3 252p.
			St8-10	3 964p.
			St10-12	5 616p.
			St12-14	7 155p.
			St14-16	10 736p.
<i>lamarckii</i>		'Juneberry', 'Serviceberry' or shadebush, a large shrub or small tree grown from seed. Young leaves coppery-red and silky, become dark green in summer and orange-red in autumn. Sprays of white flowers in early spring, followed by rounded fleshy, black-purple fruits, edible, sweet and juicy.(4)	SHR60-90	300p.
			C60-90	537p.
			150-175	1 560p.
			RB125-150,SHR	1 683p.
			175-200	1 796p.
			200-250	2 220p.
			250-300	2 952p.
			HSt 6-8	3 221p.
			St6-8	4 140p.
			St8-10	4 966p.
<i>rotundifolia</i>	'Helvetia'	A medium sized to large shrub of upright habit. Flowers large in short erect racemes. Leaves ovate, dark green above, white woolly beneath when young. Fruit red becoming black.(5)	HSt 6-8	1 961p.
<i>spicata</i>		Medium sized, erect branches suckering shrub of bushy habit. Flowers in short, white, erect racemes before the leaves. Very hardy.(3b)	RB50-60	1 250p.
			150-175	1 972p.
			175-200	2 230p.
			200-250	2 581p.
			250-300	3 170p.
			HSt 6-8	3 583p.

			St6-8	4 491p.
			St8-10	5 276p.
<b>AMORPHA / АМОΡΦΑ</b>				
<i>canescens</i>		'Lead Plant'. A small sub-shrub with grey-hairy pinnate leaves. Flowers violet, with orange anthers, produced in dense cylindrical racemes in the late summer and early autumn. (2)	SHR40-50	589p.
<i>fruticosa</i>		'False Indigo'. A variable shrub of medium to large size with pinnate leaves and slender racemes of purplish-blue flowers in July.(5)	SHR80-100	589p.
<b>ARALIA / АРАЛИЯ</b>				
<i>elata</i>		Japanese angelica tree, a large suckering shrub but occasionally a small sparsely branched tree. Large bipinnate leaves. Billowing heads of tiny white flowers, forming a dense panicle in late summer.(3)	RB75-100	858p.
			RB100-125	1 064p.
			RB125-150	1 332p.
			RB150-175	1 714p.
			RB175-200	2 406p.
			RB200-250	2 911p.
			RB250-300	3 613p.
<i>elata</i>	multistem		RB150-175	2 736p.
			RB175-200	3 418p.
			RB200-250	4 099p.
			RB250-300	5 636p.
<i>spinosa</i>		Hercules club or Devil's walking stick, thick, viciously spiny stems. Flowers greenish-white much earlier than <i>A.elata</i> . Very hardy.(3b)	RB75-100	858p.
			RB100-125	1 064p.
			RB125-150	1 332p.
<b>ARONIA - ЧЕНОПЛОДНАЯ РЯБИНА</b>				
<i>arbutifolia</i>		'Red chokeberry'. Upright shrub when young, later more arching. Clusters of small white flowers in late spring. Green leaves turn brilliant red in autumn. Red berries persisting through the winter.(5)	RB40-60	589p.
<i>melanocarpa</i>		'Black chokeberry'. Small bushy shrub with glossy dark green leaves colouring brilliantly in autumn. White, hawthorn-like flowers in spring followed by black fruits.(3)	RB40-60	589p.
<i>prunifolia</i>		'Purplefruit Chokeberry'. Intermediate in character between the preceding species. Star-shaped, white flowers followed by spherical purplish-black fruits.(5)	RB40-60	589p.
<b>BERBERIS - БАРБАРИС</b>				
	'Haalboom'	'Barberry'. Evergreen shrub. Growth strong and upright, to 1m high. Leaves elliptical, glossy fresh green above, blue-white beneath. Flowers usually 3-4together, gold-yellow. Fruit ovate, black.(6)	RB25-30	805p.
			RB30-40	805p.
<i>buxifolia</i>	'Nana'	'Evergreen Barberry'. A slow-growing, dense, evergreen mound about 50cm high with rounded leaves, glaucous grey beneath. Virtually thornless. Flowers orange-yellow in	RB20-25	507p.
			RB25-30	713p.
			RB30-40	1 043p.
			RB40-50	1 528p.
<i>candidula</i>		'Evergreen Bayberry'. A dense, dome-shaped bush up to 1m, with small, shining, dark green leaves, silvery-white beneath and single, bright yellow flowers. Fruit ovate, almost black.(6)	RB25-30	908p.
<i>darwinii</i>		'Evergreen Bayberry'. Evergreen shrub. This early-flowering species is one of the finest of	RB25-30	805p.
			RB30-40	1 023p.
<i>frikartii</i>	'Amstelveen'	'Evergreen Bayberry'. Growth compact and low, so some 1m high, twigs outspread and	RB25-30	805p.
			RB30-40	908p.

<i>frikartii</i>	'Telstar'	'Evergreen Bayberry'. Similar to 'Amstelveen' but taller, to 1.2m high and more compact.(6)	RB25-30 RB30-40	805p. 908p.
<i>gagnepainii</i>		'Evergreen Bayberry'. A small shrub making a dense growth of erect stems closely set with narrow, undulate leaves. Yellow flowers. Berries black, covered by a blue bloom. Forms an impenetrable hedge. (6)	RB25-30	805p.
<i>hybrido-gagnepainii</i>	'Chenaultii'	'Evergreen Bayberry'. Shrub, to some 1.5m high and to 2m wide. Twigs somewhat warty. Leaves narrowly oblong. Very glossy above, bluish beneath, thorny toothed. Flowers gold-yellow. (6)	RB25-30	805p.
<i>julianae</i>		'Evergreen Bayberry'. An excellent dense evergreen to 3m high with strongly spiny stems and clusters of stiff, narrow, spine-	RB30-40	713p.
			RB40-50	981p.
			RB50-60	1 291p.
<i>linearifolia</i>	'Orange King'	'Evergreen Bayberry'. An erect, medium-sized shrub of rather ungainly habit, with	RB30-40	1 280p.
			RB50-60	1 498p.
<i>media</i>	'Parkjuweel'	'Semi-evergreen Bayberry'. A small shrub of dense prickly habit. Leaves obovate, almost spineless, colouring richly in autumn, occasionally remaining until the following spring. Flowers borne singly or in small clusters, of up to 4. (6)	RB25-30	805p.
<i>media</i>	'Red Jewel'	'Semi-evergreen Bayberry'. A dense, small, semi-evergreen shrub similar to 'Parkjuweel', but with somewhat broader leaves becoming deep metallic purple. A sport of 'Parkjuweel'. (6)	RB25-30	805p.
<i>ottawensis</i>	'Auricoma'	'Deciduous Bayberry'. A vigorous hybrid between <i>B.vulgaris</i> and <i>B.thunbergii</i> . Oval	RB40-60	569p.
			RB60-80	692p.
<i>ottawensis</i>	'Red Tears'	'Deciduous Bayberry'. Hybrid between <i>B.vulgaris</i> and <i>B.thunbergii</i> . Red-purple leaves. (4)	RB30-40	805p.
<i>ottawensis</i>	'Silver Miles'	'Deciduous Bayberry'. Hybrid between <i>B.vulgaris</i> and <i>B.thunbergii</i> . (4)	RB30-40	908p.
<i>ottawensis</i>	'Superba'	'Deciduous Bayberry'. Hybrid between <i>B.vulgaris</i> and <i>B.thunbergii</i> . Growth particularly strong to 2m high and wide, twigs deep red-brown, thorns on the long shoots.	RB40-60	569p.
			RB60-80	692p.
			RB80-100	961p.
			RB100-125	1 383p.
<i>stenophylla</i>		'Evergreen Bayberry'. An indispensable evergreen, ultimately a medium-sized graceful shrub, its long arching branches	RB40-60	713p.
			RB60-80	961p.
			RB80-100	1 383p.
<i>thunbergii</i>		'Deciduous Bayberry'. Shrub densely branched, some 1m high. Twigs angular, red-brown, thorns simple. Leaves partly ovate, fresh green, wonderful scarlet-red and orange in the fall. Flowers in fascicles, yellow	20-30	81p.
			30-40	105p.
			40-60	259p.
			60-80	321p.
			80-100	486p.
<i>thunbergii</i>	'Atropurpurea Nana'	'Deciduous Bayberry'. Like the species but growing only 40(60)cm, but becoming 60-70cm wide. Thorns very small. Leaves dark	RB15-20	507p.
			RB20-25	692p.
			RB25-30	961p.
<i>thunbergii</i>	'Atropurpurea'	'Deciduous Bayberry'. Like the species but with purple-red leaves, bright carmin in late fall. (5)	20-30	81p.
			30-40	105p.
			40-60	259p.
			60-80	321p.
			80-100	486p.
<i>thunbergii</i>	'Aurea'	'Deciduous Bayberry'. Like the species, but leaves lemon-yellow to gold-yellow, but only	RB25-30	991p.
			RB30-40	1 404p.
<i>thunbergii</i>	'Bagatelle'	'Deciduous Bayberry'. Dwarf form, very slow growing. Leaves brown-red, later black-red. (5)	RB10-15	929p.

<i>thunbergii</i>	'Bonanza Gold'®	Description : The most yellow foliated berberis. Dwarf habit. More sun resistant than Berberis 'Aurea' Flower colour : Insignificant light yellow flowers, followed by small red fruits Flowering period : Spring Foliage : Deciduous bright yellow leaves Hardiness - Fully hardy(5) Planting Suggestions Position - Likes a semi-shaded sheltered spot Soil type - Fertile free drained soil Planting suggestions - Ideal for the border, rockery or in a container (5)	RB25-30	1 363p.
<i>thunbergii</i>	'Kobold'	'Deciduous Bayberry'. Green dwarf form, seldom over 40cm high, very densely branched, broad globose. Leaves dark green	RB15-20	507p.
			RB20-25	692p.
			RB25-30	961p.
<i>thunbergii</i>	'Red Chief'	'Deciduous Bayberry'. Tall shrub, can become 2m high, wide branching and more or	RB30-40	681p.
			RB40-60	805p.
<i>thunbergii</i>	'Red Pillar'	'Deciduous Bayberry'. Like the species but growth narrowly upright to 1.5m. Leaves brown-red. (5)	RB30-40	681p.
			RB40-50	805p.
<i>thunbergii</i>	'Rose Glow'	'Deciduous Bayberry'. Like the specie but growth broadly upright and leaves on the	RB50-60	1 064p.
			RB30-40	805p.
<i>verruculosa</i>		'Evergreen Bayberry'. A very pleasing, compact, slow-growing Chinese shrub, with	RB40-50	961p.
			RB25-30	805p.
<i>wilsoniae</i>		'Deciduous Bayberry'. Bushy, some 1m high, very dense, twigs angular, brown-red. Leaves lanceolate, gray-green, eventually scarlet-red. Flowers small, light yellow, grouped, May June. Fruits globose, salmon-red.(6)	RB30-40	908p.
			C30-40	569p.
<b>BETULA (БЕРЁЗА)</b>				
<i>albosinensis</i>		Chinese Red Birch'. Tree 18-25m high, the attractive bark is orange or red-orange. Young twigs glandular pubescent. Glossy green leaves on slightly rough shoots.(6)	150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 489p.
			St6-8	2 705p.
			St8-10	3 232p.
			St10-12	4 182p.
			St12-14	5 471p.
<i>costata</i>		Tree with ornamental growth habit, bark light yellow to gray-yellow, peeling. Young twigs pubescent, brown. Leaves ovate on the upperside leathery tough, dark green. Fruit catkins large, elliptic. (6)	St14-16	7 969p.
			150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 489p.
			St6-8	2 705p.
			St8-10	3 232p.
			St10-12	4 182p.
<i>ermanii</i>		A very graceful, vigorous tree with very rough shoots and bright green heart-shaped veined leaves. Bark creamy-white, peeling. Most plants grown as B. costata.(6)	St12-14	5 471p.
			St14-16	7 969p.
			150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 489p.
			St6-8	2 705p.
			St8-10	3 232p.
<i>jacquemontii</i>	'Longtrunk'	Weeping form of the Himalayan birch. White bark.(7)	St10-12	4 182p.
			St12-14	5 471p.
			150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
<i>jacquemontii</i>			250-300	2 489p.
			St6-8	2 705p.
			St6-8	2 705p.

			St8-10	3 232p.
			St10-12	4 182p.
nana		'Dwarf Birch'. A small native shrub with tiny, neat, rounded leaves. (2)	RB30-40	858p.
nigra		'River-birch'. fast-growing tree, remarkable for its pinkish-orange shaggy bark, becoming brown and ridged on older trees. As the name suggests, fine tree for planting in damp ground.(5) <i>Fine tree for planting in damp ground, swamps flood plains.</i>	150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 489p.
			St6-8	2 705p.
			St8-10	3 232p.
			St10-12	4 182p.
			St12-14	5 471p.
nigra	'Heritage'	This river birch cultivar is a vigorous, fast-growing, medium-sized tree which can be grown as either a single trunk or multi-stemmed tree. As a single trunk tree, it develops a pyramidal habit when young, but gradually matures into a more rounded habit. Multi-stemmed trees form a more irregular	150-175	1 294p.
			175-200	1 556p.
			200-250	1 976p.
			250-300	2 498p.
			St6-8	2 725p.
			St8-10	3 248p.
			St10-12	4 202p.
			St12-14	5 471p.
papyrifera		'Paper-birch'. vigorous, open branched tree with rounded head. Peeling, shiny, white bark. Yellowish catkins in spring and oval, coarsely serrated leaves turning clear yellow in autumn.(4)	150-175	548p.
			175-200	723p.
			200-250	805p.
			250-300	991p.
			St6-8	1 291p.
			St8-10	1 704p.
			St10-12	2 261p.
			St12-14	3 314p.
pendula		Silver birch, broadly columnar or conical, graceful tree (20 m.). Has slender, drooping shoots and silver-white bark, becoming black and rugged with age. Yellow-green catkins. Oval leaves turn yellow in autumn.(2)	150-175	548p.
			175-200	723p.
			200-250	805p.
			250-300	991p.
			St6-8	1 291p.
			St8-10	1 704p.
			St10-12	2 261p.
			St12-14	3 314p.
pendula	'Fastigiata'	'Pyramidal birch'. An erect form of medium size and a rather stiff narrow habit. The upright branch-formation, with the stark silvery-white bark, gives this cultivar a stately appearance. Leaves normal, deep green.(2)	150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 489p.
			St6-8	2 705p.
			St8-10	3 232p.
			St10-12	4 182p.
			St12-14	5 471p.
pendula	'Golden Beauty'	Is a true Golden Birch which doesnt scorch in full sun like other earlier introductions(Golden Cloud) Gold foliated medium sized	150-175	1 642p.
			175-200	1 961p.
			200-250	2 509p.
pendula	'Golden Cloud'	A selection with yellow leaves. Tends to burn badly.(2)	150-175	1 642p.
			175-200	1 961p.
			200-250	2 509p.
pendula	'Laciniata'	Cutleaf birch, graceful tree with drooping branchlets and prettily cut leaves. Forms similar to both 'Laciniata' and 'Dalecarlica' occur wild in Sweden.(2)	250-300	3 149p.
			150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 489p.
			St6-8	2 705p.
			St8-10	3 232p.
			St10-12	4 182p.
St12-14	5 471p.			



			St14-16	7 969p.
pendula	'Purpurea'	Purple leaf birch, slow-growing tree with purple leaves. Needs extra care because of the weak constitution.(2)	150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 489p.
			St6-8	2 705p.
			St8-10	3 365p.
			St10-12	4 512p.
			St12-14	6 040p.
			St14-16	8 547p.
pendula	'Tristis'	A tall graceful birch with slender, pendulous branches, forming a narrow symmetrical crown. Outstanding Silver birch, broadly columnar or conical, graceful tree. White bark.(2) <i>Beautiful park tree.</i>	150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 489p.
			St6-8	2 705p.
			St8-10	3 232p.
			St10-12	4 182p.
			St12-14	5 471p.
			St14-16	7 969p.
pendula	'Youngii'	'Young's weeping birch'. Forms a mushroom-shaped dome of tread-like branchlets. Triangular, serrated leaves and smooth, white bark that is fissured black at maturity.(2)	150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			HSt 6-8	2 282p.
			250-300	2 489p.
			St6-8	2 828p.
			St8-10	3 500p.
			St10-12	4 739p.
			St12-14	6 152p.
St14-16	8 651p.			
pubescens		It is distinguished from B. pendula by the less weeping habit, smooth downy shoots, more rounded leaves and the bark being white to the base.(2) <i>This species thrives on a variety of soils and especially in damp localities.</i>	150-175	548p.
			175-200	723p.
			200-250	805p.
			250-300	991p.
			St6-8	1 291p.
			St8-10	1 704p.
			St10-12	2 261p.
utilis	'Jacquemontii'	'Himalayan birch'. one of the loveliest of all, with dazzling white stems. Small to medium sized tree with oval, midgreen leaves turning golden-yellow in autumn. Yellow catkins are born in spring.(7)	150-175	1 301p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 489p.
			St6-8	2 705p.
			St8-10	3 232p.
			St10-12	4 182p.
			St12-14	5 471p.
St14-16	7 969p.			
<b>BUDDLEJA (БУДЛЕЯ)</b>				
alternifolia		'Butterfly Bush'. A large shrub or occasionally a small tree, with graceful arching branches, bearing long, narrow, green leaves and wreathed with fragrant lilac lowers in June.(6)	RB50-60	754p.
davidii		'Butterfly Bush'. Medium-sized shrub with lanceolate dark green leaves. Strong grower.	SHR100-125	413p.
davidii	'Black Knight'	'Butterfly Bush'. Like the species. Long trusses of very deep violet.(6)	RB60-90	516p.
davidii	'Border Beauty'	'Butterfly Bush'. Like the specie. Flowers deep crimson-purple, compact habit.(6)	SHR100-125	413p.
davidii	'Empire Blue'	'Butterfly Bush'. Like the specie. Flowers violet-blue. Strong grower, well branched,	RB60-90	516p.

<i>dauidii</i>	'Harlequin'	'Butterfly Bush'. Like the species. Leaves variegated creamy-white, reddish-purple flowers. Lower growing than most cultivars.(6)	RB50-60	754p.
<i>dauidii</i>	'Ile de France'	'Butterfly Bush'. Rich flowering, long racemes of violet-purple.(6)	SHR100-125 RB60-90	413p. 516p.
<i>dauidii</i>	'Loch Inch'	'Butterfly Bush'. Like the species. Beautiful medium-sized shrub with pubescent young	SHR100-125 RB60-90	413p. 516p.
<i>dauidii</i>	'Nanho Bleu'	'Butterfly Bush'. Like the specie. Flowers pale blue.(6)	SHR100-125 RB60-90	413p. 516p.
<i>dauidii</i>	'Nanho Purple'	'Butterfly Bush'. Like the species. Flowers violet-purple with an orange eye, spreading	SHR100-125 RB60-90	413p. 516p.
<i>dauidii</i>	'Pink Delight'	'Butterfly Bush'. Long panicles of bright pink flowers, best pink.(6)	SHR100-125 RB60-90	413p. 516p.
<i>dauidii</i>	'Royal Red'	'Butterfly Bush'. Like the specie. Massive panicles of red-purple flowers. The best red	SHR100-125 RB60-90	413p. 516p.
<i>dauidii</i>	'White Profusion'	'Butterfly Bush'. Large, pure white panicles of yellow-eyed flowers.(6)	SHR100-125 RB60-90	413p. 516p.
<i>dauidii</i>	var. <i>nahoenensis</i>	'Butterfly Bush'. Like the specie. An elegant, only 1-1.5m high, slender-branched variety	SHR100-125 RB60-90	413p. 516p.
<i>x weyeriana</i>	'Sungold'	Golden Yellow Flowered Butterfly. Spikes of buttery-yellow, fragrant, blooms adorn this	SHR100-125 RB60-90	413p. 516p.
<b>BUXUS (САМШИТ)</b>				
<i>sempervirens</i>		'Common Box'. Evergreen large shrub or small tree producing luxuriant masses of small dark green leaves, petioled, leathery. The 'Common Box' has given rise to innumerable forms and variations, many of which are suitable for hedging and topiary. (6)	10-15; 10-15P9 15-20 15-20P9 RB30-35 RB35-40 RB40-50 RB50-60 Pyramid RB40/50 RB, Ball 25cm RB60-80 Pyramid RB50/60 RB, Ball 30cm Pyramid RB60/70 RB80-100 RB, Ball 35cm Pyramid RB70/80 RB, Ball 40cm Pyramid RB80/90 Pyramid RB90/100 RB, Ball 50cm Pyramid RB100/120 RB, Ball 60cm	124p. 156p. 165p. 197p. 661p. 858p. 1 321p. 1 920p. 2 034p. 2 261p. 2 716p. 2 922p. 3 562p. 4 099p. 4 253p. 4 790p. 5 854p. 6 379p. 7 444p. 9 570p. 11 697p. 13 823p. 17 446p.
<i>sempervirens</i>	'Aureovariegata'	'Common box'. Like the species. A medium to large shrub of dense bushy habit. Leaves green, variously striped, splashed and mottled creamy yellow.(6)	15-20	268p.
<i>sempervirens</i>	'Rotundifolia'	Vertical, loosely formed shrub with a stiff form and large, round, dark green leaves. This type is suitable for hedges of 1 to 2 metres high.	RB30-35 RB35-40 RB40-50 RB50-60	661p. 858p. 1 321p. 1 920p.
<i>sempervirens</i>	'Suffruticosa'	'Edging Box'. A dwarf of small shrub commonly uses as an edging to paths and flower beds, particularly those of a formal nature. Leaves, of medium size, ovate, bright shining green. (6)	12-15P9 15-20P9 20-25P9 25-30P9 30-35P9 35-40P9	341p. 486p. 754p. 1 177p. 1 817p. 2 663p.
<b>CALLUNA (БЕРЕЧК)</b>				
<i>vulgaris</i>		'Heather'. The typical plant of the European	C10	156p.

<i>vulgaris</i>		heath and moor. Shrub, from 20-100cm tall,	C13	300p.
<i>vulgaris</i>	'Alportii'	'Heather'. Like the specie. Flowering : Mid. Tall erect growth. Flowers crimson.(5)	C10	156p.
<i>vulgaris</i>	'Beoley Gold'	'Heather'. Like the specie. A strong-growing form with bright yellow foliage and short	C13	300p.
<i>vulgaris</i>	'CD.Eason'	'Heather' like the species. Has an abundance of buds and flowers on the tip of every	C10	156p.
<i>vulgaris</i>	'Cuprea'	Lavender flowers, Aug-Oct, with distinctive copper foliage in summer, turning a warm	C13	300p.
<i>vulgaris</i>	'Elsie Purnell'	'Heather'. Like the species. Flowers of a lively silvery-pink, double, deeper coloured in bud.	C10	156p.
<i>vulgaris</i>	'Gold Haze'	'Heather'. Foliage of a bright golden hue. Flowers white. Mid-season. (5)	C13	300p.
<i>vulgaris</i>	'H.E. Beale'	'Heather'. Like the specie. A splendid cultivar producing very long racemes of double,	C10	156p.
<i>vulgaris</i>	'J.H. Hamilton'	'Heather'. Like the species. A pretty dwarf with large, pink, double flowers. Early.(5)	C13	300p.
<i>vulgaris</i>	'Silver Knight'	heather'. Lavender flowers in late summer, gray foliage all year; compact; popular.(5)	C10	156p.
			C13	300p.
<b>CALYCANTHUS (КАЛИКАНТ)</b>				
<i>floridus</i>		'Carolina Allspice'. Dense, bushy, medium-sized shrub with dark glossy green aromatic	RB50-60	1 064p.
			RB60-80	1 498p.
<b>CARAGANA (КАРАГАНА)</b>				
<i>arborescens</i>		'Pea tree'. Fast growing small shrubby tree, to 6m high, with yellow pea-like flowers in late spring. One of the toughest, most accommodating plants. (2) <i>Can be grown as a hedge.</i>	SHR	321p.
			RB60-100	569p.
			HSt 6-8	1 601p.
			St6-8	2 147p.
			St8-10	3 056p.
			St10-12	4 067p.
			St12-14	5 698p.
			St14-16	7 515p.
<i>arborescens</i>	'Lorbergii'	'Cutleaf pea tree'. Has very narrow grass-like leaflets and small yellow flowers. Often grown as a tree by tografting. Extremely graceful.(2)	SHR60-100	805p.
<i>arborescens</i>	'Pendula'	'Pea Tree'. With stiffly pendent branches, usually grafted high. A very attractive weeping form. Strong grower.(2)	HSt 6-8	2 147p.
			St6-8	2 952p.
			St8-10	3 551p.
			St10-12	4 728p.
<i>arborescens</i>	'Walker'	'Weeping Pea Tree'. Usually top-grafted to form a weeping standard with hanging branches. Foliage similar to 'Lorbergii'. Grown as a bush it forms a charming,	HSt 6-8	2 147p.
			St6-8	2 952p.
			St8-10	3 551p.
			St10-12	4 728p.
<i>aurantiaca</i>		Small shrub, rather prostrate in habit and with slender, somewhat pendulous branches. Yellow flowers on drooping stalks beneath the branches in late spring.(5)	HSt 6-8	2 147p.
			St6-8	2 952p.
			St8-10	3 551p.
			St10-12	4 728p.
<i>frutex</i>	'Globosa'	Slow growing, dense upright shrub (40cm high and wide), finely forming a globe-form with age. Rarely pea-like bright yellow flowers in late spring.(2)	SHR60-100	851p.
			HSt 6-8	2 147p.
			St6-8	2 952p.
			St8-10	3 551p.
			St10-12	4 728p.
<b>CARPINUS (ГРАБ)</b>				
<i>betulus</i>		'Common Hornbeam'. A medium-sized tree with a grey, fluted trunk and ovate, serrate ribbed leaves. Recommended for hedging, wind-screen, pergolas, afforestation, single specimen. (5)	125-150	858p.
			150-175	1 085p.
			175-200	1 209p.
			200-250	1 436p.
			250-300	1 755p.
			300-350	2 261p.
			St6-8	2 601p.
			St8-10	3 283p.

			St10-12	4 285p.
			St12-14	5 471p.
			St14-16	7 969p.
betulus	'A. Beeckman'	Healthy and straight growing selection.	150-175	1 548p.
			175-200	1 828p.
			200-250	2 230p.
			250-300	2 828p.
			St6-8	2 828p.
			300-350	3 448p.
			St8-10	3 448p.
			St10-12	4 512p.
			St12-14	5 698p.
			St14-16	7 969p.
betulus	'Columnare'	A distinctly upright columnar to narrow teardrop growth habit through maturity, densely foliated, a much thinner version of	St6-8	3 500p.
			St8-10	4 285p.
			St10-12	5 420p.
betulus	'Fastigiata'	'Hornbeam'. A medium-sized tree of erect, pyramidal habit. Quite narrow as a young tree but broadening as it matures.(5) Used as a plant for avenues, also as a park tree.	150-175	1 548p.
			175-200	1 828p.
			200-250	2 230p.
			250-300	2 828p.
			St6-8	2 828p.
			300-350	3 448p.
			St8-10	3 448p.
			St10-12	4 512p.
			St12-14	5 698p.
St14-16	7 969p.			
betulus	'Frans Fontaine'	'Hornbeam'. A fastigiate form like 'Columnaris' but becomes not so wide.(5)	150-175	1 548p.
			175-200	1 828p.
			200-250	2 230p.
			250-300	2 828p.
			St6-8	2 828p.
			300-350	3 448p.
			St8-10	3 448p.
			St10-12	4 512p.
			St12-14	5 698p.
St14-16	7 969p.			
betulus	'Pendula'	A dwarf mushroom-headed tree with steeply pendulous branches. Green catkins in spring. Green leaves turn yellow in autumn.(6b)	150-175	1 569p.
			175-200	1 879p.
			200-250	2 271p.
			250-300	2 808p.
			St6-8	3 262p.
			St8-10	3 954p.
St10-12	5 079p.			
betulus	'Purpurea'	'Hornbeam'. The young leaves have a purple tinge, but soon become green. Slow growing.(5)	150-175	1 548p.
			175-200	1 828p.
			200-250	2 230p.
			250-300	2 828p.
betulus	'Quercifolia'	'Hornbeam'. A form with small, narrow, deeply and usually singly toothed leaves, but inclined to revert.(5)	300-350	3 448p.
			150-175	1 548p.
			175-200	1 828p.
			200-250	2 230p.
			250-300	2 828p.
japonica		'Japanese Hornbeam'. Tree to 15m high, bark scaly, light gray-brown. Small leaves reddish in spring, acute oval-oblong. Conspicuous fruit catkins.(5)	300-350	3 448p.
			150-175	1 766p.
			175-200	2 126p.
			200-250	2 601p.
			250-300	3 262p.
			St6-8	3 262p.
			St8-10	3 954p.
			St10-12	5 079p.
СЕРHALANTHUS (ГОЛОВАЧ)				

<i>occidentalis</i>		'Button Bush'. Is an easily cultivated but rarely grown deciduous shrub of medium height. Leaves ovate, 5-15cm long. Flowers creamy-white, produced during August, in small globular heads. (6-10)	30-50	858p.
<b>CERCIDIPHYLLUM (БАГРЯНИК)</b>				
<i>japonicum</i>		'Katsura tree'. Fast growing, spreading tree. Leaves heart-shaped, bronze when young, turn rich green and then yellow to purple in autumn. (5)	RB60-80	805p.
			RB80-100	961p.
			RB100-125	1 197p.
			RB125-150	1 560p.
			RB150-175	1 993p.
			RB175-200	2 560p.
			RB200-250	3 262p.
			RB250-300	3 954p.
			St6-8	5 636p.
			RB300-350	5 636p.
			St8-10	7 340p.
			St10-12	9 591p.
<i>japonicum</i>	'Pendulum'	Distinguished by its somewhat narrow pendulous habit with cascading branches reminiscent of ocean waves. Thick green-	St12-14	12 522p.
			HSt 6-8	3 111p.
			St8-10	4 542p.
			St10-12	5 678p.
<b>CHAENOMELES (АЙВА ЯПОНСКАЯ)</b>				
<i>japonica</i>		'Japanese flowering Quince'. Bushy, small shrub with thorns. Oval, mid-green leaves and a profusion of red or orange-red flowers in spring. Later rounded yellowish-green fruits, 4-5cm thick, usually with several deep furrows. very aromatic.(5)	30-50	300p.
<i>japonica</i>	'Sargentii'	'Japanese flowering Quince'. Lower growing than the typical C. japonica, flowers salmon-pink to orange, simple.(5)	40-50	713p.
<i>speciosa</i>	'Nivalis'	'Japanese flowering Quince'. Early-flowering quince. Flowers large, pure white.(5)	40-50	713p.
<i>speciosa</i>	'Rubra'	'Japanese flowering Quince'. Early-flowering, Flowers large, deep-red coloured. Low spreading-habit.(5)	40-50	713p.
<i>speciosa</i>	'Simonii'	'Japanese flowering Quince'. Early-flowering. Flowers blood-red, semi-double. Dwarf, spreading habit. An exceptionally beautiful cultivar.(5)	40-50	713p.
<i>superba</i>		'Japanese flowering quince'. Hybrid between C.japonica x C. speciosa. Leaves intermediate between the parents in form, size and margin. Flowers medium sized, white, pink, orange or red. Fruits larger than C. japonica and ripening somewhat later.(5)	40-50	713p.
<i>superba</i>	'Crimson and gold'	'Japanese flowering Quince'. Like the species, flowers deep crimson petals and golden anthers, followed by yellow fruits, apple-shaped.(5)	40-50	713p.
<i>superba</i>	'Elly Mossel'	'Japanese flowering Quince'. Like the species, flowers fire-red, large, simple. Fruits apple-shaped.(5)	40-50	713p.
<i>superba</i>	'Fascination'	'Japanese flowering Quince'. Like the species; grows to medium height and width, many branches spreading horizontally; leaves resembling those of C.speciosa; flowers deep scarlet-red, very large, flat; fruits apple-shaped.(5)	40-50	713p.

<i>superba</i>	'Fire Dance'	'Japanese flowering Quince'. Like the species, flowers bright red, very large, flowers abundantly. Fruits apple-or pear shaped.(5)	40-50	713p.
<i>superba</i>	'Hollandia'	'Japanese flowering Quince'. Like the species, flowers scarlet-red, large flowers, simple, fruits apple-shaped.(5)	40-50	713p.
<i>superba</i>	'Jet Trail'	'Japanese flowering Quince'. Like the species, flowers pure white, simple. Fruits ovate.(5)	40-50	713p.
<i>superba</i>	'Nicoline'	'Japanese flowering Quince'. Like the species, grows very wide, and to 1m high, flowers large, carmine-red, simple to semi-double, flowers very abundantly. Fruits ovate, somewhat ribbed.(5)	40-50	713p.
<i>superba</i>	'Pink Lady'	'Japanese flowering Quince'. Like the species. Flowers dark pink, simple, fruits apple-shaped.(5)	40-50	713p.
<i>superba</i>	'Vermillion'	Japanese flowering Quince'. Like the species. Flowers : orange	40-50	713p.
<b>CHAMAECYTISUS (РАКИТНИК)</b>				
<i>purpureus</i>		'Purple Broom'. A pretty, low shrub about 45cm high. Leaves trifoliate, leaflets obovate. Flowers lilac-purple, produced in May-June.(6)	C30-50	692p.
<b>CHIMONANTHUS</b>				
<i>praecox</i>		'Winter Sweets'. A medium-sized, easily grown shrub best planted against a sunny wall to ripen growth. Flowers sweetly scented, pale, waxy-yellow, stained purple at the centre, appearing on the leaflets branches during winter but not produced on young plants.(7)	RB40-60	1 280p.
<b>CHIONANTHUS (ХИОНАНТ)</b>				
<i>virginicus</i>		'Fringe tree'. Ultimately large shrub or small tree. Large, glossy, dark green leaves, turning yellow in autumn. Drooping sprays of fragrant white flowers in early summer.(3-9)	RB30-40	1 725p.
<b>CLADRASTIS (КЛАДРАСТИС)</b>				
<i>lutea</i>		'Yellow wood'. Round headed, medium-sized tree. Dark green leaves turn clear yellow in autumn. Clusters of fragrant,pea-like, creamy-white flowers in early spring. Drooping, like the blossom of Wisteria. (3)	60-80	961p.
<b>CLETHRA (КЛЕТРА)</b>				
<i>alinifolia</i>		'Sweet pepper bush'. Bushy shrub (2m). Oval mid-green leaves and has in late summer slender of small bell-shaped white or nearly white flowers.(3-9)	RB40-60	692p.
<i>alinifolia</i>	'Pink Spire'	A lovely clone with buds and flowers soft pink. Also distinct leaves, which carry a very healthy gloss.(3-9)	C,50-60	692p.
<i>alinifolia</i>	'Rosea'	Like the species, buds pink, flowers light pink, flowers somewhat less abundantly. (3-9)	C40-60	692p.
<b>CORNUS (ДЁРЕН)</b>				
	'Eddie's white Wonder'	Is a hybrid between <i>Cornus nuttallii</i> and <i>Cornus florida</i> . It produces a large white flower in May, with the green leaves turning	RB50-60	2 126p.
			RB60-80	2 663p.
			RB80-100	3 510p.

<i>alba</i>		'Cornels of Dogwoods'. Range from creeping shrubs to trees, being from 2-3m high. Forms a thicket of stems, the young branches become rich red in winter. Leaves opposite, ovate- elliptic, bright green above. Flowers white in cymes. Fruits white or tinged blue. (2) Those grown for their attractive coloured stems should be hard pruned every other year in March.	SHR60-90	300p.
<i>alba</i>	'Aurea'	A charming form with greenish-yellow leaves, and golden-yellow in autumn, purplish-red branches.(2)	SHR60-90	372p.
<i>alba</i>	'Elegantissima'	Handsome shrub with green and white variegated leaves on red stems. White	SHR60-90 STD 120cm	341p. 2 271p.
<i>alba</i>	'Gouchaultii'	Leaves with a pink border at first, later becoming green with yellow spots, red in the autumn.(2)	SHR60-90	341p.
<i>alba</i>	'Hessei'	Dwarf shrub, spreading habit with crowded, narrow, purple-tinged leaves which turn deep purple in autumn. White fruits. (2)	RB30-40	754p.
<i>alba</i>	'Kesselringii'	Vigorous dogwood with deep almost black-purple stems. Dark green leaves become flushed reddish-purple in autumn.(2)	SHR60-90	341p.
<i>alba</i>	'Sibirica Variegata'	The leaves are broadly margined and mottled white. Less vigorous growth.(2)	SHR60-90	372p.
<i>alba</i>	'Sibirica'	'Coral beauty or Westonbirt dogwood', with scarlet young shoots in winter and less robust growth. Branches with a light coral-red bark.(2)	SHR60-90	341p.
<i>alba</i>	'Spaethii'	Weak grower, compact. Leaves bronze-yellow at first, later with a broad gold-yellow margin. Sometimes totally gold-yellow.(2)	SHR60-90	434p.
<i>alternifolia</i>		A large shrub sometimes a small tree with horizontally spreading branches. Leaves green, alternate, giving rich autumn tints. Flowers white in wide cymes. Fruits blue-black.(3)	50-60 60-80,SHR 80-100,SHR RB100-125,SHR RB125-150,SHR	1 858p. 2 643p. 2 643p. 3 996p. 5 317p.
<i>alternifolia</i>	'Argentea'	One of the very best silver-variegated shrubs, forming a dense bush. Leaves small with a regular creamy-white margin.(3)	RB40-60 RB60-80 RB80-100	3 996p. 5 317p. 6 916p.
<i>canadensis</i>		'Creeping Dogwood'. Is not strictly a shrub, the 15cm shoots being renewed from ground	P9 C13	434p. 754p.
<i>controversa</i>		Deciduous shrub 9-15m, with oblique branches when young, becoming almost horizontal with age. The sweeping, tabulated branches are clothed with broad clusters of	RB60-80 RB80-100 RB100-125,SHR RB125-150,SHR	2 261p. 2 643p. 3 996p. 5 317p.
<i>controversa</i>	'Variegata'	A very ornamental small tree, slower growing and with striking silver margined leaves.(5-6)	RB30-40 RB40-50 RB50-60	3 872p. 5 161p. 6 194p.
<i>florida</i>		'Flowering Dogwood'. A large shrub or small bushy tree. Branches brown. Leaves ovate, to broad, dull green above, gray-green beneath. Flower buds enclosed by bracts during winter. When open each flowerhead	RB50-60 RB60-80 RB80-100 RB100-125,SHR RB125-150,SHR	1 858p. 2 261p. 2 643p. 4 521p. 5 854p.
<i>florida</i>	'Rubra'	Like C. florida but with dark pink or red bracts.(5-6)	RB40-50 RB50-60 RB60-80 RB80-100 RB100-125	2 117p. 2 643p. 3 459p. 4 790p. 7 382p.

florida	Cherokee Chief	Cherokee Chief' is a cultivar that is noted for its deep rose red floral bracts. New foliage is tinged with red. (6)	RB50-60	2 126p.
			RB60-80	2 663p.
			RB80-100	3 510p.
kousa		Small tree of shrubby form, reaching 4-5m. Frost hardy, deciduous. Pink tinted, creamy-white bracts in May. Edible fruits resembling strawberries. Leaves become scarlet-red in fall.(5-6)	RB40-60	1 321p.
			RB60-80	1 725p.
			RB80-100	2 261p.
			RB100-125	3 459p.
			RB125-150	5 161p.
kousa	'Chinensis'	A taller, more open form than the specie. Leaves slightly larger.(5-6)	RB40-60	1 321p.
			RB60-80	1 725p.
			RB80-100	2 261p.
			RB100-125	3 459p.
			RB125-150	5 161p.
kousa	'Milky Way'	One of the most common cultivars in the trade, this selection of var. chinensis is, however, probably composed of over a	RB50-60	2 126p.
			RB60-80	2 663p.
			RB80-100	3 510p.
mas		'Cornelian Cherry' A large shrub or small, densely branched tree producing an abundance of small yellow flowers on the naked twigs in February. Fruits bright red, cherry-like and edible but sour. Leaves reddish-purple in autumn.(5)	SHR50-80	351p.
			SHR80-100	486p.
			150-175	1 569p.
			SHR,RB125-150	1 683p.
			175-200	2 126p.
			200-250	2 447p.
			SHR,RB150-175	2 716p.
			250-300	2 808p.
			300-350	3 954p.
			St6-8	3 954p.
			St8-10	5 079p.
			St10-12	6 772p.
mas	'Aurea'	Like the species, with yellow leaves, red fruits.(5)	125-150	2 736p.
			150-175	3 418p.
			175-200	4 326p.
			200-250	5 471p.
			250-300	7 340p.
			St6-8	8 940p.
			St8-10	11 623p.
mas	'Variegata'	Leaves regularly with a wide border.(5)	125-150	2 736p.
			150-175	3 418p.
			175-200	4 326p.
			200-250	5 471p.
			250-300	7 340p.
			St6-8	8 940p.
nuttallii		Tall shrub (8-10m). Leaves elliptic-ovate. Flowers appearing in May, the heads with usually 6 large, white floral bracts sometimes	C60-80	3 191p.
			C80-100	4 687p.
			C100-125	5 957p.
sanguinea		Shrub, branches brownish green, reddish on the sunny side, leaves broad elliptic, red in	SHR60-90	300p.
sanguinea	'Midwinter Fire'	A most attractive form of Dogwood with unusual orange-yellow and red stems,	RB30-40	681p.
sanguinea	'Winter Beauty'	A remarkable dwarf form of compact narrow upright habit with the shoots bright orange-	RB40-60	851p.
sanguinea			RB30-40	640p.
sanguinea			RB40-60	805p.
stolonifera		Shrub with branches procumbent, bowed, often rooting, dark red. Leaves ovate, dark green above. Flowers in wide cymes, yellowish-wide. Fruits white base round. (2)	SHR60-100	341p.
stolonifera	'Flaviramea'	Yellow barked dogwood, similar to the type but has bright greenish-yellow, young shoots in winter. White flowers and fruits.(2) <i>Ideal for moist or wet situations.</i>	SHR60-100	341p.



<i>stolonifera</i>	'Kelseyi'	Dwarf type to only 75cm high, spreading growth habit, roots easily. Good groundcover.(2)	25-30SHR	465p.
<b>CORYLUS (ЛЕЩИНА)</b>				
<i>avellana</i>	'Aurea'	Similar to the species but with soft yellow leaves, weaker grower.(5)	SHR40-60 SHR60-80	805p. 1 064p.
<i>avellana</i>	'Contorta'	'Corkscrew Hazel'. Growth like the specie but weaker growing , branches twisting in corkscrew fashion. A winter feature when in catkin.(5) <i>The branches are used for Easter decoration.</i>	RB40-60 RB60-80 RB80-100 RB100-125 RB125-150	1 126p. 1 539p. 1 952p. 3 097p. 4 542p.
<i>avellana</i>	'Pendula'	A form with weeping branches, and also weak growing.(5)	HSt 6-8 St6-8 St8-10	3 397p. 4 739p. 5 636p.
<i>columna</i>		Turkish hazel'. Very symmetrical pyramidal tree (20m.)Characteristic rough, grey, bark, with corky corrugations. Ovate, dark green leaves. Long yellow catkins in late winter. Fruits in ball-like clusters(3-6). Withstands dry conditions.(5)	150-175 175-200 200-250 250-300 St6-8 St8-10 300-350 St10-12 St12-14 St14-16	1 085p. 1 353p. 1 672p. 2 003p. 2 003p. 2 663p. 2 684p. 3 335p. 4 182p. 5 854p.
<i>columna</i>	'Te-Terra Red'	Turkish Hazel with red leaves. Flowering February-March with beautiful red catkins.(5)	175-200 200-250 St8-10 St10-12	3 111p. 3 702p. 4 088p. 5 404p.
<i>maxima</i>	'Purpurea'	'Purple Filbert'. A large shrub or small, spreading tree with deep black-red leaves, which color throughout the summer. The nuts	SHR40-60 SHR60-80 SHR80-100	310p. 392p. 486p.
<b>COTINUS (СКУМПИЯ)</b>				
	'Grace'	A vigorous, tall shrub with large, soft purplish-red leaves, turning scarlet in autumn. Large, conical, purplish-pink flower clusters are	RB40-60 RB60-80 RB80-100	1 136p. 1 693p. 2 544p.
<i>coggyria</i>		'Smoke tree' or 'Venetian sumac'. Bushy shrub (5m). Light green, oval leaves turn	RB60-80 RB80-100	692p. 858p.
<i>coggyria</i>	'Foliis Purpureis'	The leaves, especially when young are of a rich plum-purple colour changing to light red shades towards autumn.(5)	RB40-60 RB60-80 RB80-100	989p. 1 409p. 2 112p.
<i>coggyria</i>	'Royal Purple'	A selected form with deep wine-purple leaves with a metallic lustre, translucent in sunshine. Long-lasting, purplish-pink plumes of	RB40-60 RB60-80 RB80-100	1 064p. 1 601p. 2 126p.
<i>coggyria</i>	'Golden Spirit'	Lovely Cotinus that is golden in summer with beautiful fall foliage. (5)	RB40-60 RB60-80 RB80-100	1 136p. 1 693p. 2 544p.
<b>COTONEASTER (КИЗИЛНИК)</b>				
<i>adpressus</i>		Dwarf, wide-spreading shrub, a gem for rock work, with bright red fruits, and small wavy-edged leaves which turn scarlet in autumn.(5)	C20-30	692p.
<i>adpressus</i>	'Little Gem'	This dwarf selection out of K. Verboom in Boskoop, Holland, forms a tight mounded uniform habit of miniaturized foliage, but rarely flowers or fruits. This cultivar is quite likely identical to plants listed as Cotoneaster horizontalis 'Tom Thumb'.(5)	RB25-30	692p.
<i>bullatus</i>		Large shrub with large, handsome, conspicuously corrugated leaves, which colour richly in autumn, and clusters or large,	SHR60-80 RB60-80 150-175	321p. 507p. 681p.
<i>cochleatus</i>		Charming, slow-growing, prostrate shrub	RB25-30	321p.

<i>conspicuus</i>		related to <i>C. microphyllus</i> but with paler, Evergreen. A graceful medium-sized, small-leaved shrub with strongly arching branches, wide-spreading. Flowers white, covering the plant in early summer, followed by equally numerous bright red fruits which often persist well into the following year. (6)	RB30-40	486p.
<i>dammeri</i>	'Major'	Quite prostrate, with long, trailing shoots studded in autumn with sealing-wax-red	RB25-30 C30-40	259p. 434p.
<i>dielsianus</i>		Deciduous, occasionally semi-deciduous shrub, to 2m high, branches bowed outward.	RB60-80 RB80-100	507p. 589p.
<i>divaricatus</i>		A medium-sized deciduous shrub to 2m high, erect, branches wide-spreading. One of the	RB60-80 RB80-100	507p. 589p.
<i>franchetii</i>		A very graceful, medium-sized, semi-evergreen or evergreen shrub, with sage-green foliage and ovoid, orange-scarlet fruits	RB60-80 RB80-100 RB100-125	507p. 640p. 858p.
<i>horizontalis</i>		A low-growing shrub of spreading habit, with branches of characteristic 'herring-bone' pattern. Invaluable for north or east walls or	RB25-30 RB30-40 RB40-60	321p. 372p. 486p.
<i>horizontalis</i>	'Variegata'	Like the species but slower growing and the leaves are white variegated coloured, more undulate. (5-6)	RB25-30	569p.
<i>lacteus</i>		A medium-sized shrub distinct in its large, oval, leathery leaves which are grey	C40-60 C60-80	692p. 858p.
<i>lucidus</i>		Upright growing, Siberian species of medium-height. Pinkish-white flowers and black fruits.	C30-40 C40-60	424p. 569p.
<i>microphyllus</i>		A dwarf, stiffly branched spreading shrub forming a low mound. Leaves elliptic to	RB25-30 C30-40	434p. 589p.
<i>nanshan</i>		A vigorous dwarf shrub with arching branches related to <i>C. adpressus</i> but with larger leaves and growing up to 1m high and 2m across. (5)	30-40	589p.
<i>procumbens</i>	'Queen of Carpets'		RB30-40 RB40-60	486p. 589p.
<i>procumbens</i>	'Streib's Findling'	A prostrate shrub of dense, congested growth with low, arching branches and tiny dark	RB25-30 C30-40	486p. 589p.
<i>radicans</i>	'Eichholz'	Very good groundcover, grows quickly, to 25cm high. Branches brown. Leaves fresh	RB25-30 C30-40	259p. 321p.
<i>simonsii</i>		A well-known, semi-evergreen, erect growing shrub, much used in plantations and for	C60-80 C80-100	507p. 589p.
<i>suecicus</i>	'Coral Beauty'	Low growing, branches spreading, resembles 'Skogholm', but remains lower and fruits very	C30-40 C40-60	259p. 321p.
<i>suecicus</i>	'Skogholm'	Shrub, to 60cm high, but 2-3m wide, branches long arching. Leaves loosely	C30-40 C40-60	259p. 321p.
<i>wardii</i>		A stiff, erect branched deciduous shrub of moderate size. Leaves dark, glossy green above, white beneath. Berries bright orange-red, top-shaped. (6)	C60-80	713p.
<b>CRATAEGUS (БОЯРЫШНИК)</b>				
<i>grignoniensis</i>		Medium sized, broad crown, tree, thornless. Leaves alternate, glossy, remain green until winter. Flowers in May-June with small umbellate panicles. Fruits red-brown, persisting for long. (5)	HSt 6-8 St6-8 St8-10 St10-12 St12-14 St14-16	1 425p. 2 323p. 2 932p. 4 067p. 5 244p. 7 515p.
<i>laevigata</i>	'Crimson Cloud'	This is a vigorous, disease resistant tree with the same delicate appearance as the Paul's Scarlett Hawthorn. It has glossy red fruit and red flowers with white centers.	HSt 6-8 150-175 175-200 200-250 250-300 St6-8	1 486p. 1 548p. 1 787p. 2 374p. 2 932p. 2 323p.

<i>laevigata</i>	'Mutabilis'	The same like the specie but with double flowers, opening soft pink, but quickly turning a dirty white.(6)	St8-10	2 932p.
			St10-12	4 067p.
			St12-14	5 244p.
			St14-16	7 515p.
<i>laevigata</i>	'Paul's'Scarlet'	Scarlet thorn, double red flowers. Deciduous tree, very attractive in May-June when the double, red flowers appear and hide the crown completely. (6)	175-200	1 147p.
			HSt 6-8	1 425p.
			200-250	1 569p.
			St6-8	2 034p.
			St8-10	2 539p.
			St10-12	3 365p.
			St12-14	4 398p.
<i>laevigata</i>	'Plena'	Hawthorn with round crown (10m). Broad, deeply lobed, glossy, dark green leaves. Clusters of fragrant, double white flowers in late spring and later rounded red fruits. All <i>laevigata</i> hybrids make large shrubs as well	St6-8	2 323p.
			St8-10	2 932p.
			St10-12	4 067p.
			St12-14	5 244p.
<i>lavalleei</i>		The same like C. *lavalleei 'Carrieri'.	St14-16	7 515p.
			175-200	1 353p.
			200-250	1 787p.
			250-300	2 354p.
			St6-8	2 601p.
			St8-10	3 314p.
			St10-12	4 377p.
<i>lavalleei</i>	'Carrieri'	A small, dense-headed tree, distinguished by its long, glossy, dark green leaves which often remain until December. Fruits orange-red persisting throughout the winter.(5)	St12-14	5 967p.
			St14-16	8 352p.
			175-200	1 353p.
			HSt 6-8	1 486p.
			200-250	1 787p.
			250-300	2 354p.
			St6-8	2 601p.
<i>monogyna</i>		Tall shrub, with long thorns, in May with many white and strongly fragrant flowers. Leaves broad-ovate 3-7lobed deeply incised. Red fruits.(5)	St8-10	3 314p.
			St10-12	4 377p.
			St12-14	5 967p.
			St14-16	8 352p.
			1+1,40-60	68p.
			1+1,60-90	81p.
			1+1,90-120	102p.
			SHR90-120	318p.
			150-175	858p.
			175-200	1 280p.
			200-250	1 704p.
			HSt 6-8	1 704p.
			250-300	2 250p.
<i>monogyna</i>	'Compacta'	A remarkable, dwarf form with stout, stiff, unarmed branches. Cultivated on stem.	St6-8	2 808p.
			St8-10	3 365p.
<i>monogyna</i>	'Stricta'	Hybrid of the common hawthorn with erect branches. Single white flowers in spring. (5)	St10-12	4 512p.
			St12-14	5 698p.
			St14-16	7 969p.
			STA80-100	3 407p.
			HSt 6-8	1 486p.
			150-175	1 548p.
			175-200	1 787p.
			200-250	2 374p.
			St6-8	2 436p.
			250-300	2 932p.
		Small tree with deeply lobed and toothed	St8-10	3 076p.
			St10-12	4 253p.
			St12-14	5 492p.
			St14-16	7 877p.

<i>mordenensis</i>	'Toba'	leaves. Flowers produced in May, double, opening white tinged pink becoming pink. (5)	St10-12	4 067p.
			St12-14	5 244p.
			St14-16	7 515p.
<i>persimilis</i>	'Splendens'	Flat-topped tree (8m). Shoots armed with long, curved thorns. Oval glossy, dark green leaves that turn bright crimson in autumn. Clusters of white flowers with pink anthers in late spring, followed by long-lasting bright red	St6-8	2 436p.
			St8-10	3 076p.
			St10-12	3 076p.
			St12-14	5 492p.
			St14-16	7 877p.
<b>CYTISUS (ПАКИТНИК)</b>				
	'Andreanus Splendens'	'Broom'. All cultivars flowers at the end of May-June. Branches widely arching. Standard petal gold-yellow, wings velvety red, keel yellow. Large flowers appearing about 10 days later than the otherwise similar 'Andreanus' and 'Firefly'. (6)	C	589p.
	'Boskoop Ruby'	'Broom'. Flowers carmine-red with yellow wings.(6)	C	589p.
	'Golden Sunlight'	'Broom'. Weak grower, monochrome light yellow, very large flowers.(6)	C	589p.
	'Goldfinch'	'Broom'. Low grower and wide, foliage dense. Standard yellow, dorsal side pink, wings dark red, keel gold-yellow.(6)	C	589p.
	'Hollandia'	'Broom'. Flowers darklilac.(6)	C	589p.
	'Luna'	'Broom'. Strong grower, broad upright. Standard light yellow, wings dark yellow, keel light yellow, large flowers.(6)	C	589p.
	'Palette'	'Broom'. Standard yellow and white, outside light carmine-lilac, wings pure velvety red. Keel yellow with lilac tones. (6)	C	589p.
	'Red Wings'	'Broom'. Standard and wings carmin-red, keel lilac.(6)	C	589p.
	'Roter Favorit'	'Broom'. Standard light carmine-red above, outside carmine, wings deep velvety red, keel light carmine.(6)	C	589p.
	'Zeelandia'	'Broom'. Standard lilac outside, cream inside, wings pinkish, keel cream. May to June.(6)	C	589p.
<i>decumbens</i>		'Broom'. Procumbent shrub, to 20cm high. Branches pentagonal, pubescent when young. Leaves simple, sessile. Flowers grouped 1-3, gold-yellow, pubescent May to June. Pods 2cm long. One of the best dwarf species.(6)	C	692p.
<i>kewensis</i>		Sheets of cream-coloured flowers in May. Growth semi-prostrate.	RB	692p.
<i>praecox</i>		'Warminster Broom'. A group of hybrids popular in gardens for their compact habit and rich flowering. Flowers creamy-white, very fragrant, April-May.(7)	C	569p.
<i>praecox</i>	'Albus'	'Broom'. Like the species but with white flowers.(7)	C	589p.
<i>praecox</i>	'Allgold'	'Broom'. Like the species but with long-lasting yellow flowers.(7)	C	589p.
<i>purgans</i>		'Broom'. A dense, usually leafless shrub forming a mass of erect branches 1m high. Flowers yellow in April and May, fragrant.(6)	C	589p.

<i>scoparius</i>		Scottish broom. A deciduous Shrub growing to 2.4m by 1m at a fast rate. It is not frost tender. It is in flower from May to June, and the seeds ripen from August to November. Scotch broom ( <i>Cytisus scoparius</i> ), also referred to as broom, is a perennial woody plant native to Europe. Sharply angled branches off the main stem, trifoliate leaves, and bright yellow small flowers. Both the flower and herb of scotch broom have been used medicinally. (5)	C	589p.
<b>ДАВОЕСІА (ДАБЕЦІЯ)</b>				
<i>cantabrica</i>	'Atropurpurea'	'Connemara Heath'. A small genus of low-growing, lime-hating shrubs, related to <i>Erica</i> , but distinct on account of the usually large, glandular, deciduous corolla and broader leaves. One of the most charming and useful of dwarf shrubs producing long racemes of very showy rose-purple, pitcher-shaped flowers from June to November. (6)	C	434p.
<b>ДАРНЕ (ДАФНА)</b>				
<i>burkwoodii</i>	'Somerset'	Full hardy, semi-evergreen, upright shrub (1m). Dense clusters of very fragrant, pink flowers in late spring. Narrowly oblong, pale to mid-green leaves are edged with creamy-white or pale-yellow. (6)	RB30-40	2 344p.
<i>cneorum</i>		'Garland Flower'. A great favourite on account of its fragrance, and the rose-pink flowers which are borne in clusters on prostrate branches during May-June. Fruits brownish-yellow. (5)	RB15-20	2 271p.
<i>mezereum</i>	'Alba'	The well-known, sweet-scented, deciduous 'Mezereon'. A small shrub flowering in February and March. The white flowers, covering the previous year's shoots, are followed by translucent amber poisonous fruits. Upright branches. (5)	RB30-40	1 961p.
<i>mezereum</i>	'Grandiflora'	Like 'Rubra' but with larger flowers, and beginning to open as early as September. (5)	RB30-40 RB40-60	1 755p. 2 241p.
<b>DEUTZIA (ДЕЙЦІЯ)</b>				
<i>gracilis</i>		Low shrub, seldom taller than 70cm, growth narrowly upright. An elegant, white flowered,	SHR30-40 C	300p. 507p.
<i>gracilis</i>	'Nikko'	Compact growing, dwarf shrub (30cm) with charming arching branchlets. Narrow, sharply dentate leaves. Clusters of single white flowers in late spring. (6)	RB25-30	537p.
<i>purpurascens</i>	'Kalmiiiflora'	A charmin, floriferous shrub, flowers large, white flushed carmine. Leaves purple in	SHR60-80 C	341p. 507p.
<i>scabra</i>	'Plena'	Tall, erect branched shrub to 3-3,5m producing in June and July large paniculate clusters of double, suffused, rose-purple outside, flowers. (6)	SHR60-90	341p.
<i>scabra</i>	'Pride of Rochester'	Tall, erect branched shrub. Dark green leaves set of dense, upright clusters of double white flowers, flushed pink outside, from early summer. (6)	60-90	321p.
<i>X hybrida</i>	'Mont Rose'	Hybrid of medium size, extremely floriferous. Flowers rose-pink with darker tints, very	SHR C	341p. 507p.
<i>X hybrida</i>	'Pink Pom Pom'	A medium-sized shrub producing dense heads of double flowers, pink at first	SHR40-60 C	321p. 507p.

<i>X lemoinei</i>		Small shrub, to 1m high, bushy, upright. Flowers to 2cm wide, white, erect umbellate	C SHR	300p. 321p.
<b>ELAEAGNUS (ЛОХ)</b>				
<i>angustifolia</i>		'Oleaster'. Large spiny shrub or small tree. Has willow like silvery-grey leaves and small	SHR60-90 C60-90	300p. 537p.
<i>commutata</i>		'Silver berry'. Medium-sized stoloniferous shrub. Intensely silvery-grey willow-like leaves. Very fragrant flowers, yellow inside, silvery outside, in May. Small, egg-shaped, silvery-amber fruits. (2)	C40-60	1 197p.
<i>ebbingei</i>		A large, hardy, fast-growing evergreen shrub, splendid for creating shelter, even near the sea. Leaves large, silvery beneath. Flowers in autumn, silvery-scaly and fragrant. Fruits	C40-60 C60-80 C80-100 C100-125	1 012p. 1 321p. 1 725p. 2 643p.
<i>ebbingei</i>	'Gilt Edge'	Like the species. Leaves narrow yellow margined. (6)	C40-60 C60-80	1 321p. 1 725p.
<i>ebbingei</i>	'Limelight'	Like the species. Leaves green above at first with silvery scales, developing a broad,	C40-60 C60-80	1 321p. 1 725p.
<i>pungens</i>	'Goldrim'	A vigorous, spreading, rarely spiny evergreen shrub up to 5m. A good shelter-making evergreen, with deep glossy green leaves margined with bright yellow. (6)	RB25-30	1 321p.
<i>pungens</i>	'Maculata'	Leaves with a central splash of gold, giving a very bright effect. A very handsome shrub of moderate growth but prone to reversion. (6)	RB25-30 C30-40 40-50	1 012p. 1 321p. 1 725p.
<i>umbellata</i>		Large, strong-growing spreading shrub (4m). Fully hardy. Oblong, wavy-edged, bright	SHR RB	300p. 507p.
<b>ELEUTHEROCOCCUS (ЭЛЕУТЕРОКОКК)</b>				
<i>sieboldianus</i>		Spiny, erect branches with green, divided foliage. Fruit globose, black. (5) <i>Forms an impenetrable hedge. Half-shade.</i>	40-60	1 693p.
<i>sieboldianus</i>	'Aureomarginatus'	Grows more sparsely, leaves with white perimeter, rather rare. (5)	40-60	1 693p.
<b>ERICA (ЭРИКА)</b>				
<i>carnea</i>		'Heath'. One of the most widely planted dwarf shrubs in cultivation, forming dense	C10 C13	165p. 300p.
<i>carnea</i>	'Aurea'	Like the species. Foliage bright gold during spring and early summer. Flowers deep pink	C10 C13	165p. 300p.
<i>carnea</i>	'December Red'	Like the species. Deep green foliage and strong spikes of rose-red flowers. Mid to	C10 C13	165p. 300p.
<i>carnea</i>	'Ghost Hill'		C10 C13	165p. 300p.
<i>carnea</i>	'Myretoun Ruby'	Like the species. Deep green foliage and masses of deep rose-pink flowers. An	C10 C13	165p. 300p.
<i>carnea</i>	'Praecox Rubra'	Like the species. Flowers deep rose-red. Early to mid. (6)	C10 C13	165p. 300p.
<i>carnea</i>	'Ruby Glow'	Like the species. This cultivar is one of the richest in profuse deep ruby-red, urn-shaped	C10 C15	165p. 300p.
<i>carnea</i>	'Snow Queen'	Like the species. Large pure white flowers held well above the foliage. Mid. (6)	C10 C13	165p. 300p.
<i>carnea</i>	'Springwood White'	Like the species. Still the finest white cultivar, its strong trailing growths packed with long,	C10 C13	165p. 300p.
<i>carnea</i>	'Vivelli'	Like the species. Deep, vivid carmine. Bronzy red foliage in winter. A superb cultivar.	C10 C13	165p. 300p.
<i>carnea</i>	'Winterbeauty'	Like the species. Bright rose-pink, commencing to flower in December. Sepals	C10 C13	165p. 300p.
<i>cinerea</i>	'C.D. Eason'	The common native purple 'Bell Heather', forming mats of wiry stems, and flowering	C10 C13	165p. 300p.
<i>vagans</i>	'Mrs. DF Maxwell'	One of the most cherished heaths, this Erica's deep cherry-red blooms have as	C10 C13	165p. 300p.
<i>vagans</i>	'St Keverna'	Clear pink flowers, August-November, with	C10	165p.

<i>vayana</i>	St. Keverne	dark green foliage. Found on the Lizard	C13	300p.
<i>x darleyensis</i>	'Darley Dale'	Erica x darleyensis is a cross between Erica carnea x Erica erigena. It is a low-growing,	C10	165p.
<i>x darleyensis</i>	'Kramer's Rote'	Like the species. is a vigorous, dwarf, evergreen shrub which forms a mat of dark	C13	300p.
<i>x darleyensis</i>	'Silberschmelze'	'Silberschmelze' is a vigorous, dwarf, evergreen shrub with dark-green foliage	C10	165p.
<i>x darleyensis</i>			C13	300p.
<b>EUONYMUS (БЕРЕСКЛИТ)</b>				
<i>alatus</i>		'Winged spindle'. Bushy dense shrub with shoots that develop corky wings. Dark green leaves turn brilliant red in autumn. Fruits reddish-purple opening to reveal bright	C30-40	929p.
<i>alatus</i>			C40-60	1 126p.
<i>alatus</i>			C60-80	1 621p.
<i>alatus</i>			C80-100	2 344p.
<i>alatus</i>	'Compactus'	Dwarfer habit and branches not quite as corky as the species (1.25m). Equally colourful in autumn. Ideal for low hedges.(3)	RB25-30	929p.
<i>alatus</i>			C30-40	1 126p.
<i>alatus</i>			40-50	1 383p.
<i>alatus</i>			C50-60	1 704p.
<i>europaeus</i>		'European spindle tree'. A familiar native hedgerow shrub, particularly on chalk soils. A	SHR60-100	341p.
<i>europaeus</i>			C	507p.
<i>europaeus</i>	'Red Cascade'	A selected form, arching branches under often with an abundance of rosy-red fruits.	C40-60	1 012p.
<i>europaeus</i>			C60-80	1 321p.
<i>fortunei</i>	'Blondy'	An evergreen foliage plant where the leaves are a lovely creamy white with irregular	RB25-30	434p.
<i>fortunei</i>			C30-40	589p.
<i>fortunei</i>	'Coloratus'	'Wintercreeper Euonymus'. A trailing or climbing form. Large leaves turn rich purple or brown-red in autumn and winter and resume their summer green in spring again. Very attractive and meritorious.(5)	C30-40	413p.
<i>fortunei</i>	'Dart's Blanket'	An improvement on 'Coloratus', leaves deep green turning bronze-red in autumn.(5)	RB25-30	259p.
<i>fortunei</i>	'Emerald 'n Gold'	'Wintercreeper Euonymus. Evergreen. A very striking form making a dense, dwarf bush. Leaves deep green with a broad, bright golden margin which becomes cream flushed	P9,10-15	165p.
<i>fortunei</i>			C15-20	280p.
<i>fortunei</i>			C20-30	372p.
<i>fortunei</i>			C,30-40	557p.
<i>fortunei</i>	'Emerald Gaiety'	'Wintercreeper Euonymus. Evergreen climbing shrub. Small, compact, bushy shrub. Rounded, white edged, deep green leaves. The white margin becomes pink tinged during	P9,10-15	165p.
<i>fortunei</i>			C1,3,15-20	268p.
<i>fortunei</i>			C1,3,20-30	372p.
<i>fortunei</i>			C,30-40	557p.
<i>fortunei</i>	'Gold Tip'	'Wintercreeper Euonymus'. Evergreen. Broadly upright habit, leaves margined golden yellow.(5)	P9,10-15	165p.
<i>fortunei</i>			C1,3,15-20	280p.
<i>fortunei</i>			C1,3,20-30	372p.
<i>fortunei</i>			C,30-40	557p.
<i>fortunei</i>	'Harlequin'	Euonymus fortunei 'Harlequin' is a dwarf evergreen creeping vine with variegated green & white leaves, with pink fall & winter highlights, for year-round interest. The oval leaves are littler & flatter than most varieties within this species.(5)	C1,3,20-30	372p.
<i>fortunei</i>	'Sun Spot'	Sun Spot Euonymus is a very hardy, evergreen shrub. It has small, dark green leaves, accented by a yellow center spot and bright yellow stems. It forms an irregular spreading mound. SIZE: grows to 3 feet (90cm) in height with almost twice the spread. at maturity.(5)	C1,3,20-30	372p.
<i>fortunei</i>	'Sunshine'	'Wintercreeper Euonymus'. Evergreen with broad upright habit. Large grey-green leaves with golden-yellow edge.(5)	P9,10-15	165p.
<i>fortunei</i>			C1,3,15-20	280p.
<i>fortunei</i>			C1,3,20-30	372p.
<i>fortunei</i>			C,30-40	589p.
<i>fortunei</i>	'Tustin'	Tustin' is a prostrate, evergreen mat-forming shrub with dark-green leaves. It bears	C20-30	434p.
<i>fortunei</i>			C,30-40	589p.
<i>fortunei</i>		'Wintercreeper Euonymus'. A trailing form or	C1,3,15-20	280p.

<i>fortunei</i>	'Variegatus'	climbing form, the leaves greyish-green, margined white, often tinged pink. A sport of	C1.3,20-30	372p.
<i>fortunei</i>	'Vegetus'	'Wintercreeper Euonymus'. A small, bushy, creeping form with both prostrate and erect	C,30-40	557p.
<i>fortunei</i>	var. <i>radicans</i>	'Wintercreeper Euonymus'. A trailing form or climbing shrub with ovate or elliptic, shallowlytoothed leaves up to 3,5cm long,	RB25-30	557p.
<i>japonicus</i>		A large, densely branched shrub with dark glossy green, leathery leaves. Flowers greenish-white. Fruits pink, not lobed, aril	C30-40	702p.
<i>japonicus</i>	'Aureomarginatus'	Like the species, leaves pale green when young becoming blue-green, narrowly margined with white.(8)	P9,10-15	165p.
<i>latifolius</i>		European species growing 3-4.5m high. Has larger, scarlet fruits, and more brilliant autumn foliage than the common "Spindle	C1.3,15-20	280p.
<i>nanus</i>		A useful, dwarf, semi-evergreen shrub with narrow leaves and tiny, brown-purple	C1.3,20-30	372p.
<i>oxyphyllus</i>		A slow growing, medium-sized to large shrub, leaves pass to rich shades of red and purple-red in the autumn when at the same time the	C30-40	640p.
<i>phellomanus</i>		Deciduous, medium-sized shrub with conspicuously corky-winged shoots and oval leaves. Fruits pink, 4 sided, aril red, seeds	40-50	805p.
<i>planipes</i>		A large, handsome species similar to E. <i>latifolius</i> and equally colourful in autumn. The large and showy scarlet fruits are freely	C50-60	1 032p.
<i>planipes</i>			C20-25	507p.
<i>planipes</i>			RB25-30	661p.
<i>planipes</i>			C30-40	858p.
<i>planipes</i>			40-50	1 126p.
<i>planipes</i>			C50-60	1 404p.
<i>Président Gauthier'</i>		Grey-green leaves with a dark central blotch & wide cream margin. Best in sun or dappled shade. Ht. 1.2m. Japonica and its varieties are good plants to use where heat tolerance is important and soil conditions are unfavorable. This is one of the few variegated shrubs that maintain their colors in full sun and hot summers.(8)	20-25	537p.
<i>latifolius</i>			C30-40	1 126p.
<i>latifolius</i>			C40-60	1 383p.
<i>latifolius</i>			C60-80	1 704p.
<i>nanus</i>			C30-40	1 126p.
<i>nanus</i>			40-50	1 383p.
<i>oxyphyllus</i>			C,30-40	1 012p.
<i>oxyphyllus</i>			C40-60	1 321p.
<i>oxyphyllus</i>			C60-80	1 725p.
<i>phellomanus</i>			C30-40	1 078p.
<i>phellomanus</i>			C40-60	1 409p.
<i>phellomanus</i>			C60-80	1 839p.
<i>planipes</i>			C30-40	1 078p.
<i>planipes</i>			C40-60	1 409p.
<i>planipes</i>			C60-80	1 839p.
<b>EXOCHORDA (ЭКЗОХОРДА)</b>				
<i>macrantha</i>	'The Bride'	Medium-sized arching, dense shrub that forms a mound of pendent branches. Large white flowers , in abundance wreathed on the arching branching in late spring, are very attractive.(5)	60-80	1 839p.
<i>racemosa</i>		The best-known species , a large shrub rather spreading in habit. Not suitable for	C60-80	989p.
<i>racemosa</i>			80-100	1 409p.
<b>FAGUS (БУК)</b>				
<i>sylvatica</i>		'Common beech', propagated by seed. Deciduous, usually tall trees. The winterbuds are dull brown. The leaves are petiolate, entire. The wavy-edged, dark green, leaves turn to golden-copper in autumn, very long lasting. The fruits or beechnuts are 4 parted, with erect bristles.(5) A noble large tree also excellent for hedgemaking. (The purple-leaved cultivars prefer full sun or semi-shade, the yellow-leaved forms a little shade). Used	125-150	920p.
<i>sylvatica</i>			150-175	1 259p.
<i>sylvatica</i>			175-200	1 601p.
<i>sylvatica</i>			200-250	1 941p.
<i>sylvatica</i>			250-300	2 374p.
<i>sylvatica</i>			St6-8	2 716p.
<i>sylvatica</i>			300-350	3 056p.
<i>sylvatica</i>			St8-10	3 613p.
<i>sylvatica</i>			St10-12	4 739p.
<i>sylvatica</i>			St12-14	6 379p.
<i>sylvatica</i>	'Asplenifolia'	'Fernleaf Beech'. Like the specie but : Slow growing at first, but eventually a very stately tree. Leaves relatively narrow, deeply cut into slender lobes and incised, some linear, also	150-175	3 138p.
<i>sylvatica</i>			175-200	3 881p.
<i>sylvatica</i>			200-250	4 769p.
<i>sylvatica</i>			250-300	5 616p.
<i>sylvatica</i>			St6-8	5 616p.
<i>sylvatica</i>			300-350	7 093p.



		sometimes pinnatisect and variations of both.(5)	St8-10	7 093p.
			St10-12	10 045p.
			St12-14	13 121p.
			St14-16	18 370p.
sylvatica	'Atropunicea'	'Purple Beech'. Collective name for all the forms with red foliage, which are normally selected from seed-raised plants. Leaves variable in size and color intensity, often brown in spring, becoming more brown-green during the summer. Most used for hedging. Selected from seed-raised plants they are not uniform in colour and habit.(5)	125-150	1 085p.
			150-175	1 374p.
			175-200	1 828p.
			200-250	2 230p.
			250-300	2 601p.
			St6-8	2 932p.
			300-350	3 283p.
			St8-10	3 840p.
			St10-12	4 966p.
			St12-14	6 607p.
			St14-16	9 105p.
sylvatica	'Black Swan'	Weeping beech with red-pourpre colours and a dominant leader.(5)	150-175	3 087p.
			175-200	3 819p.
			200-250	4 790p.
			250-300	5 636p.
			St6-8	5 636p.
			St8-10	6 999p.
			St10-12	9 703p.
			St12-14	12 522p.
			St14-16	17 528p.
sylvatica	'Dawyck Gold'	Habit like 'Dawijck' but golden-yellow in spring, light green in summer, golden-yellow again in fall.(5)	150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
			250-300	5 905p.
			St6-8	5 905p.
			St8-10	7 329p.
			St10-12	10 158p.
			St12-14	13 121p.
			St14-16	18 365p.
sylvatica	'Dawyck Purple'	Similar to 'Dawyck Gold' but has deep purple foliage throughout the season. An exciting narrowly columnar tree.(5)	150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
			250-300	5 905p.
			St6-8	5 905p.
			St8-10	7 329p.
			St10-12	10 158p.
			St12-14	13 121p.
			St14-16	18 365p.
sylvatica	'Dawyck'	'Dawyck beech' like the specie but : a large columnar tree, with erect branches. Pale green leaves mature to mid-green and turn rich yellow and orange in autumn.(5)	150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
			250-300	5 905p.
			St6-8	5 905p.
			St8-10	7 329p.
			St10-12	10 158p.
			St12-14	13 121p.
			St14-16	18 365p.
sylvatica	'Laciniata'	Strong grower, becoming as tall as the species, leaves quite variable, usually broad-lanceolate, long acuminate, pinnately divided.(5)	150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
			250-300	5 905p.
			St6-8	5 905p.
			St8-10	7 329p.
			St10-12	10 158p.
			St12-14	13 121p.
			St14-16	18 365p.
		'Weeping beech',like the specie but with spectacular large tree of which the enormous	HSt 6-8	3 716p.
			St8-10	8 465p.

<i>sylvatica</i>	'Pendula'	branches hang close with the main stem, while in other specimens some primary branches are almost horizontal and draped	St10-12	10 375p.
			St12-14	13 204p.
			St14-16	18 675p.
<i>sylvatica</i>	'Purple Fountain'	A seedling of 'Purpurea Pendula' Narrowly upright tree with purple leaves and weeping branches. The self-supporting top-shoot heightens the rugged appearance of this picturesque tree. Planted singly or in a group.(5)	150-175	3 087p.
			175-200	3 819p.
			200-250	4 790p.
			250-300	5 636p.
			St6-8	5 636p.
			St8-10	6 999p.
			St10-12	9 703p.
			St12-14	12 522p.
			St14-16	17 528p.
<i>sylvatica</i>	'Purpurea Latifolia'	Habit normal with vigorous growth, leaves rather large, dark black-brown que 'Atropunicea'.(5)	150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
			250-300	5 905p.
			St6-8	5 905p.
			St8-10	7 329p.
<i>sylvatica</i>	'Purpurea Pendula'	'Weeping purple beech', a small weeping tree with dark leaves. Usually top-grafted to make a small mushroom-headed orm. Needs support to reach a particular height.(5)	St10-12	10 158p.
			St12-14	13 121p.
			St14-16	18 365p.
			150-175	3 418p.
			175-200	4 223p.
			HSt 6-8	4 553p.
			200-250	5 244p.
<i>sylvatica</i>	'Purpurea Tricolor'	Like the specie but smaller en thinly branched, especially attractive for its carmine red foliage on new growth , best in full sun. Leaves medium size or small brown with a distinctly wide pink border.(5)	250-300	6 090p.
			St8-10	10 375p.
			St10-12	13 080p.
			St12-14	15 938p.
			St14-16	19 810p.
			150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
<i>sylvatica</i>	'Riversii'	A large broad crowned tree. Leaves very large, deep blackbrown, coloring. One of the best large leaved, purple beech cultivars available.(5)	250-300	5 905p.
			St6-8	5 905p.
			St8-10	7 329p.
			St10-12	10 158p.
			St12-14	13 121p.
			St14-16	18 365p.
			150-175	3 087p.
			175-200	3 819p.
<i>sylvatica</i>	'Rohan Gold'	Similar to 'Rohanii' but more vigorous, with the leaves yellow when young becoming green.(5)	200-250	4 790p.
			250-300	5 636p.
			St6-8	5 636p.
			St8-10	6 989p.
			St10-12	9 703p.
			St12-14	12 522p.
			St14-16	17 528p.
			150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
		Slow growing tree with shallow-lobed bright red leaves at first channing to dark brownish.	250-300	5 905p.
			St6-8	5 905p.
			St8-10	7 329p.
			St10-12	10 158p.
			St12-14	13 121p.
			St14-16	18 365p.
			150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
			St6-8	5 905p.
			St8-10	7 329p.

<i>sylvatica</i>	'Rohanii'	New leaves at first, changing to dark brownish-red during the season. Leafing out 8-10 days earlier than <i>F. sylvatica</i> .(5)	250-300	5 905p.
			St8-10	7 329p.
			St10-12	10 158p.
			St12-14	13 121p.
			St14-16	18 365p.
<i>sylvatica</i>	'Rotundifolia'	Like the 'Common Beech' but : lower, wide tree although slender upright when young, branches erect, leaves rounded to circular.(5)	150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
			250-300	5 905p.
<i>sylvatica</i>	'Swat Margret'	A purple beech like 'Riversii', but leafing out 8-10 days earlier, also retaining its black-red colour long into the fall. (5)	St6-8	5 636p.
			St8-10	6 999p.
			St10-12	9 703p.
			St12-14	12 522p.
<i>sylvatica</i>	'Zlatia'	Like the specie and a normal growing beech, but with leaves golden-yellow at first, very glossy, later becoming yellowish-green. The leaves are oval, wavy-edged.(5)	150-175	3 221p.
			175-200	4 005p.
			200-250	5 017p.
			250-300	5 905p.
<b>FORSYTHIA (ФОРЗИЦИЯ)</b>				
	'Courtasol'	Upright habit until 1m high. Compact. Lemon-coloured flowers.(5-6)	60-100	372p.
<i>ovata</i>	'Tetragold'	An early flowering species only 1.2m high. Leaves ovate, large flowers, amber-yellow in early March. (5)	50-80	372p.
<i>suspensa</i>		Vigorous form with arching branches. Flowers on slender pedicels produces in late March and early April. Attaining about 4-5m against a wall.(5-6)	60-90	486p.
<i>suspensa</i>	var. fortunei	A rambling shrub with slender interlacing branches. Nodding, narrowly trumpet-shaped, bright yellow flowers.(5-6)	60-90	486p.
<i>viridissima</i>	'Weber's Bronx'	A dense and compact dwarf form with masses of twiggly branchlets. Lanceolate leaves. Normally the last forsythia to flower, commencing in April, some time after <i>F. suspensa</i> . (5)	SHR	372p.
<i>x intermedia</i>	'Beatrix Farrand'	Bushy, rather upright, shrub with strong shoots. The deep, canary-yellow, nodding flowers are unusually large and appear from early to mid-spring (2.50m)Thin out and cut back kold flowering shoots to within a few centimetres of the old wood, immediately after flowering.(5-6)	60-100	372p.
<i>x intermedia</i>	'Golden Nugget'	Has large golden flowers grows to about 6ft (2m) in height.(5-6)	60-80,SHR	507p.
<i>x intermedia</i>	'Karl Sax'	This classic cultivar bears deep yellow flowers which are borne horizontally. The growth habit is dense and bushy, and bud hardiness is better than some older cultivars.(5-6)	C,50-60	507p.
<i>x intermedia</i>	'Lynwood'	A lovely cultivar. The large, broad-petalled, rich yellow flowers are borne profusely all along the branches. This clone together with 'Beatrix Farrand' is one of the most spectacular of the forsythias.(5-6)	60-100	310p.
<i>x intermedia</i>	'Minigold'	Compact upright habit. Flowers deep yellow, small with broad lobes, profusely borne.(5-6)	40-60	372p.

<i>x intermedia</i>	'Spectabilis'	One of the most popular of early spring-flowering shrubs. The flowers are so profuse as to create a mass of golden yellow.(5-6)	60-100	310p.
<i>x intermedia</i>	'Spring Glory'	Upright habit, to 1.8m high. Branches yellowish-brown. Flowers usually in groups, lobes widely outspread, light yellow.(5-6)	60-100	310p.
<b>FOTHERGILLA (ФОТЕРГИЛЛА)</b>				
<i>gardenii</i>		'Witch Alders'. Pretty shrub usually less than 1m high, conspicuous in April an May with its erect, fragrant inflorescences, composed of clusters of white stamens.(5)	RB25-30	1 755p.
<i>major</i>		A slow growing shrub of medium size. Conspicuous, white flower clusters emerge	RB25-30 C30-40	1 755p. 2 065p.
<b>FRAXINUS (ЯСЕНЬ)</b>				
<i>americana</i>		'White Ash'. A large species soon forming a noble shade tree. One of the fastest growing of American hardwoods. Tree with broad ovate crown. Winterbuds dark brown. Leaves ovate-lanceolate, with leaflets 5-9, but quite	St6-8	2 096p.
			St8-10	2 601p.
			St10-12	3 221p.
			St12-14	4 450p.
			St14-16	6 379p.
<i>americana</i>	'Autumn Applause'	This popular form produces a rounded, dense crown held by a straight trunk. Leaflets smaller than usualFall color is reported to be	St6-8	2 200p.
			St8-10	2 725p.
			St10-12	3 221p.
<i>americana</i>	'Autumn Purple'	An American selection of broadly conical habit with dark green leaves, reddish purple in autumn.(3)	St6-8	2 200p.
			St8-10	2 725p.
			St10-12	3 376p.
			St12-14	4 656p.
			St14-16	6 680p.
<i>angustifolia</i>	'Raywood'	Tree with a strong growth habit, dominant central stem and open crown. Winterbuds dark brown. Leaves dark green at first, violet-purple in fall. Leaflets 4-6 pair oblong-lanceolate, sparse and scabrous serrate.	St6-8	2 096p.
			St8-10	2 601p.
			St10-12	3 221p.
			St12-14	4 450p.
			St14-16	6 379p.
<i>excelsior</i>		'Common European Ash'.A large magnificent tree and one of the most valuable for timber. Winter buds black. Young branches gray-green, glabrous. Leaves 25-30cm long; Leaflets 7-11, ovate-oblong, serrate, dark green above, lighter beneath. Flowering in April-Mai with purple flowers. Fruits oblong 3-4 cm long. (3) Pollution resistant.	150-175	630p.
			175-200	805p.
			200-250	1 085p.
			250-300	1 342p.
			St6-8	2 096p.
			St8-10	2 601p.
			St10-12	3 221p.
			St12-14	4 450p.
			St14-16	6 379p.
<i>excelsior</i>	'Altena'	Like the specie but with a crown medium wide, conical. (3) For street plantings	St6-8	2 096p.
			St8-10	2 601p.
			St10-12	3 221p.
			St12-14	4 450p.
			St14-16	6 379p.
<i>excelsior</i>	'Atlas'	Like the specie but with a crown slender conical, branches ascending at acute angles, new growth appears late, from the terminal buds. For street plantings.(3)	St6-8	2 096p.
			St8-10	2 601p.
			St10-12	3 221p.
			St12-14	4 450p.
			St14-16	6 379p.
<i>excelsior</i>	'Aurea Pendula'	Like 'F.excelsior 'Aurea' but with yellow, pendulous branches; leaves green. (3)	St8-10	3 386p.
<i>excelsior</i>	'Aurea'	'Gold Ash'. Like the specie but weaker growing and with yellow branches; leaves yellow-green at first, later yellow-gold. Much rarer than 'Jaspidea' and often mistaken for it.(3)	St10-12	4 512p.
			St6-8	2 200p.
			St8-10	2 725p.
			St10-12	3 376p.
			St12-14	4 656p.
			St14-16	6 680p.

excelsior	'Crispa'	Like the specie but it's a slow-growing ash with a upright growth and small leaves, shining dark green with curled and twisted leaflets.(3)	HSt 6-8	2 282p.
excelsior	'Diversifolia'	Like the specie but with leaves simple or sometimes three-parted and usually jaggedly toothed.(3)	St6-8	2 096p.
			St8-10	2 601p.
			St10-12	3 221p.
			St12-14	4 450p.
			St14-16	6 379p.
excelsior	'Eureka'	Like the species but with a stem growing straight upward, crown open, broadly conical. (3) Selected as street tree.	St6-8	2 096p.
			St8-10	2 601p.
			St10-12	3 221p.
			St12-14	4 450p.
			St14-16	6 379p.
excelsior	'Jaspidea'	'Golden ash',like the specie but with vigorous growth and a broad, pyramidal crown. Also the bark on young shoots yellow, often with green stripes, especially on the long shoots. Winterbuds not densely arranged	St6-8	2 200p.
			St8-10	2 725p.
			St10-12	3 376p.
			St12-14	4 656p.
			St14-16	6 680p.
excelsior	'Nana'	'Dwarf form', Growth densely branches small rounded bush. Leaves smaller than the species. Nearly always seen grafted on a standard. Very attractive tree.(3)	HSt 6-8	1 704p.
			St6-8	2 716p.
			St8-10	3 283p.
			St10-12	4 285p.
			St12-14	5 925p.
excelsior	'Pendula'	'Weeping ash'. Strong growing top-grafted tree, forming a wide-spreading mound of weeping branches to the ground. Winter buds, leaves are similar to the specie. (3)	St14-16	7 515p.
			HSt 6-8	1 704p.
			St8-10	3 283p.
			St10-12	4 285p.
			St12-14	5 925p.
excelsior	'Westhof's Glorie'	Like the species but with a narrowly upright growth, wide crowned. Great leaves, dark green.(3)	St6-8	2 096p.
			St8-10	2 601p.
			St10-12	3 221p.
			St12-14	4 450p.
			St14-16	6 379p.
ornus		Manna Ash or Flowering Ash'. A pretty tree of medium size with round crown. Winterbuds gray-brown. Leaves dark green above, lighter beneath, midrib-pubescent only at the base. Flowering abundantly in May with terminal panicles, white fragrant.(6)	125-150	630p.
			150-175	805p.
			175-200	1 085p.
			200-250	1 363p.
			St6-8	2 716p.
			St8-10	3 283p.
			St10-12	4 285p.
			St12-14	5 925p.
ornus	'Arie Peters'	Flowering or manna ash, selection with upright branches forming a small tree with oval crown. Dark green leaves with slender, pointed leaflets and panicles of scented creamy-white flowers in late spring.(6)	St14-16	7 515p.
			125-150	754p.
			150-175	1 002p.
			175-200	1 280p.
			200-250	1 590p.
			St6-8	2 716p.
			St8-10	3 283p.
			St10-12	4 285p.
ornus	'Meczek'	Globe form of the flowering Ash. Grafted at Fraxinus ornus that gives a beautiful tree with a round crown, dark green, glossy leaves.(6)	St12-14	5 925p.
			St14-16	7 515p.
			St6-8	2 716p.
			St8-10	3 283p.
			St10-12	4 285p.
ornus	'Obelisk'	This flowering ash has a strong straight columnar growth. Flowering very	St12-14	5 925p.
			St14-16	7 515p.
			125-150	754p.
			150-175	1 002p.
			175-200	1 280p.

		abundantly.(6)	St8-10	3 283p.
			St10-12	4 285p.
			St12-14	5 925p.
			St14-16	7 515p.
<i>pennsylvanica</i>	'Cimarron'	An upright branched, narrow tree while young, developing a rounded crown as it matures. Foliage is dark, glossy green through the summer, changing to orange-red	St6-8	2 200p.
			St8-10	2 725p.
			St10-12	3 376p.
			St12-14	4 450p.
<b>GAULTHERIA (ГАУЛЬТЕРИЯ)</b>				
<i>procumbens</i>		'Checkerberry'. A North American creeping evergreen, forming carpets of dark green	P9	403p.
		A vigorous species forming thickets up to 1.8m high, and ideal undergrowth for game coverts, etc. Leaves broad and leathery. Flowers pinkish-white, fruits dark purple, in large clusters.(6)	C1,3	537p.
<i>shallon</i>			C1,3	754p.
<b>GENISTA (ДРОК)</b>				
<i>hispanica</i>		'Spanish Gorse'. One of the best plants for sunny sites, dry banks, etc. forming 1.6m high dense, prickly mounds covered unfailingly in May and June with masses of yellow flowers.(7-8)	C30-40	858p.
<i>lydia</i>		Shrub allied to Cytisus and requiring similar treatment. An outstanding dwarf shrub with slender arching branches and blue-green leaves. Massed terminal clusters of pea-like yellow flowers in late spring. Will trail over rocks.(5-6).	C30-40	589p.
<i>pilosa</i>	'Goldilocks'	A vigorous selection with ascending branches reaching 60cm. Golden yellow flowers are profusely borne over a long-period. Pods to 205cm long, linear-oblong.(6)	C30-40	704p.
<i>pilosa</i>	'Vancouver Gold'	Differs little from 'Goldilocks', less higher (20cm).(6)	RB25-30	692p.
<i>sagittalis</i>		A dwarf shrub with broadly winged, prostrate branches, giving an evergreen appearance. Flowers in June.(6)	RB25-30	692p.
<i>tinctoria</i>	'Royal Gold'	'Dyer's Greenweed'. Small, free flowering shrub, throughout the summer, mound forming habit (60cm), very hardy.(3)	C50-60	589p.
<b>GINKGO (ГИНКГО)</b>				
<i>biloba</i>		'Maidenhair Tree'. A medium-sized to large, deciduous tree of conical habit when young. Easily recognised by its peculiar fan-shaped, divided leaves which turn a beautiful clear yellow before falling in autumn. Perfectly hardy and suitable for most soils. The fruits are produced in pairs or threes at the end of a slender stalk, ripening and falling in autumn, when, if crushed, they emit a strong	125-150	1 890p.
			150-175	2 436p.
			175-200	3 530p.
			200-250	4 883p.
			St6-8	5 368p.
			St8-10	6 441p.
			St10-12	8 465p.
			St12-14	10 839p.
<i>biloba</i>	'Marieken'	Small green leaves turn a uniform golden yellow in autumn. The leaves are all ruffled! The growth habit is wide and round rather	St14-16	16 259p.
			HSt 120Cm	5 161p.
			St6-8	7 226p.
			St8-10	8 258p.
<b>GLEDITSIA (ГЛЕДИЧИЯ)</b>				
<i>triacanthos</i>		'Honey Locust'. Tall deciduous trees, to 20m high, with ornamental habit, open growing with a long trunk and attractively arranged branches, densely covered with simple or compound flattened thorns. Leaves pinnate	St6-8	2 519p.
			St8-10	3 252p.
			St10-12	4 253p.
			St12-14	5 492p.
			St14-16	7 753p.
		Like the specie but more a shrubby form or	SHR80-100	1 363p.

<i>triacanthos</i>	'Bujotii'	occasionally small tree, with narrower leaflets and slender pendulous branchlets.(3)	St8-10 St10-12	4 140p. 5 028p.													
<i>triacanthos</i>	'Inermis'	Like the species, but completely thornless. Often used as streettree because the danger of the thorns by the specie.(3)	150-175 SHR80-100 175-200 200-250	1 197p. 1 363p. 1 486p. 1 787p.													
			St6-8 St8-10 St10-12 St12-14 St14-16	2 519p. 3 252p. 4 253p. 5 492p. 7 753p.													
			<i>triacanthos</i>	'Rubylace'	Like the specie but the young foliage has dark red leaves later becoming bronze-green.(3)	150-175 175-200 200-250 250-300 St6-8 St8-10 St10-12 St12-14 St14-16	2 147p. 2 633p. 3 108p. 3 665p. 3 789p. 4 491p. 5 678p. 7 155p. 10 736p.										
						<i>triacanthos</i>	'Shademaster'	Like the species but a thornless form with ascending branches and dark green, longpersistent leaves.(3)	SHR80-100 150-175 175-200 200-250 250-300 St6-8 St8-10 St10-12 St12-14 St14-16	1 363p. 2 085p. 2 539p. 2 963p. 3 427p. 3 427p. 4 140p. 5 028p. 5 967p. 8 951p.							
									<i>triacanthos</i>	'Skyline'	Like the specie but with a broadly conical habit, thornless, leaves dark green, golden yellow in fall.(3)	SHR80-100 150-175 175-200 200-250 250-300 St6-8 St8-10 St10-12 St12-14 St14-16	1 363p. 2 085p. 2 539p. 2 963p. 3 427p. 3 427p. 4 140p. 5 028p. 5 967p. 8 951p.				
												<i>triacanthos</i>	'Sunburst'	Like the specie but with a conical habit, thornless, branches spread horizontally, leaves golden-yellow, later generally greening, fruitless.(3)	80-100 150-175 175-200 200-250 250-300 St6-8 St8-10 St10-12 St12-14 St14-16	1 363p. 2 147p. 2 633p. 3 108p. 3 665p. 3 789p. 4 491p. 5 678p. 7 155p. 10 736p.	
															<b>HALESIA (ГАЛЕЗИЯ)</b>		
															<i>carolina</i>		'Snowdrop tree'or'Silverbells'. A large spreading shrub (7m) with masses of bell-shaped, white flowers hanging from bare shoots in late spring and are followed by 4-winged green fruits.(5)
<i>monticola</i>		'Moutain Snowdrop Tree'. A magnificent small spreading tree differing from H. carolina in its greater size and its larger flowers and fruits, the latter up to 5cm long.(6)													C60-80	1 409p.	
<b>HALIMODENDRON (ГАЛИМОДЕНДРОН)</b>																	

<i>halodendron</i>		Salt tree. Attractive spiny silvery-leaved shrub. Masses of purplish pink pea flowers in early summer. Grow in very cold, dry	60-80	1 136p.
			HS180CM	2 261p.
			HS1 120Cm	2 544p.
<b>HIPPOPHAE (ОБЛЕПИХА)</b>				
<i>rhamnoides</i>		'Sea-buckthorn'. Tall, very hardy, arching shrub with narrow silvery leaves. Tiny yellow	60-100	341p.
			C60-100	589p.
<i>rhamnoides</i>	'Leikora'	Description : large-fruited Hippophae Color : orange Size : 350 cm Flowering period : august - november Hardiness : completely hardy (3)	50-60	619p.
<b>HOLODISCUS (ХОЛОДИСКУС)</b>				
<i>discolor</i>		'Ocean Spray'. A handsome and elegant shrub to 3.50m high, blooming in July when its long, drooping, feathery panicles of creamy-white flowers are most conspicuous. Leaves greyish-white tomentose beneath.(5)	RB60-100	908p.
<b>HYDRANGEA (ГОРТЕНЗИЯ)</b>				
<i>arborescens</i>	'Annabelle'	Rather small shrub of loose bushy growth. Spectacular huge, rounded heads of white, sterile flowers up to 30 cm across from mid summer to early autumn.(3)	C	692p.
<i>arborescens</i>	'Grandiflora'	The commonly cultivated form with large globular heads of creamy-white sterile florets.(3)	SHR5-8br	495p.
<i>macrophylla</i>	'Benelux'	Mop-headed garden hortensia. With globose, blue-pink flowers.(5-6)	SHR	454p.
			C	624p.
<i>macrophylla</i>	'Blue Tit'	'Hortensia"Lacecaps'. This group of cultivars is more similar to the wild forms. The inflorescences are flat with a wreath of sterile marginal flowers surrounding the small fertile flowers. 'Blue Tit' : Blue flowers.(5-6)	C	624p.
<i>macrophylla</i>	'Bouquet Rose'	The familiar mop-headed Hortensias. Their average height in most gardens ranges from	SHR	454p.
			C	624p.
<i>macrophylla</i>	'Carmen'	Mop-headed garden hortensia. With red globose flowers.(5-6)	SHR	454p.
			C	624p.
<i>macrophylla</i>	'Enziandom'	Mop-headed garden hortensia with rounded blue-pink flowers.(5-6)	SHR	454p.
			C	624p.
<i>macrophylla</i>	'Etincelant'	Mop-headed hortensia with rounded, pink-red flowers.(5-6)	SHR	454p.
			C	624p.
<i>macrophylla</i>	'Hamburg'	Mop-headed hydrangeas. Deep rose or purplish, large florets.(5-6)	SHR	454p.
			C	624p.
<i>macrophylla</i>	'King GeorgeV'	Mop-headed hortensia. Red, large florets with serrated sepals.(5-6)	SHR	454p.
			C	624p.
<i>macrophylla</i>	'Kingfisher'	Like 'Blue Tit'. Redlila flowers.(5-6)	C	624p.
<i>macrophylla</i>	'Libelle'	Like 'Blue Tit'. A very fine selection, the heads with large , pure white sterile florets, fertile flowers blue.(5-6)	C	624p.
<i>macrophylla</i>	'Mariesii Perfecta'	Like 'Blue Tit'. Wide flat corymbs of rosy-pink flowers, the ray-florets very large.(5-6)	C	624p.
<i>macrophylla</i>	'Mme Emile Mouillère'	Mop-headed garden hortensia. Florets large, with serrated sepals, white, with pink or blue	C	454p.
			SHR	624p.
<i>macrophylla</i>	'Nelly Mouillère'	Mop-headed hortensia. Pink flowers.(5-6)	SHR	454p.
			C	624p.
<i>macrophylla</i>	'Nikko Blue'	Mop-headed common hortensia. Very large, blue flowers with blue ray-florets.(5-6)	SHR	454p.
			C	624p.
<i>macrophylla</i>	'Soeur Thérèse'	Height :150 to 200 centimetres. Leaf :elliptical, acuminate; serrated margin.	CL	589p.
			C25-30Cm	1 239p.



<i>macrophylla</i>	'White Wave'	Like 'Blue Tit'. Bluish or pinkish flowers and pearl-white ray-florets.(5-6)	C	624p.
<i>paniculata</i>	'Dart's Little Dot'	A medium sized shrub with large creamy white sterile florets in late July. Height 1.2-1.5m(3)	C30-50	961p.
<i>paniculata</i>	'Grandiflora'	Upright, open shrub (2.50m), fully hardy. Large oval, dark green leaves. Large, conical panicles of mostly sterile, white flowers turn pink or reddish from late summer. When cut	60-80,3br	432p.
			60-80,5-8br	522p.
			Hst60-80,C	2 408p.
<i>paniculata</i>	'Kyushu'	Similar to 'Grandiflora' but very large panicles (30cm) liberally sprinkled with sterile flowers. Taper-pointed dark, glossy green leaves.(3)	C	738p.
<i>paniculata</i>	'Limelight'	Offers an extraordinary color to the late summer landscape with exquisite bright lime-green flowers. This refreshing color holds up well into autumn when it turns to a rich deep pink. The autumn display of green and pink blooms on <i>Hydrangea</i> p. 'Limelight' is breathtaking! A very vigorous and easy to grow variety which flowers well regardless of soil PH or winter temperatures. Stunning in fresh or dried bouquets! (3)	RB40-60	961p.
<i>paniculata</i>	'Phantom'	Huge creamy-white coloured plume-shaped flowers which should be pruned in the spring, the largest we have discovered so far on this species.(3)	RB40-60	961p.
<i>paniculata</i>	'Pink Diamond'	Large heads of sterile florets similar to but larger than 'Unique' white becoming pink.(3)	C	738p.
<i>paniculata</i>	'Pinky Winky'®	Strong Upright growing cultivar with big heads of sterile flowers that fade from white	P9	569p.
			RB	1 625p.
<i>paniculata</i>	'Praecox'	A form with smaller panicles of toothed ray-florets, the earliest form, flowering generally in early July and hardy in the coldest areas of Europe. Hard pruning early in the year will prevent flowering.(3)	C	738p.
<i>paniculata</i>	'Tardiva'	Like 'Grandiflora' but late flowering, from late August or September, the large heads with numerous ray-florets.(3)	C	738p.
<i>paniculata</i>	'Unique'	Similar to 'Grandiflora' but with even larger creamy white flower heads, later becoming purplish-pink.(3)	C	738p.
<i>quercifolia</i>		Oak leaved hydrangea, bushy, medium-sized, mound-forming shrub with deeply lobed, dark green leaves that become magnificent with red and purple autumn tints. Large, sterile, white flowerheads from mid-summer to mid-autumn.(5)	C	1 363p.
<i>quercifolia</i>	'Sike's Dwarf'	Native Oakleaf Hydrangea with white flowers in summer, burgundy fall color and compact growth max 75cm. Blooms July–August. The flowers are white and are of a similar size to other quercifolias. The plant is bushier and smaller growing. (5)	C30-50	1 445p.

<i>quercifolia</i>	'Snow Queen'	This cultivar is very similar to the species, except the flower panicles herein are showier (i.e., larger and more numerous sterile flowers) and the flower stems tend to be more rigid and thus more apt to remain erect even after soaking rains.(5)	C30-50	1 590p.
<i>sargentiana</i>		Is an upright, mid-sized, open, deciduous shrub with peeling bark and large, velvety, ovate, dark-green leaves. In summer and autumn it bears flowers in large flat heads, with purple or blue petals surrounded by white ray florets.	C30-50	1 590p.
<i>serrata</i>	'Bluebird'	A small, robust shrub with stout shoots and abruptly acuminate leaves. The blue fertile flowers are borne in slightly dome-shaped corymbs surrounded by large ray-florets which are reddish-purple on chalk soils, and a lovely sea-blue on acid soils.(6)	C	624p.
<i>serrata</i>	'Intermedia'	Small shrub with flat corymbs of pinkish fertile flowers surrounded by a ring of ray-florets, stout, upright habit.(6)	C	624p.
<i>serrata</i>	'Preziosa'	A handsome shrub with purplish-red stems up to 1.5m high. Leaves purple-tinged when young. Attractive globular heads of large rose-pink florets deepening to reddish-purple in autumn.(6)	C	624p.
<b>INDIGOFERA (ИНДИГОФЕРА)</b>				
<i>heterantha</i>		Only about 1m high in the cooler regions, in milder areas to 2m high, stoutly branched. Leaves 5-10cm long, leaflets 13-21, oval-oblong. Flowers purple-pink, dense erect racemes, June-September.(7-8)	C50-60	754p.
<b>JUGLANS (ОРЕХ)</b>				
<i>nigra</i>		'Black walnut', a large fast growing, handsome, spreading tree with deeply furrowed bark. Large, aromatic leaves (50cm long), of many, pointed, green leaflets. Fruits large and round, generally in pairs, thick	St6-8	2 034p.
			St8-10	2 489p.
			St10-12	3 159p.
			St12-14	4 553p.
			St14-16	6 267p.
<b>KALMIA (КАЛЬМИЯ)</b>				
<i>angustifolia</i>		Evergreen shrub, to 1m high, growth tightly upright. Leaves usually opposite, short petioled, bright green above. Flowers several in axillary clusters, purple-red. Grows primarily on sterile, acid soil, moist or dry. (2)	RB	1 858p.
<i>angustifolia</i>	'Rubra'	Like the species with beautiful, cup shaped flowers darker, more purple blooms.(2)	25-30SHR	2 126p.
<i>latifolia</i>		'Mountain Laurel'. Evergreen shrub, leaves alternate, elliptic-lanceolate, dark green	RB25-30	1 796p.
			C30-40	2 065p.
<i>polifolia</i>		Shrub to 50cm high. Leaves evergreen, blue-green beneath, margins involuted. Flowers, several in terminal umbels, purple-pink, campanulate-funnelform, May-June. Cultivate on acid soils.(2)	C15-20	1 858p.
<b>KERRIA (КЕРРИЯ)</b>				
<i>japonica</i>		Deciduous, arching, graceful shrub. Golden-yellow flowers like large buttercups are wreathed along the green shoots from mid to late spring. Foliage is bright green.(5)	C60-90	507p.

<i>japonica</i>	'Picta'	Like the species but with elegant creamy-white, leaves, variegated form of lower spreading habit.(5)	C30-40	507p.
<i>japonica</i>	'Pleniflora'	The well-known double flowered form. Taller and more vigorous and erect than K.	SHR60-90 C60-90	341p. 507p.
<b>KOLKWITZIA (КОЛЬКВИТЦИЯ)</b>				
<i>amabilis</i>		This lovely and graceful, very hardy and adaptable, medium-sized shrub forms a dense, twiggy bush. In May and June its drooping branches are draped with masses	SHR40-60 SHR60-80 C40-60 C60-80	434p. 537p. 692p. 908p.
<i>amabilis</i>	'Pink Cloud'	Flowers a stronger pink.(5)	C40-60	692p.
<b>LABURNUM (ЛАБУРNUM)</b>				
<i>alpinum</i>		'Goldenchain tree''Scotch laburnum'. Small, broad headed tree. Leaves consist of 3 deep shining green leaflets. Long, slender chains of bright yellow flowers in late spring or early summer. Pods flattened, glabrous and shining. All parts of the plant are poisonous.	HSt 6-8 St6-8 St8-10 St10-12 St12-14 St14-16	2 271p. 2 952p. 3 634p. 4 769p. 6 586p. 9 084p.
<i>alpinum</i>	'Pendulum'	Like the specie, but is a slow-growing, top-grafted form developing a low, dome-shaped head of stiffly weeping, slender branches.(5)	HSt 6-8 St6-8 St8-10	2 560p. 3 386p. 4 285p.
<i>anagyroides</i>		'Common Laburnum'. A small tree flowering in late May or early June, the drooping racemes crowded along the branches. The species differs from L. alpinum in its earlier flowering, shorter racemes, smaller, dull green leaves which are grey-green and densely addressed hairy beneath and in its	SHR HSt 6-8 St6-8 St8-10 St10-12 St12-14 St14-16	351p. 1 714p. 2 489p. 3 159p. 4 512p. 6 152p. 7 969p.
<i>watereri</i>	'Vossi'	'Vossi'=L.alpinum * L.anagyroides. Golden chain, spreading small tree or multi-stemmed large shrub (7-8m). Pendent chains of large deep yellow flowers in late spring and early summer. Very free flowering. (6)	SHR3-5br SHR5-8br HSt 6-8 St6-8 St8-10 St10-12 St12-14 St14-16	1 601p. 2 126p. 2 282p. 3 159p. 3 954p. 5 420p. 7 288p. 9 105p.
<b>LAVANDULA (ЛАВАНДА)</b>				
<i>angustifolia</i>	'Dwarf Blue'	'Lavender'. Flowering plants about 50 cm high, foliage to 30cm, larger leaves	P9 C1.5	227p. 372p.
<i>angustifolia</i>	'Hidcote'	'Lavender'. Flowering plants 50cm high. The larger leaves lanceolate, to 4cm wide, gray. Flowers in a whorl, calyx deep lilac, corolla somewhat lighter. (6)	P9	268p.
<i>angustifolia</i>	'Munstaed'	'Lavender'. Compact form with green-gray leaves and stems (50cm). Flowers lavender-	P9 C1.5	205p. 399p.
<i>angustifolia</i>	'Rosea'	'Lavender'. Compact form with green leaves. Stems (50cm) bear lavender-pink flowers.(6)	C	268p.
<b>LIGUSTRUM (БИРЮЧИНА)</b>				
	'Vicaryi'	'Privet'. = L.ovalifolium 'Aureum' x L.vulgare. Medium-sized semi-evergreen shrub with	C30-40 C40-60	805p. 1 064p.
<i>ionandrum</i>		Broad, upright bush. Useful for hedging, hardier than the oval leafed privet, but otherwise similar.(6)	HSt 100Cm	11 355p.
<i>japonicum</i>	'Green Century'®	New evergreen. Glossy, darkgreen foliage. White flowers in july-august. Fruits : black-violet. Beautiful for low evergreen hedges or for cutflower.(6)	0/1/1 P9 x/1/1 RB40-60 RB60-80	205p. 205p. 454p. 908p. 1 126p.
<i>japonicum</i>	'Rotundifolium'	'Privet'. Low shrub, with leaves broadly ovate to nearly rounded, obtuse to emarginate at	C20-30 RB25-30	1 064p. 1 321p.

<i>lucidum</i>		'Privet'. Evergreen shrub. Leaves ovate, long acuminate, glossy dark green above, with 6-8	C30-40 C40-60	805p. 1 064p.
<i>obtusifolium</i>	'Regelianum'	'Privet'. A low-growing form with horizontally spreading branches. White flowers in terminal, nodding clusters, very freely produced in July, leaves rose-madder in autumn persisting for several weeks.(6)	C30-50	805p.
<i>ovalifolium</i>		'Privet'. Deciduous to semi-evergreen shrub. Leaves elliptic-oblong, 3-7cm long, glossy dark green above, yellowish-green beneath. Flowers in crowded, 5-10cm long panicles, yellowish-white. One of the most commonly used hedging plants.(6)	2br+,1Yr,30-50 2br+,1Yr,40-60 2br+,2Yr,60-90 2br,2Yr,40-60 2br+,2Yr,90-120 SHR75-100,5br+ SHR100-125,5br+	40p. 56p. 70p. 70p. 108p. 227p. 280p.
<i>ovalifolium</i>	'Argenteum'	Like the species but with white margined leaves.(6)	SHR40-60,4br+ SHR60-80,4br+	218p. 268p.
<i>ovalifolium</i>	'Aureum'	Like the species but with golden-yellow margined leaves.(6)	2br+,30-40 2br+,40-60 4T+40-60 4T+60-80 HSt,C	84p. 118p. 159p. 213p. 1 858p.
<i>vulgare</i>		'Common privet'. Deciduous or semi-evergreen, bushy shrub. Fully hardy. Lanceolate leaves, dark bluish-green. The long clusters of shining black fruits are conspicuous during autumn.(5)	2br+,1Yr,30-50 2br+,1Yr,40-60 2br+,2Yr,40-60 2br+,2Yr,60-90 2br+,2Yr,90-120	40p. 56p. 70p. 84p. 108p.
<i>vulgare</i>	'Atrovirens'	Like the species but with growth narrowly upright, lateral shoots short and outspread. Leaves broadly elliptic to ovate, deep green. In winter deep brown and persistent.(5)	2br,1Yr,30-50 2br,2Yr,40-60 2br+,2Yr,60-90 2br+,2Yr,90-120 SHR75-100,5br+ SHR100-125,5br+	54p. 83p. 102p. 129p. 227p. 280p.
<i>vulgare</i>	'Lodense'	Like the species, but very low and dense growing, scarcely higher than 50cm with	2Yr,20-30 2Yr,30-50	227p. 280p.
<b>LONICERA (ЖИМОЛОСТЬ)</b>				
<i>fragrantissima</i>		'Honeysuckle'. Semi-evergreen shrub, very open habit, to 2m high. Leaves elliptic to	C30-40 C40-60	589p. 805p.
<i>involucrata</i>	var. <i>ledebourii</i>	'Honeysuckle'. Bushy shrub with red-tinged, orange-yellow flowers amid dark green foliage in late spring, followed by black berries.(6)	SHR60-90	341p.
<i>maackii</i>		'Honeysuckle'. Large, very hardy, honeysuckle bearing fragrant, white flowers	RB30-40 RB40-50	589p. 805p.
<i>morrowii</i>		'Honeysuckle'. Vigorous medium-sized shrub with arching branches. Flowers and berries	RB30-40 RB40-60	589p. 805p.
<i>nitida</i>		Evergreen shrub, upright to 2m high, abundantly branched. Leaves ovate-oblong,	C30-40 C40-60	259p. 321p.
<i>nitida</i>	'Baggesen's Gold'	Like the species but low, broad growing, with yellow leaves, more yellow-green in summer.(7-8)	C20-30	537p.
<i>nitida</i>	'Elegant'	Like the species. Twigs loose, often spreading nearly horizontally or gracefully	C30-40 40-50	259p. 321p.
<i>nitida</i>	'Hohenheim. Findling'	Like 'Elegant' but more frost tolerant and remaining green later in fall.(7-8)	C30-40,1.5L	259p.
<i>nitida</i>	'Lemon Beauty'	Broad upright branches. Leaves are bright green, each having a broad yellow margin. New growth has an attractive purple cast. Evergreen. Ideal for small hedge as this honeysuckle can be pruned into shape. grows in almost any well drained soil in sun or partial shade. (7-9)	C30-50	321p.

<i>nitida</i>	'Maigrün'	Bushy evergreen shrub - small cream-white flowers are fragrant but hidden by foliage.	25-30SHR C30-50	259p. 321p.
<i>nitida</i>	'Red Tips'	This variety sports rounded, dark green leaves blushed with red throughout the year. New growth is a lovely bright purple-red. Sun to light shade. (7-8)	C30-50	321p.
<i>pileata</i>		Evergreen shrub, broad growing, procumbent, scarcely higher than 30cm. Leaves oblong-lanceolate. Flowers in sessile	C30-401.5L C40-601.5L C60-80	259p. 321p. 434p.
<i>pileata</i>	'Moss Green'	This is an improvement over the older <i>pileata</i> with rich green foliage and a more compact habit. Low spreading shrub with vivid green leaves. Yellowish white flowers occur in pairs during May and continue sporadically until November, depending on zone. Good for use as a groundcover, accent shrub, or specimen. (5)	C30-50	321p.
<i>tatarica</i>		'Honeysuckle'. Deciduous shrub, upright. Leaves ovate to lanceolate, dark green	SHR C	341p. 537p.
<i>tatarica</i>	'Arnold Red'	'Honeysuckle'. Like the species. Short tubed, purplish-red flowers, both in spring and	SHR C	341p. 537p.
<i>tatarica</i>	'Hack's' Red'	Similar to 'Arnold Red' but more vigorous growing and rosy-red, tubed flowers. Prairie-	SHR C	341p. 537p.
<i>tatarica</i>	'Rosea'	Like the species. Masses of pink, trumpet-shaped flowers. Fruits dark scarlet-red. (4)	SHR C	341p. 537p.
<i>tatarica</i>	'Zabellii'	'Honeysuckle'. Like the species with deep pinkish-red flowers. (4)	SHR C	454p. 537p.
<i>xylosteoides</i>	'Clavey's' Dwarf'	'Honeysuckle'. Fully, hardy, upright, small shrub. Oval, grey-green leaves, short-tubed, white flowers in late spring followed by red fruits. (6)	C30-40	589p.
<i>xylosteum</i>		'Honeysuckle'. Deciduous shrub, broadly upright to 3m high, twigs glabrous to	SHR60-90 RB	300p. 507p.
<b>MAGNOLIA (МАГОНИЯ)</b>				
	Galaxy'	Magnolia 'Galaxy' features fabulous, sweetly fragrant, dark reddish-purple blooms. Unlike	60-80,SHR 80-100,SHR	2 055p. 3 076p.
	Gold Star'	Light yellow flowers the size and shape of <i>stellata</i> . Very heavy blooming even as a	C30-50 60-80,SHR	3 097p. 4 129p.
	Heaven Scent'	Deciduous tree with bright green leaves and fragrant vase-shaped pink petalled flowers, white within which are borne mid spring to early summer.	RB40-60	2 581p.
		Likes sun or semi-shade and fertile well-drained soil preferably neutral or acid. (5)	60-80,SHR	3 716p.
	Yellow Lantarn'	With parent plants selected for their late bloom time and precocious flowering, 'Yellow	50-60 60-80,SHR	2 581p. 3 716p.
	'Susan'	She belongs to the family in appearance and habit. A combination of the best qualities of her parents, inheriting the narrow petals and profuse flowers of 'stellata' and the colouring and long flowering time of 'lilliflora'. Upright habit, flowers deep red purple, paler within. (4)	RB50-60 RB60-80 RB80-100 RB100-125 RB125-150 RB150-175 RB175-200	1 796p. 2 560p. 3 613p. 4 904p. 6 710p. 8 981p. 12 800p.
<i>grandiflora</i>	'Exmouth'	Evergreen medium to large, wide spreading tree. Large fragrant creamy white flowers in summer. Glossy green leathery foliage with beautiful woolly rusty coloured undersides. Thrives under warmer conditions than deciduous magnolias but needs regular generous moisture. Full sun to part shade. Prefers acid soils but will tolerate lime sub-soil. (5)	RB40-60	5 678p.

<i>kobus</i>		'Japanese Magnolia' Very hardy small conical tree or large shrub, to 6m high. The leaves are elliptic-obovate. Flowers appear before the leaves, white colour, about 10cm wide when open. Flower buds thick and pubescent. Fruit usually a woody follicle, dehiscent along the dorsal side. Seeds laer	150-175	3 996p.
			175-200	5 698p.
			200-250	7 412p.
			250-300	9 591p.
			St8-10	9 591p.
			St10-12	12 408p.
<i>lilliflora</i>	'Nigra'	One of the best species for the smaller garden. Medium-sized shrub that bears large, deep purple flowers, pale pink or white inside, amid shining dark green leaves. Flowers appear in late April and continue	St12-14	17 074p.
			RB40-50	1 693p.
			RB50-60	2 261p.
			RB60-80	3 384p.
<i>loebneri</i>	'Leonard Messel'	A magnificent large deciduous shrub, small tree with beautiful deep pink buds that open	RB80-100	5 393p.
			RB100-125	7 382p.
			60-80,SHR	3 076p.
<i>loebneri</i>	'Merrill'	A selection of M.kobus * M.stellata. Vigorous, upright shrub or tree with spreading branches. Fragrant many petaled , funnel-shaped, white flowers in mid-spring before	80-100,SHR	4 904p.
			RB40-50	1 539p.
			RB60-80	3 076p.
<i>sieboldii</i>		Arching shrub or wide-spreading tree. Frost hardy. Fragrant, nodding, white, egg-shaped flowers turn out as the petals expand. The crimson fruit-clusters are spectacular.	RB80-100	4 904p.
			RB100-125	6 710p.
			50-60	1 796p.
			60-80	2 560p.
<i>soulangeana</i>		Most popular magnolia for general planting. Usually a large rounded spreading shrub. Flowers , before the leaves, large, tulip-shaped, white, stained rose-purple at the base, appearing during Mars-April.(5)	80-100	3 613p.
			100-125	4 904p.
			C60-80	1 796p.
			C80-100	2 560p.
			SHR, RB100-125	3 613p.
			SHR, RB125-150	4 904p.
<i>soulangeana</i>	'Alba Superba'	One of the first of the M.soulangeana group to produce flowers. White flowers, faintly flushed with pink, closely resembling those of 'denudata'. (5)	SHR, RB150-175	6 710p.
			SHR, RB175-200	8 981p.
			SHR, RB200-250	12 800p.
			RB50-60	1 796p.
			RB60-80	2 560p.
			RB80-100	3 613p.
			RB100-125	4 904p.
<i>soulangeana</i>	'Lennei'	A vigorous, multi-stemmed shrub with large obovate leaves up to 25 cm long. The flowers, have thick fleshy tepals which are rose-purple outside and creamy-white, stained soft purple inside, and appear during April-May.(5)	RB125-150	6 710p.
			RB150-175	8 981p.
			RB175-200	12 800p.
			RB200-250	12 800p.
			RB60-80	1 796p.
			RB80-100	2 560p.
			RB100-125	3 613p.
<i>stellata</i>		'Star magnolia'. A distinct and charming, slow growing, Japanese shrub, forming a compact, rounded specimen usually wider than high. The white, fragrant, many-tepalled flowers are profusely borne in March-April, star-shaped. Ideal for small gardens.(4)	RB125-150	4 904p.
			RB150-175	6 710p.
			RB175-200	8 981p.
			RB200-250	12 800p.
			RB40-50	1 539p.
			RB50-60	2 055p.
<i>stellata</i>	'Rosea'	A beautiful shrub in spring when covered with masses of star-shaped flowers. The flowers	RB60-80	3 076p.
			SHR, RB80-100	4 904p.
<i>stellata</i>	'Royal Star'	Stronger grower than the star magnolia and it has larger flowers. Flowers pure white, with	SHR, RB100-125	6 710p.
			SHR, RB125-150	8 981p.
<i>aquifolium</i>		'Oregon grape'. Evergreen open shrub. Bright flossy green leaves often turn red or purple in winter. Clusters of small yellow flowers followed by blue-black berries. Grown from seeds.(5)	SHR, RB150-175	12 800p.
			SHR30-40	321p.
			RB30-40	537p.
			RB40-50	610p.
			RB50-60	754p.
<i>aquifolium</i>	'Apollo'	Like the species with a low and broad habit. Dark green leaves, rather large, turn	RB60-80	908p.
			RB80-100	1 126p.
			RB15-20	908p.
			RB25-30	1 126p.

		sometimes to brownish- purple in winter.	RB30-40	1 436p.
<i>aquifolium</i>	'Smaragd'	Like the species but with dark yellow flowers.(5)	RB25-30	1 126p.
<i>bealei</i>		Shrub shoots erect, thick. Leaves 30-40cm long, with 2-5 large marginal thorns. Flowers light yellow, 8-15 erect racemes, scented like lily-of-the-valley, May-June. Fruits blue-black.(7-8)	C30-40	908p.
			40-50	1 126p.
			C50-60	1 498p.
			C60-80	1 920p.
	C80-100	3 191p.		
<i>bealei</i>	'Hivernant'	Like the species with broad elliptic leathery leaflets, these with more or less white-yellow markings at the base. Flowers in up to 35cm long, light yellow racemes, very abundant.	C30-40	908p.
			40-50	1 126p.
			C50-60	1 498p.
			C60-80	1 920p.
<i>japonica</i>		Shrub with stiffly erect shoots. Leaves 30-40cm long, dull green above, thorny. Flowers sulfur-yellow, fragrant, nodding to outspread racemes, winter to May. Fruits dark purple, pruinose, ellipsoid.(7)	C30-40	931p.
<i>media</i>	'Charity'	Strong growing, erect shrub. Leaves to 50cm long. Flowers in narrow, to 30cm lon, partly erect, partly obliquely spreading racemes. These grouped into clusters, light yellow.	RB30-40	908p.
			RB40-50	1 126p.
			RB50-60	1 498p.
			RB60-80	1 920p.
<i>media</i>	'Winter Sun'	hybrid mahonia This statuesque, evergreen shrub is a dramatic focal point for the winter garden. Its large, frond-like leaves develop in whorls along its coarsely branched stems.	RB30-40	908p.
			RB50-60	1 498p.
			60-80,SHR	1 920p.
			80-100,SHR	3 191p.
<b>MALUS (ЯБЛОНЯ)</b>				
		BEST-select launches a third novelty in the sortiment of ornamental apple trees. Appollo is a small upwards growing, pillar-shaped tree, that doesn't grow wider than 60-80 cm. The height varies between 3 and 4 meter. The big leaves are purple-red when they first emerge and keep a dark color the whole season. The flowers are dark pink and in the autumn the tree bears little purple-red apples. Appollo is a very healthy and strong ornamental tree. There's almost no pruning required. Occasionally sideways growing branches have to be cut back, to maintain the broad coned shape. In every garden, there's place for this mini apple tree. Also very suitable for a small terrace or a balkony. On the market, starting july 2008!	80-100	1 652p.
		(6)		
	Laura'	Dwarf patio tree with red/green leaves and pink flowers in spring. Red fruits in autumn.	100-125	2 271p.
	Lemoinei'	With a rather upright habit of growth, this makes a handsome tree, quite round topped in maturity. The flowers are coloured a rich, deep red-purple, a colour effect that looks almost unbelievably rich. The flowers come from early to mid-April: they are not profusely borne, and perhaps the effect is all the better for that. The leaves are, likewise, dark coloured purple when they open, lightening to	150-175	1 085p.
			HSt 6-8	1 425p.
			175-200	1 425p.
			200-250	1 704p.
			St6-8	2 034p.
			St8-10	2 489p.
			St10-12	3 221p.
St12-14	4 790p.			
St14-16	6 379p.			
		The leaves of this small, oval headed tree are an eye-catching dark red, with flowers of rosy-red.	150-175	1 085p.
		The fruits too are red!	HSt 6-8	1 425p.
		Mokim provides a very long season of interest.Mature height: 10m(6)	175-200	1 425p.

	Mokum'		200-250	1 704p.
			St6-8	2 034p.
			St8-10	2 489p.
			St10-12	3 221p.
			St12-14	4 790p.
			St14-16	6 379p.
			St16-18	10 148p.
	Pompom'	Small crabapple with globe form.	HSt 6-8	2 271p.
	Red Jade'	Malus 'Red Jade' is a weeping crabapple, with white flowers and red fruit. It is a small	HSt 6-8	1 993p.
			St8-10	2 808p.
	Wintergold'	Many small gold fruits held well through winter	SHR	858p.
			150-175	1 085p.
			175-200	1 425p.
			HSt 6-8	1 425p.
			200-250	1 704p.
			St6-8	2 034p.
			St8-10	2 489p.
			SHR	858p.
			150-175	1 085p.
			175-200	1 425p.
			HSt 6-8	1 425p.
			200-250	1 704p.
			St6-8	2 034p.
			St8-10	2 489p.
			St10-12	3 221p.
			St12-14	4 790p.
			St14-16	6 379p.
			SHR	858p.
			150-175	1 085p.
			175-200	1 425p.
			HSt 6-8	1 425p.
			200-250	1 704p.
			St6-8	2 034p.
			St8-10	2 489p.
			St10-12	3 221p.
			St12-14	4 790p.
			St14-16	6 379p.
			SHR	858p.
			150-175	1 085p.
			175-200	1 425p.
			HSt 6-8	1 425p.
			200-250	1 704p.
			St6-8	2 034p.
			St8-10	2 489p.
			St10-12	3 221p.
			St12-14	4 790p.
			St14-16	6 379p.
			SHR	858p.
			150-175	1 085p.
			175-200	1 425p.
			200-250	1 704p.
			SHR	858p.
			150-175	1 085p.
			175-200	1 425p.
			HSt 6-8	1 425p.
			200-250	1 704p.
			St6-8	2 034p.
			St8-10	2 489p.
			St10-12	3 221p.
			St12-14	4 790p.
			St14-16	6 379p.
			SHR	858p.
			150-175	1 085p.
			175-200	1 425p.



	'Hillieri'	growing, late flowering tree. Flowers semi-double, crimson in bud, opening bright pink, wreathing the arching stems in clusters of 5 to 8. Fruits 1.5cm-2cm thick, globose, yellow and orange.(6)	200-250 St6-8 St8-10 St10-12 St12-14 St14-16	1 704p. 2 034p. 2 489p. 3 221p. 4 790p. 6 379p.
	'John Downie'	'Flowering Crab'. Strong grower, tall shrub. Flowers white, buds pink, flowers fully every other year. Fruits comparatively large, conical, bright orange and red, abundant, and of refreshing flavour.(6)	SHR 150-175 175-200 200-250 St6-8 St8-10 St10-12 St12-14 St14-16	858p. 1 085p. 1 425p. 1 704p. 2 034p. 2 489p. 3 221p. 4 790p. 6 379p.
	'Liset'	Beautiful red flowers. Glossy purple leaves. Shining dark purple fruits. A small tree of dense habit.(4)	SHR 150-175 175-200 200-250	858p. 1 085p. 1 425p. 1 704p.
	'Neville Copeman'	Resembles 'Eleyi' in habit and flowers, but more vigorous. Fruits more ornamental, orange-red to glossy carmine. Flat-globose to ellipsoid.(6)	SHR 150-175 175-200 200-250	858p. 1 085p. 1 425p. 1 704p.
	'Profusion'	Dark red flowers. Purple leaves, small, oxblood-red fruits(4)	SHR 150-175 175-200 200-250	858p. 1 085p. 1 425p. 1 704p.
	'Red Obelisk'®	New pyramidal crabapple selection, with red fruit that stays long on the tree during winter. Big white flowers fading to pink. Purple leaves. Disease free.	x/1/1 1Yr,VV 150-175 175-200 200-250 St6-8 St8-10	1 136p. 1 704p. 2 725p. 3 407p. 4 088p. 4 542p. 5 678p.
	'Red Sentinel'	White flowers. Glossy green leaves. Bright red fruits, which will remain on the branches throughout the winter.	150-175 175-200 200-250	1 085p. 1 425p. 1 704p.
	'Royal Beauty'	Small weeping tree with slender reddish-purple stems. Leaves reddish-purple when young, later becoming purplish-green.(5b)	HSt St6-8 St8-10 St10-12	1 993p. 2 374p. 2 808p. 3 675p.
	'Royalty'	'Flowering Crab'. A small tree of rather upright habit with attractive, glossy dark purple leaves turning red in autumn. Large purplish-crimson flowers rather hidden in the foliage are followed by dark red fruits. (6)	SHR 150-175 175-200 200-250 St6-8 St8-10 St10-12 St12-14 St14-16	858p. 1 085p. 1 425p. 1 704p. 2 034p. 2 489p. 3 221p. 4 790p. 6 379p.
	'Rudolph'	tree of medium size, it is rather columnar when young, but the crown becomes rounded at maturity. The leaves gradually turn from copper-red to bronze-green, and	150-175 175-200 200-250 St8-10	1 085p. 1 425p. 1 704p. 2 489p.
<i>baccata</i>	'Gracilis'	'Flowering Crab'. Shrubby habit, very slow growing, thin branched, dense; leaves rather small, narrow, lang acuminate. Flowers small, white, stellate. Fruits pea-sized, red , slightly	HSt 6-8 St6-8 St8-10 St10-12	1 993p. 2 374p. 2 808p. 3 675p.
<i>baccata</i>	'Street Parade'	Flowering crabapple. Tidy shape. Good flowerer. White flowering	150-175 175-200 HSt 6-8 200-250	1 085p. 1 425p. 1 425p. 1 704p.

		цветет. white flowering.	St6-8	2 034p.
			St8-10	2 489p.
			St10-12	3 221p.
<b>PACHYSANDRA (ПАХИЗАНДРА)</b>				
<i>terminalis</i>		A very useful dwarf evergreen, carpeting shrublet for covering bare places under trees. Leaves clustered at the ends of the stems, rather diamond-shaped and toothed in the upper half. Spikes of greenish-white flowers are produced at the ends of the previous year's shoots in February and March.(5)	P9	186p.
<i>terminalis</i>	'Green Carpet'	Glossy evergreen foliage. At maturity plants sit about 6cm lower to the ground than common Pachysandra.	P9	206p.
<i>terminalis</i>	'Green Sheen'	Is an excellent ground cover for problem areas as it grows in just about any soil and is one of the few ground covers that will grow under pine trees. The evergreen, oval leaves are lightly toothed on the edge. What makes 'Green Sheen' special is the tremendous glossiness to the dark green foliage. The sheen is so impressive you think it can't be real. Small white flowers appear in Spring (4-9)	P9	227p.
<i>terminalis</i>	'Variegata'	Like the species but with attractively variegated white leaves.(5)	P9	227p.
<b>PAEONIA (ПИОН)</b>				
<i>suffruticosa</i>		'Tree peony'. A branching, rather tender shrub with large (15cm) flowers in may. Pink, purple, yellow, red and white.(6)	C	1 858p.
<b>PHILADELPHUS (ЧУБУШНИК)</b>				
	'Frosty Morn'	'Mock Orange'. An upright shrub with clusters of double very fragrant, white	SHR60-100	321p.
			C	507p.
	'Galahad'	Is one of the hardiest hybrid mockoranges, and remains to some degree undiscovered	SHR60-100	321p.
			C	507p.
	'Innocence'	Is a cultivar that typically grows. It is a multi-stemmed, deciduous shrub with an upright,	SHR60-100	321p.
			C	507p.
	'Beauclerk'	'Mock Orange'. Hybrid. Upright shrub. Strong grower. Flowers abundantly, flowers grouped	SHR40-60	321p.
			C	507p.
	'Belle Etoile'	'Mock Orange'. Hybrid. Compact upright habit, to 1.5m high, twigs rather stiff. Flowers	SHR60-100	321p.
			C	507p.
	'Lemoinei'	'Mock Orange'. Hybrid. Upright, slightly arching scrub. Produce profuse racemes of	SHR50-80	310p.
			C	507p.
	'Manteau d'Hermine	'Mock Orange'. Hybrid. Low compact, bushy shrub. Clusters of fragrant, double, creamy-	SHR30-50	321p.
			C	507p.
	'Minnesota Snowflake'	'Mock Orange'. Cultivar with arching branches bowed by the weight of the double,	SHR60-100	321p.
			C	507p.
	'Schneesturm'	'Mock Orange'. Hybrid. Shrub, medium high, quick growing, twigs slightly nodding. Flowers	SHR60-100	321p.
			C	507p.
	'Silberregen'	'Mock Orange'. Dense, bushy growing habit with single, pure white flowers. Flowering	SHR40-60	321p.
			C	507p.
	'Snowbelle'	'Mock Orange'. Hybrid with double white flowers, very floriferous, dark small leaves.(6)	SHR60-100	321p.
			C	507p.
	'Virginal'	'Mock Orange'. Hybrid. Strong growing, upright shrub (3m). Very hardy. Produces	SHR60-100	310p.
			C	507p.
<i>coronarius</i>		'Mock Orange'. Shrub, to 3m high, rather stiff-upright. Leaves ovate. Flowers 5-9 racemes,	SHR60-100	310p.
			C	507p.
<i>coronarius</i>	'Aureus'	'Mock Orange'. Like the species but with yellow leaves.(6)	SHR40-50	341p.
			C	507p.
<i>lewissi</i>	'Waterton'	'Mock Orange'. A medium-sized shrub with neat bushy habit and brownish twigs. Small,	SHR60-100	321p.
			C	507p.

<i>pubescens</i>		'Mock Orange'. A tall, narrowly upright shrub, reaching 3m high with single white flowers	SHR60-100 C	321p. 524p.
<b>PHYSOCARPUS (ПУЗЫРЕПЛОДНИК)</b>				
<i>opulifolius</i>		'Nine bark'. Arching, dense shrub (3m). Has peeling bark and lobed mid-green leaves.	SHR60-90 RB	321p. 507p.
<i>opulifolius</i>	'Dart's'Gold'	Compact dwarf form with golden-yellow leaves. Clusters of shallowly cup-shaped white flowers in late spring. Very hardy.(2)	SHR	341p.
<i>opulifolius</i>	'Diabolo'	Trouble free, dense, bushy shrub with handsome dark purple foliage, green on the reverse, on purple stems. Flat heads of white flowers contrast dramatically with the foliage in early summer. Well drained soil, sun or partial shade. Height : 3m high	C40-60	569p.
<i>opulifolius</i>	'Luteus'	'Golden ninebark'. Golden-yellow foliage in spring, greenish-yellow in summer.(2)	SHR60-100	341p.
<i>opulifolius</i>	'Nanus'	Like the species. Dwarf growing.(2)	30-40	341p.
<i>opulifolius</i>	'Nugget'	'Nugget' is more compact which may make it ideal for smaller gardens. The electric yellow leaves of this variety are sure to draw the eye, especially combined with a compact form and white flowers tinged with pink in June.(4)	C40-60	569p.
<i>opulifolius</i>	'Red Baron'	Same like 'Diabolo' but grows more compact and slower.	C40-60	569p.
<b>PLATANUS (ПЛАТАН)</b>				
	'Alphens Globe'	Like the species, globular growth.	St6-8 St8-10 St10-12 St12-14	2 716p. 3 386p. 4 739p. 5 925p.
	'Minaret'	Like the species with columnar growth.	St6-8 St8-10 St10-12 St12-14 St14-16	1 704p. 2 261p. 3 159p. 4 223p. 5 698p.
<i>acerifolia</i>		'London plane'. A large, noble park tree with attractive patchwork flaking bark and large palmate leaves, turning orange-yellow in autumn. Fruits usually in groups of 2 together, hang from shoots in autumn throughout the winter. Often used as a street tree owing to its tolerance to air pollution. Will grow in adverse conditions and is easily established in most soils.(5)	150-175 175-200 200-250 250-300 St6-8 St8-10 St10-12 St12-14 St14-16	754p. 858p. 1 085p. 1 415p. 1 704p. 2 261p. 3 159p. 4 223p. 5 698p.
<i>orientalis</i>			150-175 175-200 200-250 250-300 St6-8 St8-10 St10-12 St12-14 St14-16	754p. 858p. 1 085p. 1 415p. 1 704p. 2 261p. 3 159p. 4 223p. 5 698p.
<b>POPULUS (ТОПОЛЬ)</b>				
<i>alba</i>	'Nivea'	'White poplar' 'Abele'. A large, suckering tree, conspicuous on account of the white-woolly undersurfaces of the leaves which are particularly noticeable when ruffled by the wind. The leaves are variable in shape, some ovate and irregularly lobed or toothed, others larger and distinctly three to five-lobed like a	SHR 175-200 200-250 250-300 St6-8 St8-10 St10-12	300p. 920p. 1 085p. 1 291p. 1 704p. 2 034p. 2 489p.

		maple. Autumn colour yellow. Only a juvenile form. young twigs, petiole and leaf	St12-14	3 418p.
			St14-16	4 553p.
<i>alba</i>	'Raket'	'Silver poplar' 'Abele'. Extremely slender growth habit, all branches tightly upright, stem very straight. The leaves are variable in shape, some ovate and irregularly lobed or toothed, other larger and distinctly three to five-lobed like a maple. Autumn colour yellow. An excellent tree in exposed sites, particularly in coastal areas where if cut	175-200	920p.
			200-250	1 085p.
			250-300	1 291p.
			St6-8	1 704p.
			St8-10	2 034p.
			St10-12	2 489p.
			St12-14	3 418p.
			St14-16	4 553p.
<i>balsamifera</i>		'Balsam Poplar'. A large, erect-branched tree, grown mainly for the balsamic odour of its unfolding leaves. Twigs rounded, glabrous, buds large and sticky. Leaves ovate to ovate-lanceolate, whitish and reticulate beneath. (6)	St6-8	1 704p.
			St8-10	2 034p.
			St10-12	2 489p.
			St12-14	3 418p.
			St14-16	4 553p.
<i>berolinensis</i>		'Berlin Poplar'. P.laurifolia X P.nigra'Italica'. A large, broadly columnar tree with slightly	St6-8	1 239p.
			St8-10	1 499p.
<i>canadensis</i>	'Robusta'	Canadian Poplar'. A large, vigorous male tree forming an open crown with a straight bole to summit. Young twigs minutely downy. Young leaves conspicuously red-brown, triangular, glossy, tough.	St6-8	908p.
			St8-10	1 136p.
			St10-12	1 363p.
			St12-14	1 714p.
			St14-16	2 282p.
<i>canadensis</i>	'Serotina Aurea'	'Golden Poplar'. Leaves clear golden yellow in spring and early summer, becoming yellowish-green later then golden yellow in autumn.(5)	150-175	858p.
			175-200	1 032p.
			200-250	1 209p.
			250-300	1 415p.
			St6-8	1 704p.
			St8-10	2 034p.
			St10-12	2 489p.
			St12-14	3 418p.
<i>candicans</i>	'Aurora'	'Ontario Poplar'. A medium-sized, broad-headed tree with stout, angled, downy twigs and broad ovate leaves which are greyish-white beneath, strongly balsam-scented when unfolding. 'Aurora', a conspicuously variegated form. The leaves, especially when young, are creamy-white, often pink-tinged.	St14-16	4 553p.
			200-250	1 085p.
			250-300	1 291p.
			St6-8	1 704p.
			St8-10	2 034p.
			St10-12	2 489p.
			St12-14	3 418p.
<i>canescens</i>		'Gray poplar'. A medium-sized to large, suckering tree sometimes forming thickets. Similar to P.alba, somewhat later than P.alba, young shoots gray! Mature specimens develop an attractive creamy-grey trunk.	St14-16	4 553p.
			St6-8	1 704p.
			St8-10	2 034p.
			St10-12	2 489p.
			St12-14	3 418p.
<i>canescens</i>	'De Moffart'	A male selection from Belgium with a dense, conical crown and large leaves which open early.(3)	St14-16	4 553p.
			St6-8	1 704p.
			St8-10	2 034p.
			St10-12	2 489p.
			St12-14	3 418p.
<i>lasiocarpa</i>		A magnificent medium-sized tree with stout, angled, downy twigs. The leaves, often up to 35 cm long, broadly ovate, heart-shaped at the base, shallowly-toothed at the margin,	St14-16	4 553p.
			St8-10	2 261p.
			St10-12	2 716p.
			St12-14	3 418p.
<i>nigra</i>	'Italica'	'Italian poplar' 'Lombardy poplar'. A large, narrow, columnar tree with close, erect branches. A male tree and one of the most effective of its habit, particularly suitable for forming a tall screen. Leaves rhomboid to ovate, slender-pointed, bright, shining green. New growth about 3 weeks earlier than that of the species.(2)	St14-16	4 553p.
			175-200	527p.
			200-250	630p.
			St6-8	908p.
			250-300	908p.
			St8-10	1 363p.
			300-350	1 363p.
			St10-12	1 704p.
			St12-14	2 282p.
St14-16	3 191p.			
		A medium-sized, early-leaving balsam poplar	175-200	920p.

<i>simonii</i>	'Fastigiata'	with slender, angled, glabrous, red-brown twigs. A columnar species, branches long and upright. Makes an excellent dense hedge or screen.	200-250	1 085p.
			250-300	1 291p.
			St6-8	1 704p.
			St8-10	2 034p.
<i>tremula</i>		'Aspen'. A medium-sized, suckering tree. Leaves prominently-toothed, late in appearing and hanging late in the autumn when they turn a clear butter-yellow. Petioles slender, compressed, causing the leaves to tremble and quiver in the slightest breeze. One of the commonest of wood for the match industry. (2)	175-200	1 002p.
			200-250	1 250p.
			250-300	1 518p.
			St6-8	1 704p.
			300-350	1 972p.
			St8-10	2 034p.
			St10-12	2 489p.
			St12-14	3 418p.
<i>tremula</i>	'Pendula'	'The weeping Aspen'. One of the most effective, small, weeping trees, especially attractive in February with its abundance of	St8-10	2 539p.
			St10-12	3 386p.
			St12-14	4 553p.
<b>POTENTILLA (ЛАПЧАТКА)</b>				
<i>fruticosa</i>		'Cinquifol'. Deciduous bushy shrubs reaching between 0.30 and 1.20 in height. Leaves small, divided into 5-7 narrow leaflets. The flowers vary in colour depending on the cultivar, and appear from end spring to end Summer.(2)	SHR,2Yr,C	507p.
<i>fruticosa</i>	'Abbotswood'	Like the species with large, pure white flowers, semi-spreading habit with dark foliage.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<i>fruticosa</i>	'Anette'	Like the species with large, pale orange to deep yellow in cool weather, spreading habit, excellent ground cover.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<i>fruticosa</i>	'Daydawn'	Like the species with salmon-pink and yellow reverse. Medium high to spreading habit.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<i>fruticosa</i>	'Elizabeth'	Like the species with very large, clear yellow, almost creeping habit, continuously flowering from mid-summer to late autumn.(2)	SHR,1Yr	197p.
			C1.5M	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<i>fruticosa</i>	'Farreri'	Like the species with bright yellow. Leaves fresh green, medium high.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<i>fruticosa</i>	'Goldfinger'	Like the species with very large, deep yellow flowers. Upright compact shrub with pinkish shoots and blue-green leaves.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<i>fruticosa</i>	'Goldstar'	Like the species with large, deep yellow, flowers, long flowering period. Upright to spreading habit, to 80cm.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<i>fruticosa</i>	'Goldteppich'	Like the species with golden-yellow flowers from June to July. Spreading habit with upright growing branches.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<i>fruticosa</i>	'Jackman'	Like the species with clusters of canary-yellow flowers, strong erect growth. Leaves deep-green.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<i>fruticosa</i>	'Katherine Dykes'	Like the species. A shrub up to 1.5m, producing an abundance of primrose-yellow flowers in summer. Named after the raiser's	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.

		wife.(2)	SHR,2Yr,C	507p.
fruticosa	'Klondike'	Like 'Farreri' but leaflets somewhat larger, flowers darker yellow. (2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
fruticosa	'McKay's White'	Like the species. Dwarf, spreading shrub with creamy-white flowers. Considered an improvement to Abbotswood. Soft grey-green foliage. Height .75m Spread .75m (2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
fruticosa	'Moonlight'	Like the species with lemon-yellow flowers. Leaves blue-green. Flowers abundantly over a long period. Growing to 1.2m high.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
fruticosa	'Pink Queen'	Like the species with compact growth to 1.60m high. Pink flowers.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
fruticosa	'Pretty Polly'	light pink, medium sized, leaves bright green, low spreading habit.	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
fruticosa	'Red Ace'	Like the species. Dwarf mound-forming shrub, flowers bright orange-red, best grown in partial shade to prevent fading.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
fruticosa	'Snowbird'	Like the species. Fast grower with an abundance of large, double, pure white blossoms Bloom Color: White Bloom Time:	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,1Yr	197p.
fruticosa	'Snowflake'	Like the species with large, deep green foliage. White flowers, single to double.(2)	C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
			SHR,1Yr	197p.
fruticosa	'Sunset'	Like the species with light to deep orange flowers. Rather small leaves greyish-green, broad, shade. Upright habit.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
fruticosa	'Tangerine'	Like the species with large, yellow-orange to deep yellow flowers. Wide-spreading habit forming a dense mound, needs shady locations.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
fruticosa	'Tilford Cream'	Like the species with creamy-white flowers. Leaves fresh green. Low, spreading habit.(2)	SHR,1Yr	197p.
			C1.5L	268p.
			SHR,2Yr	300p.
			SHR,2Yr,C	507p.
<b>PRUNUS (ПРУНУС - ВИШНЯ, СЛИВА, ЧЕРЁМУХА)</b>				
	'Accolade'	FLowering CHerry =P.sargentii x P.subhirtella. An outstanding cherry; a small tree with spreading branches and semi-double, rich pink flowers 4cm in diameter in pendulous clusters, produced in great profusion in early summer.(5)	SHR	961p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
	'Hally Jolivette'	Flowering Cherry =P.subhirtella x P.yedoensis. A small, graceful tree or large shrub. Its slender, willowy stems are inundated in early spring with small, semi-double, blush-white flowers which continue over a long period (2-3weeks). (5/6)	HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
				'Pandora'
St6-8	2 096p.			
St8-10	2 489p.			
St10-12	3 283p.			

		pink blossoms. Leaves bronze-red when unfolding, and often colouring richly in	St12-14	4 852p.
			St14-16	6 834p.
	'Spire'	Flowering Cherry. Possibly the best small street tree. A vase-shaped tree with flowers soft pink coloured. Leaves with rich autumn tints.	HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
	'Trailblazer'	Flowering Cherry. Tree-like shrub to small tree. Leaves green at first, later more brown-red. Flowers in great profusion, white, pink in bud appearing in late March and early April. Fruits rather large, red.(4)	SHR80-100	805p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
	'Umineko'	Flowering Cherry. A narrow-growing, upright tree of considerable merit. Flowers white, single, produced in April with the leaves which tint beautifully orange and scarlet in fall.(6)	St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
<i>X blireana</i>		Flowering Cherry. A beautiful large shrub or small tree with leaves of a metallic coppery-purple. Flowers semidouble, slightly fragrant, rose-pink, with the leaves in April.(6)	HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
<i>avium</i>		Wild Cherry or Sweet Cherry. A medium-sized to large tree with smooth grey bark turning mahogany-red, peeling and deeply fissured with age. The white cup-shaped flowers are borne in clusters and open with the leaves in late April or early May. Fruits small and shiny, reddish-purple, bitter or sweet to the taste. Autumn foliage crimson. From this species are derived most of the	150-175	754p.
			175-200	908p.
			200-250	1 197p.
			St6-8	1 590p.
			250-300	1 590p.
			St8-10	2 126p.
			St10-12	2 840p.
			St12-14	3 943p.
			St14-16	5 492p.
<i>avium</i>	'Plena'	Double Gean. One of the loveliest of all flowering trees. Growth like the species. Its branches wreathed with masses of drooping, double-white flowers. An excellent street tree.(5)	HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
<i>cerasifera</i>	'Nigra'	'Cherry Plum Myrobalan'. A small tree with greenish young shoots. Leaves and stems blackish-purple, not fading in fall. Flowers pink. Fruits globose, red to yellow, slightly pruinose.(4)	SHR80-100	557p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
<i>cerasifera</i>	'Pissardii'	'Cherry Plum'. A very popular form with dark red young foliage turning to a deep purple. Flowers in great profusion, white, pink in bud, appearing in late March and early April. Fruits purple, only occasionally produced. If grown as shrubs, excellent hedging plants.(4)	HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
<i>cerasifera</i>	'Woodii'	Cherry Plum "Myrobalan". Shoots red in cross section. Leaves small, like 'Pissardii', but remain evenly black-red from spring to fall. Flowers pink.(4)	SHR	557p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
<i>dulcis</i>		'Common Almond'. A universal favourite and one of the best spring-flowering trees. A small tree with lanceolate, long-pointed, finely	SHR100-150	961p.
			HSt 6-8	1 601p.
			St6-8	2 395p.

		toothed leaves. Flowers pink, borne singly or	St8-10	2 808p.
<i>eminens</i>	'Umbraculifera'	'Steppe Cherry' Shrub grafted on a standard. Twigs outspread, glabrous. Leaves small, elliptic to obovate, dark green. Flowers grouped, small in sessile umbels, white in April-May. Dark red fruits. Often planted as a small crowned street tree.(4)	HSt 6-8	1 486p.
			St6-8	2 200p.
			St8-10	2 663p.
			St10-12	3 675p.
			St12-14	4 852p.
<i>glandulosa</i>	'Alba plena'	'Chinese Bush Cherry' A very beautiful shrub, each shoot pendent with a wealth of comaratively large, double, white flowers in early May. Excellent for forcing. (4)	SHR60-80	775p.
			HSt 6-8	1 714p.
			St6-8	2 395p.
			St8-10	2 808p.
<i>glandulosa</i>	'Sinensis'	'Chinese Bush Cherry'. Leaves more lanceolate and darker than 'Alba Plena'. Flowers pink, densely double. Excellent for Fuji Cherry'. A lovely Japanese species, generally shrubby, but occasionally a small tree. Leaves small, incisely toothed, beautifully tinted, orange, in autumn. Flowers small, white, pink-tinged in bud and appearing pink at a distance. 'February Pink' is an early flowering form in February or	HSt 6-8	1 714p.
<i>incisa</i>	'February Pink'	'Laurel Cherry'. Evergreen shrubs, with vigorous upright habit, to 3m high. Large leaves oblong to narrowly elliptic, stiff and leathery. Glossy above and dark green, pale green beneath. Hardest of the large-leaved form. White flowers, in erect many-flowered racemes, May. Fruits conical, black-red.(7)	St6-8	2 395p.
			SHR	692p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
<i>laurocerasus</i>	'Caucasica'	'Cherry laurel'. A dense, small shrub making a low mound only 60cm high. The bronze young foliage later becomes green.	St14-16	6 834p.
			RB40-60	537p.
			RB60-80	640p.
			RB80-100	805p.
			RB100-125	1 177p.
			RB125-150	1 755p.
			RB150-175	2 881p.
			RB175-200	4 253p.
			RB30-40	589p.
			RB40-50	754p.
<i>laurocerasus</i>	'Herbergii'	'Laurel Cherry'. Dense pyramidal habit, to about 2m high. Leaves oblong to more narrowly elliptic, 9 to 14cm long, bright green above. Flowers abundantly, May and September, white flowers. Black-red fruits.(7)	RB50-60	961p.
			RB60-80	1 383p.
			RB80-100	1 920p.
			RB30-40	507p.
			RB40-50	640p.
			RB50-60	826p.
<i>laurocerasus</i>	'Otto Luyken'	'Laurel Cherry'. Broad growing, very dense and compact, about 1m as old plants. Leaves all rather vertically arranged, oblong-lanceolate, dark green, glossy. Flowers abundantly with 20cm long racemes, May-June. Very attractive, slow growing cultivar,	RB60-80	1 064p.
			RB80-100	1 466p.
			RB25-30	507p.
			RB30-40	589p.
			RB40-50	681p.
<i>laurocerasus</i>	'Reynvaanii'	'Laurel Cherry'. Dense, upright habit, to about 2m high. Leaves broadly elliptic to obovate, dull green above, not glossy. Flowers primarily on young plants, May, older plants flower only sparsely. (7)	RB50-60	961p.
			RB60-80	1 383p.
			RB80-100	1 920p.
			RB30-40	507p.
			RB40-50	640p.
<i>laurocerasus</i>	'Rotundifolia'	'Laurel Cherry'. Habit broad and stoutly erect, to 3m high. Leaves broadly elliptic to obovate, light green, not very glossy, tough, margins distinctly dentate. White flowers and red-black fruits.(8)	RB50-60	826p.
			RB60-80	1 064p.
			RB80-100	1 466p.
			RB100-125	1 817p.
			RB40-60	507p.
			RB60-80	589p.
<i>laurocerasus</i>	'Schipkaensis'	'Laurel Cherry'. Broad growing, occasionally more vase-shaped, to 2m high. Leaves oblong to broadly elliptic, flat. Flowers in numerous, erect racemes, May. Quite winter	RB80-100	713p.
			RB100-125	1 012p.
			RB125-150	1 601p.
			RB150-175	2 447p.
			RB175-200	3 727p.
			RB30-40	507p.
			RB40-50	640p.
			RB50-60	826p.
			RB60-80	1 064p.



		hardy.(7)	RB80-100	1 466p.
<i>laurocerasus</i>	'Van Nes'	'Laurel Cherry'. Growth wide and dense, to about 1.75m high. Leaves oblong to elliptic, very dark green, entire, slightly glossy. Flowers in about 20cm long, numerous racemes, August-September, contrasting well	RB30-40	589p.
			RB40-50	754p.
			RB50-60	961p.
			RB60-80	1 383p.
			RB80-100	1 920p.
<i>laurocerasus</i>	'Zabeliana'	'Laurel Cherry'. Growth nearly totally horizontal, but on favorable sites reaching 1.5m high. Leaves oblong-lanceolate, light green. Flowers in 18cm long, erect racemes, appearing sparsely in May, very numerous in	RB30-40	507p.
			RB40-50	640p.
			RB50-60	826p.
			RB60-80	1 064p.
			RB80-100	1 466p.
<i>maackii</i>		'Manchurian Cherry'. A rare, vigorous, small tree with attractive, shining golden brown, flaking bark. Flowers small, white, carried in irregular racemes on the previous year's shoots in April. Fruits small, black. Very	St6-8	1 518p.
			St8-10	2 034p.
			St10-12	2 705p.
			St12-14	3 769p.
			St14-16	5 244p.
<i>maackii</i>	'Amber Beauty'	'Manchurian Cherry'. A Dutch selection with a good amber-coloured bark and a narrow crown.(2)	St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
<i>padus</i>		Bird cherry. A small to medium-sized native tree. Leaves elliptic, abruptly short acuminate, dark green above, bluish green beneath. Flowers small, white, almond-scented, produced in slender, drooping or spreading racemes in May after the leaves. Fruits black, bitter to taste. Attractive yellow tinted foliage in autumn.(4)	SHR80-100,3br+	321p.
			150-175	754p.
			175-200	920p.
			200-250	1 209p.
			St6-8	1 580p.
			250-300	1 580p.
			St8-10	2 147p.
			St10-12	2 881p.
			St12-14	4 099p.
			St14-16	5 585p.
<i>padus</i>	'Colorata'	A remarkable clone with dark purplish shoots, coppery-purple young foliage and pale pink flowers. The leaves in summer are a sombre green with purple-tinged veins and undersurfaces. (4)	150-175	1 342p.
			HSt 6-8	1 486p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	1 993p.
			St6-8	2 489p.
			St8-10	3 283p.
			St10-12	4 182p.
			St12-14	5 471p.
			St14-16	7 412p.
<i>padus</i>	'Watereri'	Like the specie. A medium-sized tree with conspicuous racemes up to 20cm long.	175-200	1 280p.
			HSt 6-8	1 486p.
			200-250	1 569p.
			St6-8	1 796p.
			St8-10	2 374p.
			St10-12	3 097p.
			St12-14	3 996p.
<i>persica</i>	'Melred Weeping'	'Flowering Peach'. A pendulous form of 'Melred' with the same colour of flowers and fertility.(5)	SHR,2Yr	1 064p.
			HSt 6-8	1 714p.
			St6-8	2 374p.
			St8-10	3 097p.
<i>persica</i>	'Melred'	'Flowering Peach'. Flowering peach with a beautiful red colour appearing at the end of April. Blooming are spectacular thanks to the riches of the flowers and the intense and bright colours. Flowers semidouble followed	St10-12	3 778p.
			SHR,2Yr	961p.
			HSt 6-8	1 714p.
			St6-8	2 374p.
			St8-10	3 097p.
		'Flowering Cherry'. A round-headed tree. Bark dark chestnut-brown. Young foliage bronze-red. Flowers single, pink, opening late	St10-12	3 778p.
			SHR	961p.
			HSt 6-8	1 486p.
			St6-8	2 096p.

<i>sargentii</i>		March before the leaves. One of the first trees to colour in the autumn, its leaves assuming glorious orange and crimson tints, usually in late September. (5)	St8-10 St10-12 St12-14 St14-16	2 489p. 3 283p. 4 852p. 6 834p.
<i>serotina</i>		'Black Cherry'. Small to medium tree. Bark dark brown. Attractive glossy leaves, oblong turn clear yellow in autumn. Flowers white, in racemes up to 15cm long, produced during May to June. Fruit dark purple, bitter tasting. (4)	SHR80-100,3br+ 150-175 175-200 200-250 St6-8 St8-10 St10-12 St12-14 St14-16	961p. 1 136p. 1 556p. 1 976p. 2 057p. 2 452p. 3 202p. 4 826p. 6 813p.
<i>serrula</i>		'Flowering Cherry'. A small, vigorous tree whose main attraction is the glistening surface of its polished red-brown, mahogany-like new bark. Leaves narrow, willow-like. Flowers small, white, produced with the foliage in late April. Red fruits. (6)	150-175 175-200 200-250 St6-8 St8-10 St10-12 St12-14 St14-16	1 477p. 1 879p. 2 271p. 2 489p. 3 283p. 4 182p. 5 471p. 7 412p.
<i>serrulata</i>	'Amanogawa'	'Flowering Japanese Cherry'. A small, columnar tree with erect branches and dense, upright clusters of fragrant, semi-double, shell-pink flowers. Mid to late April. Young leaves greenish-bronze. (6)	SHR80-120,3br+ 150-175 HSt 6-8 175-200 200-250 St6-8 St8-10 250-300 St10-12 St12-14 St14-16	878p. 1 250p. 1 486p. 1 569p. 1 993p. 2 096p. 2 489p. 2 539p. 3 283p. 4 852p. 6 834p.
<i>serrulata</i>	'Hokusai'	'Japanese Cherry'. One of the earliest and most popular introductions. A vigorous, wide-spreading tree, its branches hidden in spring by the large clusters of large, semi-double, pale pink flowers. Young leaves brownish-	St6-8 St8-10 St10-12 St12-14 St14-16	2 096p. 2 489p. 3 283p. 4 852p. 6 834p.
<i>serrulata</i>	'Kanzan'	'Japanese Cherry'. One of the most popular and commonly planted ornamental cherry. A strong-growing, medium-sized tree with characteristic stiffly ascending branches when young, later spreading. Flowers large and showy, double purplish-pink. Young leaves coppery-red or reddish-brown. Often wrongly grown in cultivation under the	SHR60-80,3-4br SHR80-100,5-8br HSt 6-8 St6-8 St8-10 St10-12 St12-14 St14-16	610p. 775p. 1 486p. 2 096p. 2 489p. 3 283p. 4 852p. 6 834p.
<i>serrulata</i>	'Kiku-shidare'	Japanese Cherry'Cheal's Weeping'. A small tree with arching or drooping branches, very attractive when wreathed with clear deep pink very double flowers, from mid to late April. Young leaves bronze-green, later green and glossy. (6)	SHR3-4br HSt 6-8,1Yr HSt 6-8,2Yr St6-8 St8-10 St10-12 St12-14 St14-16	961p. 1 486p. 1 601p. 2 096p. 2 489p. 3 283p. 4 852p. 6 834p.
<i>serrulata</i>	'Pink Perfection'	Japanese Cherry'. Similar to 'Kanzan', but with somewhat lighter brown-red new growth. Flowers bright rosy-pink in bud, opening paler, double, carried in long, drooping clusters, mid to late April. Young leaves bronze. (6)	SHR St6-8 St8-10 St10-12 St12-14 St14-16	961p. 2 096p. 2 489p. 3 283p. 4 852p. 6 834p.
			150-175 HSt 6-8 175-200	1 250p. 1 486p. 1 569p.

serrulata	'Royal Burgundy'	Like 'Kanzan' but with dark purple leaves and double pink flowers.	200-250	1 993p.
			St6-8	2 096p.
			St8-10	2 489p.
			250-300	2 539p.
			St10-12	3 283p.
			St12-14	4 852p.
serrulata	'Shirofugen'	'Japanese Cherry'. A strong-growing, wide-spreading tree up to 10m. Flowers large, double, dull purplish-pink in bud opening white, then fading to purplish-pink, produced in long-stalked clusters and contrasting superbly with the copper-coloured young leaves. Very late, mid May. One of the best 'Japanese Cherry'. (Mount Fuji). This beautiful cherry is one of the most distinct clones. A small vigorous tree with wide-spreading, horizontal or slightly drooping branches, often reaching to the ground. Flowers very large, single or semi-double.	St14-16	6 834p.
			SHR	961p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
serrulata	'Shirotae'	Flowers very large, single or semi-double.	St12-14	4 852p.
			St14-16	6 834p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
serrulata	'Taihaku'	'Great White Cherry'. A superb, robust tree up to 12m. Flowers very large, single, of a dazzling white, enhanced by the rich coppery-red of the young leaves. Mid to late April. One of the finest cherries for general planting and perhaps the best of the whites. (6)	St12-14	4 852p.
			St14-16	6 834p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
serrulata	'Ukon'	'Japanese Cherry'. A robust tree of spreading habit. Flowers semi-double, pale yellowish, tinged green, occasionally pink-flushed, freely borne and very effective against the brownish-bronze young leaves. Flowering from mid to late April. The large, mature leaves turn rusty-red or purplish-brown in	St12-14	4 852p.
			St14-16	6 834p.
			SHR	961p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
subhirtella	'Autumnalis Rosea'	'Spring Cherry'. Similar to 'Autumnalis' but flowers blush.(5-6)	St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
			SHR	961p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
subhirtella	'Autumnalis'	'Spring Cherry'. Shrub or small tree, wide branched. Producing its semi-double, white flowers intermittently from November to March. Flowers may be found on this tree on almost any winter's day and a few cut sprays are a welcome indoor decoration.(5-6)	St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
subhirtella	'Fukubana'	'Spring Cherry'. This very striking small tree with its profusion of semi-double, rose-madder flowers is certainly the most colourful of the spring cherries. (5-6)	St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
subhirtella	'Pendula Plena Rosea'	'Weeping Spring Cherry'. A weeping shrub or small tree. Flowers semi-double, rosette-like, rose-madder, similar to those of 'Fukubana', but slightly paler.(5-6)	St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
subhirtella	'Pendula Rubra'	Deep rose flowers in March-April wreathing the long pendulous branches.	HSt 6-8	1 601p.
			HSt 6-8,1Yr	1 486p.

<i>subhirtella</i>	'Pendula'	'Weeping Spring Cherry'. Forms a lovely slender weeping tree of medium size, recalling the most graceful forms of weeping birch. Flowers abundantly, but only a very faded whitish pink. (5-6)	HSt 6-8,2Yr	1 601p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
			St12-14	4 852p.
<i>tenella</i>		'Dwarf Russian Almond'. A charming, small shrub with long glabrous stems. Leaves narrowly elliptic to obovate. Flowers borne in April, bright pink. Fruits ovate, gray-yellow, pubescent, stone broadly ovate, rough. (2)	St14-16	6 834p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
<i>tenella</i>	'Fire Hill'	'Dwart Almond'. Perhaps the best dwarf Almond'. An outstanding shrub. The erect stems are wreathed with brilliant, rose-red flowers.(2)	St12-14	4 852p.
			St14-16	6 834p.
			SHR	961p.
			St6-8	2 096p.
			St8-10	2 489p.
<i>triloba</i>		'Flowering Almond'. Shrub or small tree, often grafted on a standard, very densely branched. Leaves broadly elliptic, often 3-lobed. Flowers paired or solitary, dense rosette form, double, along the entire length of the previous year's growth, abundantly flowering March-April. Fruit rare(3)	St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
			SHR3-4br	516p.
			SHR5-8br	619p.
			HSt60Cm	899p.
			HSt80Cm	1 023p.
			HSt 100Cm	1 177p.
<i>virginiana</i>	'Shubert'	Choke cherry. A small tree of conical habit. Young light green leaves change quickly to deep reddish-purple. Fresh green new shoots contrast beautifully against the older foliage. Extremely hardy.(2)	HSt 120Cm	1 456p.
			St6-8	2 489p.
			St8-10	3 283p.
			St10-12	4 182p.
			SHR	961p.
			150-175	1 342p.
			HSt 6-8	1 486p.
			175-200	1 569p.
			200-250	1 993p.
			250-300	2 312p.
<i>X blireana</i>	'Moseri'	Like the species but stronger growing; leaves somewhat lighter red; flowers smaller and lighter.(6)	St6-8	2 312p.
			St8-10	3 097p.
			St10-12	3 778p.
			St12-14	5 131p.
			St14-16	6 834p.
			SHR80-100	961p.
<i>X cistena</i>		'Purple-leaf Sand Cherry'.A beautiful slow growing shrub, with red leaves, lanceolate. White flowers soitary or paired in May. Fruits blackish purple. An excellent hedging plant.	HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
			St10-12	3 283p.
<i>x yedoensis</i>		'Yoshino Cherry'. A graceful, early flowering, small to medium-sized tree with arching branches. Leaves yellowish green on new growth, elliptic. Highly valued for the profusion of its almond-scented, blush-white flowers in late March and early April. Fruits	St12-14	4 852p.
			St14-16	6 834p.
			HSt 6-8	1 486p.
			St6-8	2 096p.
			St8-10	2 489p.
<i>x yedoensis</i>	'Shidare Yoshino'	'Weeping Yoshino Cherry'. Weeping form, grafted on a standard or trained upward and then growing sharply and vertically downward, annual growth. Flowers pure white, March and early April.(6)	St10-12	3 283p.
			St12-14	4 852p.
			St14-16	6 834p.
			HSt 6-8,1Yr	1 486p.
			HSt 6-8,2Yr	1 601p.
<b>PYRUS (ГРУША)</b>				

<i>calleryana</i>	'Chanticleer'	Decne"Callery Pear". Medium-sized tree. Distinguished by its narrow conical crown; with glabrous, smooth branches, but covered with short thorny shoots, oval or broadly ovate. Leaves are glossy green, long-persistent. Very beautiful fall color with yellow carmine-red colors. Early flowering, with typical pear-flowers. Excellent street tree.(5)	150-175	1 188p.
			175-200	1 486p.
			200-250	1 890p.
			250-300	2 477p.
			St8-10	3 427p.
			St10-12	4 377p.
			St6-8	4 790p.
			St12-14	5 967p.
	St14-16	7 639p.		
<i>calleryana</i>	'Redspire'		150-175	1 301p.
			175-200	1 642p.
			HSt 6-8	1 642p.
			200-250	2 085p.
			250-300	2 725p.
			St6-8	2 725p.
<i>communis</i>	'Beech Hill'	'Common or garden Pear'. A medium-sized, narrow tree with upright branches. Oval or rounded, glossy green leaves often turn to brilliant orange-yellow in autumn. The branches in April are smothered with	St6-8	2 601p.
			St8-10	3 283p.
			St10-12	4 182p.
			St12-14	5 698p.
			St14-16	7 288p.
<i>nivalis</i>		'Snow Pear'. Small tree with stout, ascending branches, young shoots thickly white tomentose. Most conspicuous with the white-woolly young leaves. Leaves oval or obovate, entire. Fruits small, rounded,	St6-8	2 601p.
			St8-10	3 283p.
			St10-12	4 182p.
			St12-14	5 698p.
			St14-16	7 288p.
<i>nivalis</i>	'Catalia'	A lovely selection of the Snow Pear. A very rare, compact tree, with the silvery leaves & white blossom in spring. Ideal for small front gardens, plant in any well-drained, fertile soil in a sunny position. Trim annually after flowering to maintain shape.(5)	St8-10	3 283p.
			St10-12	4 182p.
			St12-14	5 698p.
			St14-16	7 288p.
<i>salicifolia</i>	'Pendula'	'Willow-leaved Pear'. A very elegant and attractive silvery-grey tree with weeping branches. Flowers creamy-white. Fruits small, top-shaped, brown.(5)	HSt 6-8	1 993p.
			St6-8	2 601p.
			St8-10	3 283p.
			St10-12	4 182p.
			St12-14	5 698p.
			St14-16	7 288p.
<b>QUERCUS (ДУБ)</b>				
	'Columna'	A densely-branched, columnar tree of medium size. Leaves narrowly oblong, flat	St6-8	4 542p.
			St8-10	5 393p.
<i>castaneifolia</i>		'Chestnut-leaved Oak'. A magnificent medium sized tot large tree, round crowned, shoots tomentose at first, later glabrous. Leaves oblong or narrowly oval, tapered at both ends and margined with coarse, triangular, sharply pointed teeth, shining dark green above, minutely greyish pubescent beneath. (7)	150-175	1 074p.
			175-200	1 486p.
			200-250	1 787p.
			St6-8	2 519p.
			St8-10	3 241p.
			St10-12	4 140p.
			St12-14	5 368p.
			St14-16	7 402p.
<i>cerris</i>		'Tukey Oak'. A large tree and possibly the fastest-growing. Excellent in chalky soils and in maritime exposure. Leaves oval or oblong, coarsely-toothed or shallowly-lobed, covered with stellate hairs and slightly rough to the touch. Both the winter buds and the acorn cups are furnished with long, narrow, downy scales. The leaves of sucker shoots and vigorous growths are often variable in size	150-175	1 074p.
			175-200	1 486p.
			200-250	1 787p.
			250-300	2 354p.
			St6-8	2 519p.
			St8-10	3 241p.
			St10-12	4 140p.
			St12-14	5 368p.
	St14-16	7 402p.		
		'Scarlet oak'. Round-headed tree or bush.	175-200	3 562p.

<i>coccinea</i>	'Splendens'	Glossy green leaves have deeply cut lobes ending in slender teeth. In autumn they turn	200-250	4 769p.
			250-300	5 905p.
<i>frainetto</i>		'Hungarian Oak'. A magnificent, large, fast-growing tree with fissured bark and wide-spreading, often slightly drooping branches. Leaves obovate, deeply and regularly-lobed with large oblong lobes. Fruits grouped 2-5, sessile, acorns oval-oblong, 1/3 or more enclosed within the cup, scales appressed.(6)	175-200	2 374p.
			200-250	2 963p.
			250-300	3 851p.
			St6-8	4 728p.
			St8-10	5 616p.
			St10-12	7 329p.
<i>ilex</i>		Tree of the Beech family up to 20m. Erect stems, greyish. Elliptical leaves; bright green, non pubescent, above, whitish beneath, till 4 cm long. Yellowish flowers in hanging spikes.	St12-14	9 538p.
			RB30-40	454p.
			St8-10	15 360p.
			St10-12	20 079p.
<i>palustris</i>		'Pin oak' or 'marsh oak'. A free-growing, large, dense-headed tree resembling <i>Q.coccinea</i> , but more elegant with the slender branches drooping gracefully at their extremities. Deeply, sharply-lobed leaves mostly turn red in autumn, and with conspicuous tufts of down in the axils below.(5)	St12-14	31 000p.
			150-175	1 074p.
			175-200	1 486p.
			200-250	1 787p.
			250-300	2 354p.
			St6-8	2 427p.
			St8-10	3 191p.
			St10-12	4 088p.
<i>palustris</i>	Green Dwarf'	Dwarf Pin Oak. This is a very slow growing selection of Oak. It has a dense, bushy habit and glossy foliage that turns rich-red and orange in autumn. It is a much smaller plant than the standard <i>Quercus palustris</i> and is particularly suitable to gardens where space is restricted.	St12-14	5 255p.
			St14-16	7 402p.
			St6-8	7 093p.
			St8-10	9 456p.
			St10-12	11 809p.
<i>petraea</i>		'Sessile Oak'. Differing from most other oaks in the regular crown and central stem leading through to the tree top. Often rather larger, long-stalked leaves which are usually pubescent beneath along the midrib, and cuneate, not auricled at the base, also in its sessile fruits. (5)	150-175	1 074p.
			175-200	1 486p.
			200-250	1 787p.
			250-300	2 354p.
			St6-8	2 519p.
			St8-10	3 241p.
			St10-12	4 140p.
			St12-14	5 368p.
<i>robur</i>		'Common Oak' English oak' A large long-lived tree, developing a broad head of rugged branches when growing in the open, very slow growing. Dark grey bark with deep furrows. Leaves sessile or almost so, shallowly-lobed and auricled at the base. Fruits one to several on a slender stalk(2-3). 1/3 covered by the cup. Thrives in moist soils.(5)	St14-16	7 402p.
			150-175	1 074p.
			175-200	1 486p.
			200-250	1 787p.
			250-300	2 354p.
			St6-8	2 427p.
			St8-10	3 191p.
			St10-12	4 088p.
<i>robur</i>	'Fastigiata Koster'	Shorter growing type than the former <i>Q.robur</i> 'Fastigiata' and with darker, longer lasting leaves.Upright columnar tree of very dense habit carrying lobed dark green leaves. (5)	St12-14	5 255p.
			St14-16	7 402p.
			150-175	2 385p.
			175-200	2 870p.
			200-250	3 583p.
			250-300	4 253p.
			St6-8	5 203p.
			300-350	5 265p.
			St8-10	5 905p.
			St10-12	7 329p.
			St12-14	10 736p.
			St14-16	15 505p.
			150-175	2 385p.
			175-200	2 870p.
			200-250	3 583p.
		'Pvramid Oak' Cvnress Oak'. Like <i>Q robur</i> . A		

<i>robur</i>	'Fastigiata'	Pyramidal Oak. Cypress Oak. Like <i>Q. robur</i> . A large imposing tree of columnar habit, densely branched, all twigs erect. A splendid specimen tree where space is restricted. Medium growing. (5)	250-300	4 253p.
			St6-8	5 203p.
			300-350	5 203p.
			St8-10	5 905p.
			St10-12	7 329p.
			St12-14	10 736p.
<i>rubra</i>		'Red oak'. Fast growing, spreading and broad headed tree. Attractive large, lobed, leaves are deep green becoming reddish or yellow-brown in autumn before falling. Trives even in industrial areas, reaching a height of over 30 m. Fruits short stalked, ovate, only 1/3 or less covered by a flat cup. (5)	150-175	908p.
			175-200	1 197p.
			200-250	1 498p.
			250-300	2 014p.
			St6-8	2 519p.
			St8-10	3 241p.
			St10-12	4 140p.
			St12-14	5 368p.
<i>rubra</i>	'Magic Fire'	Red Oak. It is a handsome form of oak which is known for consistently given long lasting, brilliant butter-yellow leaf colours each autumn. It is a reasonably vigorous tree that is suitable for larger gardens and woodland areas. Suitable for a position in dappled sun and most soils. The autumn colour is somewhat dependant upon the soil pH and the foliage seems to produce a better, stronger colour in more acidic soils. It will grow to be a medium sized tree that will reach a height of 3 - 4 m and a spread of 3 m in 8 - 12 years. (7)	175-200	3 562p.
			200-250	4 769p.
			250-300	5 905p.
<i>turneri</i>	'Pseudoturneri'	'Turner's Oak'. = <i>Quercus ilex</i> x <i>Quercus robur</i> A distinctive, small to medium-sized, semi-evergreen tree with a compact, rounded head of dark green leaves, which are oblong.	150-175	3 562p.
			175-200	4 769p.
			200-250	5 967p.
			250-300	7 329p.
<b>RHAMNUS (КРУШИНА)</b>				
<i>catharica</i>		'Common Buckthorn'. A large, native shrub or small tree, a common hedge or woodland	SHR80-100	341p.
			C	537p.
<i>frangula</i>		'Alder Buckthorn' A large shrub or small tree with ovate leaves turning yellow in autumn.	SHR80-100	341p.
			C	537p.
<b>RHODODENDRON (РОДОДЕНДРОН)</b>				
<i>catawbiense</i>		Large-flowering Rhododendron. An extremely hardy, medium-sized to large shrub of dense habit, with oval or oblong, glossy green leaves up to 15cm long. Flowers varying from lilac-purple to pink or white, bell-shaped, in large trusses, June. A parent of many hybrids.	RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			C80-90	8 052p.
			C90-100	10 529p.
<i>forrestii repens /Hybr</i>	'Scarlet Wonder'	Dwarf hybrid. A very hardy, dwarf shrub forming a compact mound of dense foliage.	C20-25	940p.
			RB25-30	1 177p.
<i>forrestii repens /Hybr.</i>	'Baden Baden'	Dwarf Hybrid. Compact, spreading shrub with small, dark glossy green, rather twisted	C20-25	940p.
			RB25-30	1 177p.
<i>forrestii repens/Hybr.</i>	'Bengal'	Dwarf hybrid. Dark red, late April. Broad habit and low.	C20-25Cm	940p.
			C25-30Cm	1 177p.
<i>forrestii repens/Hybr.</i>	'Elizabeth'	Dwarf hybrid. A dwarf or small, spreading shrub raised at Bodnant. Flowers trumpet-	C20-25	940p.
			RB25-30	1 177p.

HYBR.GR.I	'Anna Baldsiefen'	Dwarf hybrid. A dwarf shrub of compact, upright habit with light green leaves, bronzed in winter, to 2.5cm long. Flowers profusely borne, vivid phlox-pink with darker, wavy margins, funnel-shaped, 3cm across. Early.	RB25-30	940p.
HYBR.GR.I	'Blue Bird'	Dwarf hybrid. A neat, dwarf, small-leaved shrub, suitable for a rock garden or the front row of borders. Flowers lovely violet-blue borne in small, compact trusses.	C20-25	940p.
HYBR.GR.I	'Blue Diamond'	Dwarf hybrid. A slow-growing, compact bush, up to 1m high or more, with terminal clusters of rich lavender-blue, succershaped flowers in tight clusters. April-May.	C20-25	940p.
HYBR.GR.I	'Blue Tit Magor'	Dwarf hybrid. Blue flowers.	RB25-30	940p.
HYBR.GR.I	'Blue Tit'	Dwarf hybrid. A hybrid forming dense bushes up to 1m high and as wide. The small, widely funnel-shaped flowers are borne in clusters at the tips of branchlets. They are a lovely lavender-blue, which intensifies with age. A first class shrub for a rock or heather garden. Flowering : April.	C20-25	940p.
HYBR.GR.I	'Chikor'	A dwarf shrub with small leaves and clusters of yellow flowers. Mid.	C20-25 RB25-30	940p. 1 177p.
HYBR.GR.I	'Cilpinense'	Dwarf Hybrid. A beautiful, free-flowering, Bodnant hybrid forming a neat, rounded bush, up to 1m high, with glossy green, bristle-margined leaves. Flowers in loose, trusses, shallowly bellshaped, sparkling white, flushed pink, deeper in bud. Very early.	RB25-30	940p.
HYBR.GR.I	'Gristede'	Dwarf hybrid. A compact, dwarf shrub. A hybrid of R.impeditum, resembling 'Blue	C20-25 RB25-30	940p. 1 177p.
HYBR.GR.I	'Moerheim'	Dwarf hybrid. A dwarf shrub of compact habit with glossy green leaves turning maroon in winter. Clusters of small, aster-violet flowers are freely produced. Flowering : April-May .	C20-25	940p.
HYBR.GR.I	'Oudijk's Favorite'	Dwarf hybrid. Presumably a seedling of 'Blue Diamond' or 'Blue Tit', but with a less	C20-25 RB25-30	940p. 1 177p.
HYBR.GR.I	'Pink Drift'	Dwarf hybrid. A dwarf shrub of neat, compact habit with small, aromatic leaves and clusters of soft lavender-rose flowers. Mid. Resembles an evergreen azalea.	C15-20Cm	940p.
HYBR.GR.I	'Praecox'	An extremely popular, small, early flowering hybrid of compact growth. Leaves sometimes	C25-30Cm C30-40Cm	837p. 1 064p.
HYBR.GR.I	'Princess Ann'	Dwarf hybrid. A very attractive, dwarf shrub of dense habit with light matt green, elliptic,	C20-25 RB25-30	940p. 1 177p.
HYBR.GR.I	'Seta'	An exceedingly pretty, medium-sized Bodnant hybrid of erect habit, producing	C20-25 RB25-30	940p. 1 177p.
HYBR.GR.I	'Tessa'	A small bush up to 1m. Flowers in loose flattened umbels, soft, slightly purplish-pink,	C20-25 RB25-30	940p. 1 177p.
HYBR.GR.I	'Yellow Hammer'	A charming, rather slender hybrid. Flowers in pairs from terminal and axillary buds, tubular or narrowly bell-shaped, bright yellow. Early.	RB25-30	940p.
HYBR.GR.II		Large-flowering Rhododendrons. All hybrids are evergreens, vary from prostrate alpinas to small trees. Flowering from April to June.	RB25-30 C30-40 40-50 C50-60 C60-70 C70-80	1 136p. 1 415p. 2 065p. 3 303p. 4 471p. 5 884p.



			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.

HYBR.GR.II

'Albert Schweitzer'

Large-flowering hybrid. A large shrub of upright habit with large conical trusses of rose-bengal flowers with a deeper blotch.

HYBR.GR.II

'Americana'

Large-flowering hybrid. Dark red, middle early. Very winter hardy.

HYBR.GR.II

'Blue Peter'

Large-flowering hybrid. A vigorous, very free-flowering hybrid of upright habit. Flowers in compact, conical trusses, funnel-shaped, frilled at the margin, cobalt-violet, paling to white at throat, with a ray of maroon spots. Mid season.

HYBR.GR.II

'Britannia'

Large-flowering hybrid. A superb shrub of slow growth, forming a compact, rounded bush generally broader than high. Flowers gloxinia-shaped, glowing crimson-scarlet, in compact trusses backed by bold, handsome foliage. Mid. One of the most popular of all hardy hybrids and an excellent wind resister.

HYBR.GR.II

'Caractacus'

Large-flowering hybrid. Purple-red with a lighter center. Late flowering. Very winter hardy.

HYBR.GR.II

'Cunningham's White'

Large-flowering hybrid. White with greenish yellow markings, very early.

HYBR.GR.II

'Cynthia'

Large-flowering hybrid. One of the best rhododendrons for general planting, thriving in a great variety of situations. A large, vigorous, dome-shaped bush bearing magnificent conical trusses of widely funnel-

		Magnificent conical trusses of widely funnel-shaped, rose-crimson flowers, each with a narrow ray of blackish-crimson markings within. Mid.	C70-80	5 884p.			
			HSt,C	6 379p.			
			C80-90	8 052p.			
			C90-100	10 529p.			
HYBR.GR.II	'Doncaster'	Large-flowering hybrid. A small shrub, broadly dome-shaped in habit, with somewhat glossy, very dark green, leathery leaves, held very stiffly on the shoots. Flowers in dense trusses, funnel-shaped, brilliant crimson-scarlet, with a ray of black markings within. Mid. Prone to bud blast.	RB25-30	1 136p.			
			C30-40	1 415p.			
			40-50	2 065p.			
			C50-60	3 303p.			
			C60-70	4 471p.			
			C70-80	5 884p.			
			HSt,C	6 379p.			
			C80-90	8 052p.			
			C90-100	10 529p.			
HYBR.GR.II	'Dr.H.C.Dresselhuys	Large-flowering hybrid. Aniline-red flowers. Very winter hardy.	RB25-30	1 136p.			
			C30-40	1 415p.			
			40-50	2 065p.			
			C50-60	3 303p.			
			C70-80	5 884p.			
			C80-90	8 052p.			
			C90-100	10 529p.			
						RB25-30	1 136p.
						C30-40	1 415p.
HYBR.GR.II	'Everestianum'	Large-flowering hybrid. A very old hybrid making a medium-sized, dense bush. Flowers widely funnel-shaped with frilly lobes, pale lilac with a broad band of brown or reddish spots.	40-50	2 065p.			
			C50-60	3 303p.			
			C60-70	4 471p.			
			C70-80	5 884p.			
			HSt,C	6 379p.			
			C80-90	8 052p.			
			C90-100	10 529p.			
						RB25-30	1 136p.
						C30-40	1 415p.
HYBR.GR.II	'Fastuosum Plenum'	Large-Flowering hybrid. A very hardy hybrid forming a large, dome-shaped bush. Flowers in a lax truss, funnelshaped with wavy margins, rich mauve with a ray of brown-crimson markings within, filament unevenly petaloid. Mid-season.	40-50	2 065p.			
			C50-60	3 303p.			
			C60-70	4 471p.			
			C70-80	5 884p.			
			HSt,C	6 379p.			
			C80-90	8 052p.			
			C90-100	10 529p.			
						RB25-30	1 136p.
						C30-40	1 415p.
HYBR.GR.II	'Furnival's Daughter'	Light rose-pink with a bold splash of dark markings. Mid. Winter hardy.	40-50	2 065p.			
			C50-60	3 303p.			
			C60-70	4 471p.			
			C70-80	5 884p.			
			HSt,C	6 379p.			
			C80-90	8 052p.			
			C90-100	10 529p.			
						RB25-30	1 136p.
						C30-40	1 415p.
HYBR.GR.II	'Gomer Waterer'	Large-flowering hybrid. Leaves dark green, large and leathery, oval or oblong-obovate, with deflexed margins. Flowers fragrant, in a large, dense, rounded truss, funnel-shaped but deeply divided, white, flushed pale mauve towards the edges, wit a mustard-coloured basal blotch. Mid to late.	40-50	2 065p.			
			C50-60	3 303p.			
			C60-70	4 471p.			
			C70-80	5 884p.			
			C80-90	8 052p.			
			C90-100	10 529p.			
						RB25-30	1 136p.
						C30-40	1 415p.
			HYBR.GR.II	'Hugh Koster'	Large-flowering Hybrid. A sturdy, leafy bush with stiff, erect branches. Flowers in a well-formed truss, funnel-shaped, glowing crimson scarlet with black markings within. Mid. Resembling 'Doncaster' but flowers lighter in colour.	40-50	2 065p.
C50-60	3 303p.						
C60-70	4 471p.						
C70-80	5 884p.						
HSt,C	6 379p.						
						RB25-30	1 136p.

		colour.		
HYBR.GR.II	'John Walter'	Larg-flowering hybrid. A semi-erect-branched shrub of compact habit. Flowers in dense, globular trusses, cherry-red fading to lilac-red with dark spotting, funnel-shaped, wavy at the margin.	C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
C90-100	10 529p.			
HYBR.GR.II	'Kate Waterer'	Large-flowering hybrid. A medium-sized to large, dense shrub with oblong-ovate leaves to 12cm long. Flowers funnel-shaped, to 6cm across, rose-crimson passing to clear rose, the upper lobe with a ray of greenish-yellow spots on a white background. Mid.	RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
HYBR.GR.II	'Lord Roberts'	Large-flowering hybrid. An old hybrid of erect growth. Flowers in a dense, rounded truss, funnel-shaped, dark crimson.	40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
HYBR.GR.II	'Louis Pasteur'	Large-flowering hybrid. Bright red, interior pink.	C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
HYBR.GR.II	'Madame de Bruin'	Large-flowering hybrid. Conical trusses of cerise-red flowers. Mid.	C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
HYBR.GR.II	'Madame Masson'	Large-flowering hybrid. An old hybrid bearing trusses of white flowers, with a yellow basal blotch within. Mid.	HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
HYBR.GR.II	'Nova Zembla'	Large-flowering hybrid. An excellent and very hardy, medium-sized shrub of rather upright habit with dark green, deeply veined leaves. Deep red flowers with a conspicuous dark blotch are borne in compact trusses.	C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.

HYBR.GR.II	'Pink Pearl'	Large-flowering hybrid. A strong-growing shrub, ultimately tall and bare at the base. Flowers in magnificent, large, conical trusses, widely funnel-shaped, rose in bud, opening to deep lilac-pink, fading to white at the margins.	C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
HYBR.GR.II	'Pink Perfection'	Large-flowering hybrid. Rose flowers.	RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
HYBR.GR.II	'President Roosevelt'	FRILLY RED perimeter of flowers have WHITE centers to each flower. Super interesting. Early to Middle blooming. Afternoon protection from full sun is best. VARIGATED foliage of White asymmetrical shapes. Super attractive variegation.	C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
HYBR.GR.II	'Purple Splendour'	Large-flowering hybrid. A sturdy, leafy bush with erect branches. A hybrid of R.ponticum. Flowers in a well-formed truss, widely funnel-shaped, rich royal purplish-blue with a well-defined ray of embossed black markings on a purplish-brown ground. Mid to late.	40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
HYBR.GR.II	'Roseum Elegans'	Large-flowering hybrid. A very old hybrid of R.ponticum making a large shrub. Funnel-shaped flowers are rosy-lilac with a small pattern of brown markings, in rounded trusses. Mid to late.	C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
HYBR.GR.II	'Sappho'	Large-flowering hybrid. A very free-growing bush of rounded or dome-shaped habit, with dark glossy green leaves to 18cm long. Flowers in handsome, conical trusses, widely funnel-shaped, mauve in bud, opening pure white with a conspicuous blotch of rich purple overlaid black. Mid.	C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
HYBR.GR.II	'Van Weerden Poelman'	Large-flowering hybrid. Carmine.	HSt,C	6 379p.
			C80-90	8 052p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.

			C90-100	10 529p.
			RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
			C90-100	10 529p.
HYBR.GR.II	'Vulcan'	Large-flowering hybrid. A medium-sized shrub of compact habit. Funnel-shaped, wavy margined, bright red flowers 6cm across are borne in dome-shaped trusses. Mid.		
HYBRI.GR.I	'Dora Amateis'	A vigorous, compact, mound-forming shrub with ovate-lanceolate, dark dull green leaves, scaly on both sides. Flowers freely produced in open clusters, funnel-shaped, pale pink in bud opening white, faintly spotted with yellow. Early.	C25-30Cm	940p.
<i>impeditum</i>		A dwarf, alpine shrub forming low, tangled mounds of scaly branches only a few centimeters high. Tiny leaves. Flowers light purplish-blue, funnel-shaped. April and May. Most suitable for a rock garden. (5)	C15-20	1 177p.
<i>japonicum/Hybr.</i>		= Japanese Azaleas. A tall shrub of medium size with ovate-oblong, ciliated leaves, often giving rich autumn tints. Flowers usually appearing before the leaves in May, are	C20-25	589p.
			RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Addy Wery'	Small flowers. Blood-red flowers with an orange blush, flowers funnelform. Compact habit; (6)	C20-25	589p.
			RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Amoena'	Small flowered. Purple-red. (6)	C20-25	589p.
			RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Blaauw'sPink'	Small flowered. Salmon-pink, turning darker. Flowering : end of May until early June. (6)	C20-25	589p.
			RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Hinodegiri'	Small flowered. Carmine-red. Flowering early Mai until the end of May. (6)	C20-25	589p.
			RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Ledifolia Alba'	Large flowers. Flowers white. Flowering : End of May/June. (6)	RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Mme Van Hecke'	Small flowers. Pink flowers. Flowering : Mid-May until the end of May. (6)	C20-25	589p.
			RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Moederkensdag'	Large flowers. Flowers dark red. Flowering : end of May until the first week of June. (6)	C20-25	589p.
			RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Palestrina'	Large flowers. Ivory-white flowers. Flowering : End May/first half of June. (6)	C20-25	589p.
			RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Vuyk's Rosyred'	Large Flowers. Pink red. Flowering : End of May/ first half of June. (6)	C20-25	589p.
			RB25-30	805p.
			C30-35	1 321p.
			C35-40	1 858p.
<i>japonicum/Hybr.</i>	'Vuyk's Scarlet'	Large flowers. Dark red to carmine-red.	C20-25	589p.
			RB25-30	805p.

японская группа	название сорта	Flowering : end of May/ early June. (6)	C30-35	1 321p.
			C35-40	1 858p.
<i>Knap Hill &amp; Exbury Azalea</i>		English hybrids. A large and colourful group of hardy azaleas probably derived from <i>R.calendulaceum</i> x <i>molle</i> . The large flowers	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Balzac'	Like the species. Bright red, with darker markings, fragrant.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Berryrose'	Like the species. Orange-red, yellow patch, midseason to late.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Cecile'	Like the species. Buds deep pink, opening salmon-red with a trace of yellow, very large flowered. Flowering : 15th May until 25th May.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Gibraltar'	Like the species. An intense orange with a red blush, margin crispate, large flowered. Flowering : 15th until 25th May.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Golden Eagle'	Like the species. Orange with red. Flowering : from 15th until 25th May.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Golden Sunset'	Like the species. Deep yellow with an orange blotch. Flowering : from 15th until 25th May.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Homebush'	Like the species. Pink, double, in dense corymbs.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 622p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Hotspur Red'	Like the species. Vermilion-red. Flowering : late, from 25th May until 5th June.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Persil'	Like the species. White with a yellow blotch. Flowering : from 15th until 25th May.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Royal Command'	Like the species. Vermilion-red. Flowering : from 15th until 25 May.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Satan'	Like the species. Dark geraniumred. Flowering : from 15th until 25 May.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>Knaphill &amp; Exbury Azalea Hybr.</i>	'Seville'	Like the species. Orange.	RB25-30	1 569p.
			C30-40	2 003p.
			40-50	2 601p.
<i>luteum /Azalea pontica</i>		The well-known, common, fragrant azalea. A medium-sized, deciduous shrub, occasionally	RB25-30	1 012p.
			C30-40	1 321p.
<i>luteum/ Azalea pontica Hybr.</i>	'Coccinea Speciosa'	Like the species. Bright orange-red. Flowering : from 25th May until 5th June.	RB25-30	2 385p.
			C30-40	3 046p.
<i>luteum/ Azalea pontica Hybr.</i>	'Daviesii'	Like the species. Cream-yellow to white, with a yellow patch, leaves blue-green. Flowering	RB25-30	2 385p.
			C30-40	3 046p.
<i>luteum/ Azalea pontica Hybr.</i>	'Narcissiflora'	Like the species. Light yellow flowers double, fragrant.	RB25-30	2 385p.
			C30-40	3 046p.
<i>molle/ Azalea mollis</i>		= 'Mollis Azaleas'. This attractive group originated as selections of <i>R.japonicum</i> and later <i>R.molle</i> . Their large, scentless flowers	RB25-30	723p.
			C30-40	899p.
			40-50	1 177p.
<i>molle/ Azalea mollis Hybr.</i>	'Dr.M.Oosthoek'	Like the species. Dark orange-red.	RB25-30	1 498p.
			C30-40	1 911p.
			40-50	2 477p.
<i>molle/Azalea mollis Hybr.</i>	'Radiant'	Like the species. Orange-red.	RB25-30	1 498p.
			C30-40	1 911p.
			40-50	2 477p.
<i>molle/Azalea mollis Hybr.</i>	'Dir. Moerlands'	Like the species. Golden-yellow, interior darker, olive-brown markings.	RB25-30	1 498p.
			C30-40	1 911p.
			40-50	2 477p.
			RB25-30	1 498p.

<i>molle/Azalea mollis Hybr.</i>	'Emiel Liebig'	Like the species. Salmon.	C30-40	1 911p.
			40-50	2 477p.
<i>molle/Azalea mollis Hybr.</i>	'Hugo Hardijzer'	Like the species. Light red.	RB25-30	1 498p.
			C30-40	1 911p.
<i>molle/Azalea mollis Hybr.</i>	'Koster's Brilliant Red'	Like the species. Red-orange.	40-50	2 477p.
			RB25-30	1 498p.
<i>molle/Azalea mollis Hybr.</i>	'Saturnus'	Like the species. Dark orange-red with a reddish blush.	C30-40	1 911p.
			40-50	2 477p.
<i>ponticum</i>		It is a large shrub with mauve to lilac-pink flowers which can look lovely especially in the fading light of evening. Its floral display in May and June is a feature of many districts. Invaluable for shelter belts and forming	C30-40	888p.
			40-50	1 239p.
			C50-60	1 961p.
			C60-80	3 303p.
			C80-100	4 852p.
<i>ponticum</i>	'Variegatum'	Evergreen shrub, also occasionally a small tree. Mauve to lilac flowers. Leaves more slender and smaller than those of the species, limb yellowish white.	RB25-30	1 136p.
			C30-40	1 415p.
			40-50	2 065p.
			C50-60	3 303p.
			C60-70	4 471p.
			C70-80	5 884p.
			HSt,C	6 379p.
			C80-90	8 052p.
<i>racemosum</i>		Small to medium-sized shrub, a suitable subject for a heather garden. Leaves oblong-elliptic, leathery, glaucous beneath. Flowers pale to bright pink, funnel shaped, very numerous from axillary buds, forming racemes along the branchlets, March and April.	RB25-30	940p.
<i>viscosum</i>	'Jolie Madame'	'Swamp Honeysuckle'. A medium-sized, deciduous, summerflowering shrub of bushy habit. Leaves to 9cm long, are dark green above with a thin, rusty tomentum growths. Flowers funnel-shaped, 6cm across, in loose, pendent	RB25-30	1 498p.
			C30-40	1 911p.
<i>williamsianum/Hybr</i>	'Winsome'	Very dense evergreen shrub, broad globose habit, 0.5-1m high. New growth an attractive bronze-brown. Leaves broadly oval, cordate	C20-25	940p.
			RB25-30	1 177p.
<i>williamsianum/Hybr.</i>	'April Glow'	Like 'April Glow'. Flowers widely bell-shaped, deep cerise in bud, opening to soft pink within, shaded rich pink outside, borne in	C30-40	1 704p.
			C20-25	940p.
<i>williamsianum/Hybr.</i>	'Bow Bells'	Like 'April Glow'. Flowers pink, large, early May.	RB25-30	1 177p.
			C30-40	1 704p.
<i>williamsianum/Hybr.</i>	'Karin'	Like 'April Glow'. Flowers pink, large, early May.	C20-25	940p.
			RB25-30	1 177p.
<i>williamsianum/Hybr.</i>	'Oudijk's Sensation'	Like 'April Glow'. Dark pink flowers.	C30-40	1 704p.
			RB25-30	1 177p.
<i>williamsianum/Hybr.</i>	'Willbrit'	Similar to 'Oudijk's Sensation' but less winter hardy.	C20-25	940p.
			RB25-30	1 177p.
<i>Yakushmanum/Hybr.</i>		Dense, evergreen shrub, 0.5-1m high and wide. Leaves oblong to obovate, underside	C30-40	1 920p.
			RB25-30	1 280p.
<i>Yakushmanum/Hybr.</i>	'Dusty Miller'	A compact and rather slow-growing, dwarf shrub, the leaves with a persistent silvery-	C20-25	1 280p.
			RB25-30	1 672p.
<b>RHODOTYPOS (РОДОТИПОС)</b>				
<i>scandens</i>		A free-flowering shrub with erect branches to 1.2m. The paper-white flowers, like white dog roses are 4-5cm across and appear from May to July, followed by conspicuous, shining black fruits.(5)	C50-60	858p.

RHUS (СУМАХ)				
glabra		'Smooth Sumach'. A widespreading, medium-sized shrub with glabrous, glaucous stems	SHR 2br	929p.
			SHR3br+	1 064p.
glabra	'Laciniata'	'Smooth Sumach'. A wide-spreading, medium-sized shrub with glabrous, glaucous stems	SHR80-100,2br+	754p.
			SHR80-100,3br+	878p.
typhina		'Stag's-horn Sumach'. A wide-spreading, sparsely-branched, small tree or an irregular large shrub, developing a gaunt, flat-topped appearance, particularly noticeable in winter. The thick, pithy branches are covered, when young, with a dense coat of reddish-brown	80-100,2br	754p.
			80-100,3br	878p.
			150-175	1 569p.
			175-200	1 941p.
			200-250	2 736p.
typhina	'Dissecta'	A striking female form of R. typhina with deeply incised leaflets, creating a fern-leaf	250-300	3 675p.
			SHR80-100,2br	754p.
			SHR80-100,3br	878p.
RIBES (СМОРОДИНА)				
alpinum		'Alpine Currant'. A small to medium-sized, semi-erect shrub of neat, densely twiggy habit, suitable for hedging. Flowers greenish-	SHR	300p.
			C	537p.
			HSt	1 321p.
odoratum		'Buffalo Currant'. A small to medium-sized shrub of loose, erect habit. Leaves glabrous, shining green, colouring richly in autumn. Lax	SHR	300p.
			C	537p.
			HSt	1 321p.
sanguineum		The popular 'Flowering Currant'. A medium-sized shrub with a characteristic pungent smell. Flowers deep rose-pink, petals white,	SHR	300p.
			C	537p.
			HSt	1 321p.
sanguineum	'Atrorubens	Like the species with flowers deep blood-crimson.(6)	SHR	300p.
			C	537p.
			HSt	1 321p.
sanguineum	'King Edward VII	Like the species with flowers of an intense crimson. Rather lower-growing than the typical form.(6)	SHR	300p.
			C	537p.
			HSt	1 321p.
sanguineum	'Pulborough Scarlet'	Like the species. A selected form with deep red flowers the same colour as Spiraea japonica 'Anthony Waterer'.(6)	SHR	300p.
			C	537p.
			HSt	1 321p.
ROBINIA (РОБИНИЯ)				
elliottii		A small to medium-sized, suckering shrub with bristly stems and rosy-pink flowers in June; pods densely bristly. Closely related to R.hispida, differing in its smaller flowers and pubescent leaflets. Branches rather brittle.(5)	SHR	981p.
			HSt 6-8	1 858p.
			St6-8	2 539p.
			St8-10	3 097p.
			St10-12	3 778p.
			St12-14	4 553p.
hispida		A medium-sized, suckering shrub of irregular habit with long, glandular-bristly branches. Short racemes of large, deep rose flowers, in May-June. Pods, when produced, glandular-bristly. An excellent small tree when grafted on to stems of R.pseudoacacia, but rather	St14-16	6 834p.
			HSt 6-8	1 858p.
			St6-8	2 539p.
			St8-10	3 097p.
			St10-12	3 778p.
			St12-14	4 553p.
pseudoacacia		'Black Locust' False Acacia. A large, suckering tree, often of pectusque oriental appearance. Bark rugged and deeply furrowed, twigs with spiny stipules. Leaves elliptic, rich green above, gray-green beneath, yellow in fall. Flowers slightly fragrant, white, with a yellow stain at the base of the standard, produced in long racemes in	St14-16	6 834p.
			175-200	578p.
			200-250	692p.
			250-300	1 074p.
			St6-8	1 580p.
			St8-10	2 034p.
pseudoacacia	'Bessoniana'	Like the specie. Vigorous growing, open crowned, rounded-ovate, somewhat divaricate with age and then easily wind damaged. Branches usually totally thornless. Flowers very rarely, cream coloured.	St10-12	2 705p.
			St12-14	3 769p.
			St14-16	5 244p.
			St6-8	2 539p.
			St8-10	3 097p.
			St10-12	3 778p.
		I like the specie. An outstanding, small to	St12-14	4 553p.
			St14-16	6 834p.
			150-175	1 053p.
			175-200	1 250p.



<i>pseudoacacia</i>	'Frisia'	Like the specie. An outstanding, small to medium-sized tree with leaves which are a rich golden yellow from spring to autumn, creating a brilliant splash of colour. It associates particularly well with large, purple-leaved shrubs, such as <i>Cotinus coggygia</i> 'Royal Purple'. (3)	200-250	1 704p.
			HSt 6-8	1 858p.
			250-300	2 250p.
			St6-8	2 539p.
			St8-10	3 097p.
			St10-12	3 778p.
<i>pseudoacacia</i>	'Myrtifolia'	Like the specie. Broadly ovate, apex round to emarginate.(3)	St12-14	4 553p.
			St14-16	6 834p.
			HSt 6-8	2 271p.
			St6-8	2 539p.
			St8-10	3 097p.
			St10-12	3 778p.
<i>pseudoacacia</i>	'Pyramidalis'	Like the specie. A slender, columnar tree of medium size, with spineless, closely erect branches.(3)	St12-14	4 553p.
			St14-16	6 834p.
			150-175	1 053p.
			175-200	1 250p.
			200-250	1 704p.
			250-300	2 250p.
<i>pseudoacacia</i>	'Red Cascade'	Shrub, 3-4m high, closely related to <i>R.pseudoacacia</i> , but pubescent on the leaflet undersides. Flowers large, purplish-pink, in soft pubescent, 15cm long racemes, calyx pubescent and somewhat glandular.(5)	St6-8	2 539p.
			St8-10	3 097p.
			St10-12	3 778p.
			St12-14	4 553p.
			St14-16	6 834p.
			SHR75-100	981p.
<i>pseudoacacia</i>	'Tortuosa'	Like the specie. A picturesque, slow-growing, small to medium-sized tree. Young shoots twisted, corkscrew-like, leaves often pendulous. Only occasionally flowering.(3)	SHR100-150	1 126p.
			150-175	1 569p.
			175-200	1 993p.
			200-250	2 828p.
			250-300	3 954p.
			300-350	5 358p.
<i>pseudoacacia</i>	'Umbraculifera'	'Globe Acacia'. Shrubby, very slow growing, with very many thin, nearly withches-broom-like, totally thornless shoots. Leaves smaller, light green. Flowers never observed. (3)	HSt 6-8	1 858p.
			St6-8	2 539p.
			St8-10	3 097p.
			St10-12	3 778p.
			St12-14	4 553p.
			St14-16	6 834p.
<i>pseudoacacia</i>	'Unifoliola'	A curious form with leaves reduced to a single large leaflet or accompanied by 1 or 2 normal-sized leaflets. Thornless. Fast growing, flowers like the specie.(3)	St6-8	2 539p.
			St8-10	3 097p.
			St10-12	3 778p.
			St12-14	4 553p.
			St14-16	6 834p.
			<b>RUBUS (МАЛИНА)</b>	
	'Benenden'	Arching, thornless shrub with peeling bark. Large, rose-like, glistening, single flowers are white with a golden-yellow centre, produces all along the branches.(6)	C	640p.
<i>nepalensis</i>		A dwarf, evergreen, creeping shrub with densely soft-bristly stems and short-stalked,	P9	197p.
			CL	465p.

<i>odoratus</i>		'Raspberry'. A vigorous, suckering shrub with erect, peeling thornless stems up to 2.5m high. Young shoots densely glandular-hairy. Leaves large and velvety, palmate. Flowers in branched clusters, 4-5cm across, fragrant, purplish-rose, opening from June to September. Fruits flat and broad, red, edible. An excellent shrub for a wild garden or semi-shade beneath trees.(4)	C	640p.
<i>pentalobus</i>		A creeping alpine evergreen, forming dense mats of short-jointed, rooting stems. The	P9	197p.
			CL	465p.
<i>tricolor</i>		An attractive, evergreen shrub with long, trailing, densely bristly stems. Leaves	P9	197p.
			CL	465p.
<b>SALIX (MBA)</b>				
<i>acutifolia</i>	'pendulifolia'	'Willow'. A very graceful, large shrub, occasionally a small tree, with lanceolate, long-pointed, drooping leaves and slender, damson-coloured shoots overlaid with a white bloom. Catkins appearing before the leaves. (4)	SHR100-140	341p.
			C100-125	507p.
			St6-8	1 837p.
			St8-10	2 250p.
			St10-12	3 097p.
			St12-14	4 852p.
			St14-16	6 267p.
<i>alba</i>		'White Willow'. A familiar native species of water meadows and riversides. A large, elegant tree of conical habit, with slender branches, drooping at the tips. The lanceolate, silky-hairy leaves occur in great,	St6-8	1 631p.
			St8-10	2 044p.
			St10-12	2 705p.
			St12-14	3 769p.
			St14-16	5 131p.
<i>alba</i>	'Belders'	'White Willow'. Like the specie. Narrow crowned, stem often somewhat wavy.(2)	St6-8	1 631p.
			St8-10	2 044p.
			St10-12	2 705p.
			St12-14	3 769p.
			St14-16	5 131p.
<i>alba</i>	'Chermesina'	'Scarlet Willow'. Like the specie. Conical habit when young, branches bright red or orange, particularly in winter, especially if pruned severely every second year. (2)	SHR100-140	300p.
			C100-125	507p.
			St6-8	1 631p.
			St8-10	2 044p.
			St10-12	2 705p.
			St12-14	3 769p.
			St14-16	5 111p.
<i>alba</i>	'Liempde'	'White Willow'. A vigorous male form with upright branches making a narrowly conical tree, dominant leader. (2)	C100-125	507p.
			175-200	578p.
			200-250	1 032p.
			250-300	1 518p.
			St6-8	1 631p.
			300-350	1 972p.
			St8-10	2 044p.
			St10-12	2 705p.
			St12-14	3 769p.
			St14-16	5 131p.
<i>alba</i>	'Sericea'	'White Willow'. Like the specie. A smaller, less vigorous, rounder-headed tree with leaves of an intense silvery hue, striking when seen from a distance.(2)	St6-8	1 631p.
			St8-10	2 044p.
			St10-12	2 705p.
			St12-14	3 769p.
			St14-16	5 131p.
<i>babylonica</i>		'Weeping Willow'. An attractive tree of medium size with a wide-spreading head of long, pendulous, glabrous, brown branches. Leaves long and narrow, green above, bluish-grey beneath. Catkins slender, appearing	St6-8	1 837p.
			St8-10	2 250p.
			St10-12	3 097p.
			St12-14	3 769p.
			St14-16	5 131p.
			SHR100-140	300p.
			C100-125	507p.
			175-200	858p.

<i>babylonica</i>	'Tortuosa'	'Dragon's Claw Willow'. A curious form with branches and twigs much twisted and contorted, also the leaves. Best kept as a large shrub, which requires a seasonal hard pruning.(5)	200-250	1 002p.
			250-300	1 136p.
			300-350	1 415p.
			St6-8	1 693p.
			St8-10	2 138p.
			St10-12	2 808p.
			St12-14	3 769p.
St14-16	5 131p.			
<i>caprea</i>		'Goat Willow"Great Sallow'. A common and familiar tall shrub or small tree, particularly noticeable in early spring when the large, golden-yellow male catkins are gathered. Leaves broadly elliptic, rugose above, dull green , gray-green beneath, more or less densely pubescent. (5)	SHR100-140	300p.
			C100-125	507p.
			St6-8	1 631p.
			St8-10	2 044p.
			St10-12	2 705p.
			St12-14	3 769p.
St14-16	5 131p.			
<i>caprea</i>	'Kilmarnock'	'Kilmarnock Willow'. A small, umbrella-like, male tree with stiffly pendulous branches. Attractive silvery catkins studded with golden anthers in late winter. (5)	C100-125	507p.
			HSt 6-8	1 569p.
			St8-10	2 539p.
			St10-12	3 283p.
<i>cinerea</i>		'Grey Sallow'. A large shrub or occasionally a small tree. It has stout pubescent twigs and obovate leaves which are grey tomentose beneath. Catkins appearing before the leaves in early spring. (2)	SHR100-140	300p.
			C100-125	507p.
			St6-8	1 631p.
			St8-10	2 044p.
			St10-12	2 705p.
			St12-14	3 769p.
St14-16	5 131p.			
<i>daphnoides</i>		'Violet Willow'. A fast-growing, small tree with long, purple-violet shoots which are attractively overlaid with a white bloom. Leaves oblong-lanceolate. Large catkins before the leaves in spring. Extremely	St6-8	1 837p.
			St8-10	2 250p.
			St10-12	3 097p.
			St12-14	4 852p.
			St14-16	6 267p.
<i>exigua</i>		'Coyote Willow'. A beautiful, large, erect shrub or a small tree with long, slender, greyish-brown branches clothed with linear, silvery-silky, minutely toothed leaves. Slender catkins appear with the leaves.(5)	SHR80-100	434p.
	'Wehrhahnii'	A slow-growing, small to medium-sized shrub of spreading habit. In spring the stout twigs are alive with pretty, silvery-grey, male catkins which later turn yellow. (6)	C30-40	981p.
<i>helvetica</i>		A small, bushy shrub, the young stems, leaves and catkins clothed in a soft, greyish	RB25-30	1 147p.
			C30-40	692p.
<i>integra</i>	'Hakuro-nishiki'	'Hakuro-Nishiki Willow'. A large shrub or small tree, mostly cultivated on standard. Leaves, lanceolate, conspicuously blotched with white. (6)	SHR60-90	589p.
			C	692p.
			HSt 6-8	300p.
			St6-8	589p.
			St8-10	1 569p.
<i>lanata</i>		'Woolly Willow'. An attractive, slow-growing shrub usually 0.6-1.2m high, or occasionally	RB25-30	2 539p.
			C30-40	3 283p.
<i>purpurea</i>	'Nana'	'Purple Osier'. A dwarf, compact, slender-branched cultivar. A useful low hedge for a damp site. Leaves narrowly oblong, dull green above, paler or glaucous beneath. The wood of the young shoots is bright yellow beneath the bark, a character which is normally present in its hybrids.(5)	SHR40-60	640p.

<i>repens</i>	'Nitida'	'Creeping Willow'. An attractive, semi-prostrate variety with silvery-silky leaves. Abundant in moist, sandy areas by the sea. Grown as a standard it makes an effective miniature weeping tree. (5)	SHR60-80	754p.
<i>rosmarinifolia</i>		'Hoary Willow'. A beautiful, medium-sized to large shrub of dense, bushy habit. Leaves linear, like elongated leaves of rosemary, greyish-hoary at first becoming green above and white beneath, thickly clothing the slender, reddish-brown, wand-like stems. One of the prettiest willows for waterside planting. (5)	SHR60-80	300p.
<i>sepulcralis</i>	'Chrysocoma'	'Golden Weeping Willow'. Strong growing tree, branches very thin, long, pendulous, golden-yellowish! Leaves lanceolate. Catkins appearing with the leaves in April. (5)	175-200	754p.
			200-250	1 259p.
			HSt 6-8	1 374p.
			250-300	1 807p.
			St6-8	1 931p.
			300-350	2 261p.
			St8-10	2 374p.
			St10-12	3 159p.
<i>sepulcralis</i>	'Erythroflexuosa'	= <i>S.babylonica</i> 'Tortuosa' x <i>S. sepulcralis</i> 'Chrysocoma'. A curious, ornamental, small tree. Similar to <i>S. babyl.</i> 'Tortuosa' in	SHR60-90	321p.
			175-200	964p.
			200-250	1 136p.
<i>simulatrix</i>		'Willow'. Creeping, rather thick branched shrub, annual shoots brown, with large winter	SHR	300p.
<i>udensis</i>	'Sekka'	'Willow'. A male clone of Japanese Origin', noted for its occasional curiously flattened	C60-80	507p.
			SHR60-80	321p.
<i>viminalis</i>		'Common Osier'. A large, vigorous shrub or small tree with long straight shoots thickly	C60-80	507p.
			SHR100-140	300p.
<b>SAMBUCUS (БУЗИНА)</b>				
<i>canadensis</i>	'Aurea'	'American Golden Elderberry'. Upright shrub (3m). Has large golden yellow leaves with	SHR	321p.
			C60-90	507p.
<i>nigra</i>		'Common Elder'. Bushy large shrub. Has stout corky shoots and composed green	SHR	300p.
<i>nigra</i>	'Aurea'	'Common golden elder'. Habit as the species but golden-yellow leaves and not as fast	C60-90	507p.
			SHR60-90	300p.
<i>nigra</i>	'Guincho Purple'	Like the species. Leaves green when young becoming deep blackish-purple, red in autumn. Flowers contrasting well with the foliage, pink in bud opening white flushed pink on the backs of the lobes, stalks stained with purple. (6)	C60-90	507p.
			SHR60-80	537p.
<i>nigra</i>	'Laciniata'	'Fern leafed elder'. An attractive form with finely divided, fern-like leaves. (6)	SHR60-90	300p.
			C60-90	507p.
<i>nigra</i>	'Madonna'	Like the species. Golden variegated sport. Leaves light green to deep grey-green with	SHR	300p.
			C60-90	507p.
<i>nigra</i>	'Marginata'	Like the species with leaflets with an irregular, creamy-white margin. (6)	SHR	300p.
			C60-90	507p.
<i>nigra</i>	'Pygmy'	Like the species with compact habit to 60 cm. (6)	SHR60-90	300p.
			C60-90	507p.
<i>racemosa</i>		'Red-berried elder'. Large shrub. Creamy white flowers in conical heads, crowding the branches in spring, succeeded by dense clusters of scarlet fruits in summer. (6)	SHR	300p.

<i>racemosa</i>	'Plumosa Aurea'	Like the species. A colourful shrub with beautiful, deeply cut, golden foliage. One of the elite of golden-foliaged shrubs. Slower-growing smaller bush and best in light shade.(6)	SHR60-80	858p.
<i>racemosa</i>	'Sutherland'	Similar to 'Plumosa Aurea' but coarser in texture and less susceptible to sunburn.(6)	SHR60-80	858p.
<b>SORBARIA (РЯБИННИК)</b>				
<i>aitchisonii</i>		A very elegant shrub of medium size, closely related to <i>S.tomentosa</i> , with reddish young shoots. Pinnate leaves with lance-shaped leaflets. Upright panicles of white flowers in mid-summer.(6)	SHR60-80	661p.
<i>sorbifolia</i>		Upright shrub that forms thickets by suckering. White flowers in long plumes appear in summer. Mid-green leaves consist of many leaflets.(2)	SHR60-80	589p.
<i>sorbifolia</i>	'Sem'	Has a pinkish-red, fern-like spring foliage that unfurls along deep pink stems. In July and	C25-30Cm C30-40Cm	516p. 723p.
<i>tomentosa</i>		A large, strong-growing shrub of spreading habit. Leaves large, composed of 11-23 deeply toothed leaflets, hairy beneath. Flowers in large, terminal, downy panicles, from July to September.(8-9)	SHR60-80	704p.
<b>SORBUS (РЯБИНА)</b>				
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
	'Joseph Rock'		HSt 6-8	1 642p.
			St6-8	2 117p.
			St8-10	2 654p.
			St10-12	3 241p.
			St12-14	4 294p.
			St14-16	5 967p.
	'Maidenblush'	One of the 'Lombards Hybrids'. More similar to <i>S.aucuparia</i> but differing in the often more or less glabrous winter buds. White/pink fruits.	150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p

		sun, and leathery, persisting long into fall. Large clusters of red fruits.(6)	St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
aria	'Majestica'	'Whitebeam'. Crown broader than that of 'Magnifica'. Leaves large, dull green above, underside white, later greenish tomentose. Fruits dark orange-red, not very conspicuous.(6)	150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
aucuparia		'Common Mountain ash' or 'Rowan'. Medium-sized tree (15m). Erect growing in the early stages, later more spreading. Long pinnate leaves with many serrated leaflets, dull dark green, turning to reddish in autumn, flat clusters of white flowers in spring. Fruits bright red, carried in large, dense bunches during autumn, but soon devoured by hungry birds.(2)	150-175	723p.
			175-200	908p.
			200-250	1 115p.
			250-300	1 332p.
			HSt 6-8	1 425p.
			St6-8	1 776p.
			St8-10	2 365p.
			St10-12	2 952p.
			St12-14	4 182p.
			St14-16	5 967p.
aucuparia	'Asplenifolia'	'Common Mountain Ash'. Like the specie, with deeply cut and toothed leaflets, giving the leaves a fern-like effect.(2)	150-175	1 115p.
			175-200	1 301p.
			200-250	1 725p.
			St6-8	1 931p.
			250-300	2 117p.
			St8-10	2 365p.
			St10-12	2 952p.
			St12-14	4 182p.
			St14-16	5 967p.
aucuparia	'Edulis'	'Common Mountain Ash'. Differing in its larger leaves with longer, broader leaflets. And its larger fruits which are sweet and edible and carried in heavier bunches.(2)	150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			St6-8	1 931p.
			250-300	2 117p.
			St8-10	2 365p.
			St10-12	2 952p.
			St12-14	4 182p.
			St14-16	5 967p.
aucuparia	'Fastigiata'	'Common Mountain Ash'. Like the specie, But slow-growing, clumnar shrub or small tree. Leaves large, with dark green leaflets. Fruits sealing-wax-red, large, borne in large, densely-packed bunches.(2)	125-150	1 486p.
			150-175	1 941p.
			175-200	2 539p.
			200-250	3 283p.
			St6-8	3 530p.
			St8-10	4 728p.
			St10-12	5 905p.
aucuparia	'Pendula'	'Weeping Mountain Ash'. Branches irregularly wavy, pendulous if grafted on a standard.(2)	St8-10	2 798p.
			St10-12	3 530p.
aucuparia	'Rossica Major '	'Common Mountain Ash'. Like the specie. Similar to 'Edulis', but larger to 1,5cm long fruits,sour.(2)	150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			St6-8	1 931p.
			250-300	2 117p.
			St8-10	2 365p.
			St10-12	2 952p.
			St12-14	4 182p.
			St14-16	5 967p.

<i>aucuparia</i>	'Sheerwater Seedling'	'Common Mountain Ash'. A vigorous, upright small specie of <i>S.aucuparia</i> , with a compact, ovoid head and large clusters of orange-red fruits. (2)	150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			St6-8	1 931p.
			250-300	2 117p.
			St8-10	2 365p.
			St10-12	2 952p.
			St12-14	4 182p.
<i>aucuparia</i>	'Wettra'	'Common Mountain Ash'. Like the specie but with an upright habit, fast growing. Red fruits.(2)	St14-16	5 967p.
			150-175	723p.
			175-200	908p.
			200-250	1 115p.
			250-300	1 332p.
			HSt 6-8	1 425p.
			St6-8	1 776p.
			St8-10	2 365p.
			St10-12	2 952p.
<i>aucuparia</i>	'Xanthocarpa'	'Common Mountain Ash'. Like the specie, but with an ovoid head and amber-yellow fruits.(2)	St12-14	4 182p.
			St14-16	5 967p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			St6-8	1 931p.
			250-300	2 117p.
			St8-10	2 365p.
<i>commixta</i>		Resemble to <i>S.aucuparia</i> . Small, variable tree of columnar habit when young, broadening somewhat in maturity. Winter buds long-pointed and sticky. Leaves glabrous, with 11-15 slender pointed, serrated leaflets, bright, glossy green above, coppery when young, colouring richly in autumn. White flowers and bright red fruits.(6)	St10-12	2 952p.
			St12-14	4 182p.
			St14-16	5 967p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			St6-8	2 117p.
			250-300	2 117p.
<i>commixta</i>	'Belmonte'	Medium tree with compact crown and upright twigs, later egg-shaped crown. Dark green, pinnate, leaves, orange-red autumn colours. Small fruits in large bunches, from August to end of September.(6)	St8-10	2 365p.
			St10-12	3 665p.
			St12-14	4 842p.
			St14-16	6 680p.
			150-175	1 486p.
<i>decora</i>		'Showy Mountain Ash'. An attractive, medium-sized shrub of loose, open growth. Leaves with 13-17 sea-green, obtuse leaflets. Fruits borne in dense clusters, coloured conspicuous when young, later turning to red. (2)	HSt 6-8	1 787p.
			175-200	1 961p.
			St6-8	2 365p.
			200-250	2 374p.
			St8-10	2 952p.
			St10-12	3 665p.
			St12-14	4 842p.
			St14-16	6 700p.
<i>domestica</i>		A medium-sized tree, with open, spreading branches, rough scaly bark and sticky, shining winter buds. Leaves pinnate, turning orange-red or yellow in autumn, composed of 13-21 leaflets. Fruits oval-globose, white to somewhat yellowish, occasionally turning	175-200	2 385p.
			200-250	3 108p.
			250-300	4 253p.
			St6-8	4 253p.
			St8-10	5 203p.
			St10-12	6 379p.
		A small, but strong-growing tree developing a bold, compact head of ascending, purple-	St6-8	2 117p.
			St8-10	2 654p.

<i>hupehensis</i>		brown branches. Leaves large, with a distinctive bluish-green cast, easily recognisable from a distance. Fruits white or	St10-12	3 241p.
			St12-14	4 294p.
			St14-16	5 967p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
<i>intermedia</i>		'Swedish Whitebeam'. A small to medium-sized tree with a dense, usually rounded head of branches. Leaves ovate to broad elliptic, tomentose beneath. Fruits orange-red, in bunches.(6)	150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
<i>intermedia</i>	'Brouwers'	A selected form of the Swedish whitebeam. Habit tightly upright, with an oval crown.(6)	150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
<i>koehneana</i>		'Mountain Ash'. A medium-sized shrub or small tree. Leaves with numerous, narrow, toothed leaflets. The small, porcelain-white fruits are borne in slender, drooping clusters.(6)	HSt 6-8	2 816p.
			150-175	1 115p.
			175-200	1 301p.
			200-250	1 725p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
<i>latifolia</i>		'Service tree of Fontainebleau'. A small to medium-sized tree with downy young shoots and shaggy, peeling bark. Leaves ovate or broad elliptic, sharply lobed, glossy green above, grey-felted beneath. Fruits globular, russet-yellow with large, brownish speckles.(5)	150-175	1 115p.
			175-200	1 301p.
			200-250	1 725p.
			St6-8	2 250p.
			St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
<i>scularis</i>		A small tree with neat widespreading habit. Attractive frond-like leaves turning rich red and purple in late autumn. Small red fruits.	175-200	2 408p.
			200-250	3 111p.
			250-300	4 542p.
			St6-8	4 542p.
			St8-10	5 678p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			St6-8	2 117p.
			St8-10	2 654p.
			St10-12	3 241p.
			250-300	4 253p.
			St12-14	4 480p.
			St14-16	6 565p.
<i>thuringiaca</i>	'Fastigiata'	= <i>S.aria</i> var. <i>longifolia</i> x <i>S.aucuparia</i> !. Fast growing deciduous tree. Conical, upright habit when young, wider and oval with age. Dull green lobed leaves, grey tomentose beneath. Fruits very numerous, dark red fruits. First class tree for public places. (6)	150-175	1 045p.
			175-200	1 239p.
			HSt 6-8	1 556p.
			200-250	1 636p.
			250-300	2 034p.
			St6-8	2 034p.
			St8-10	2 544p.
			St10-12	3 111p.
			St12-14	4 258p.
			St14-16	6 246p.
<i>thuringiaca</i>	'Leonard Springer'	Transition form, leaves only with 4-5 pairs of leaflets, these coarsely serrate, apical leaflets with the base scarcely decurrent on the rachis, terminal leaflet 6-7cm long, rhombic tapered toward the apex, deeply incised at the base, less deep in the middle, only biserrate at the apex, leaf petiole red. Fruits like <i>S.aucuparia</i> but larger bright orange, persistent.(6)	150-175	1 045p.
			175-200	1 239p.
			HSt 6-8	1 556p.
			200-250	1 636p.
			250-300	2 034p.
			St6-8	2 034p.
			St8-10	2 544p.
			St10-12	3 111p.
			St12-14	4 258p.
			St14-16	6 246p.



<i>torminalis</i>		'Chequer Tree'. An attractive medium-sized, native tree with ascending branches, spreading with age, scaly bark and brown twigs, woolly pubescent when young. Leaves maple-like, ovate, sharply and conspicuously lobed, glossy dark green above, pubescent	175-200	2 408p.
			200-250	3 111p.
			250-300	4 542p.
			St6-8	4 542p.
			St8-10	5 678p.
<i>vilmorinii</i>		A beautiful, small tree or medium-sized shrub of elegant, spreading habit. Leaves often in clusters, fern-like, composed of 11-31 small	St10-12	7 155p.
			St6-8	3 384p.
			St8-10	4 542p.
<i>x arnoldiana</i>	'Apricot Queen'	One of the 'Lombards Hybrids'. More similar to <i>S. aucuparia</i> , but differing in the often more or less glabrous winter buds. Upright growth and yellow-orange fruits.	St10-12	5 678p.
			St10-12	7 155p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
			St6-8	2 117p.
			St8-10	2 654p.
<i>x arnoldiana</i>	'Golden Wonder'	One of 'Lombards Hybrids'. Upright growth with a pyramidal crown. Large, pinnate leaves with red petioles. Large gold-yellow fruits.	St10-12	3 241p.
			St12-14	4 294p.
			St14-16	5 967p.
			St6-8	2 117p.
			St8-10	2 654p.
<i>x arnoldiana</i>	'Orange Parade'	One of the 'Lombards Hybrids'. Striking yellow-orange fruits, very fertile.	St10-12	3 241p.
			St12-14	4 294p.
			St14-16	5 967p.
			HSt 6-8	1 642p.
			St6-8	2 250p.
<i>x arnoldiana</i>	'Schouten'	One of the 'Lombards Hybrids'. Small tree with a closed, egg-shaped crown. Pinnate leaves. Yellow-orange fruits.	St8-10	2 902p.
			St10-12	3 551p.
			St12-14	4 769p.
			St14-16	6 565p.
			St6-8	2 117p.
<i>x arnoldiana</i>	'White Wax'	One of the 'Lombards Hybrids' with white fruits.	St8-10	2 654p.
			St10-12	3 241p.
			St12-14	4 294p.
			St14-16	5 967p.
			150-175	1 115p.
			175-200	1 301p.
			HSt 6-8	1 642p.
			200-250	1 725p.
			250-300	2 117p.
<b>SPIRAEA (СПИРЕЯ)</b>				
<i>arguta</i>		'Bridal Wreath or Foam of May'. Dense-growing medium-sized shrub with graceful, slender, arching branches. Flowers, pure white, produces in clusters all along the branches in mid-spring. Bright green, narrowly oblong leaves.(5)	SHR40-60	341p.
<i>betulifolia</i>		Shrub, densely bushy, 1.5 (1) m high, shoots red-brown, glabrous, striated, leaves broadly ovate to elliptic, usually rounded at the apex, base usually broadly cuneate, 2-4cm long, doubly or only simple crenate, dark green above, grey-green and reticulately veined beneath, usually glabrous, flowers white.(5)	RB25-30	507p.

<i>betulifolia</i>	'Tor'	As the name suggests, the Birchleaf Spirea is not your everyday Spirea. With a more rounded, certainly more green leaf, you might be fooled into thinking this plant is not a Spirea at all. Even the plump, full purplish buds waiting to burst open with new blooms don't quite look like they belong. But when you see the small clusters of white flowers shining against the darker green foliage, you'll know this plant has the heart of a Spirea. And when cooler fall temperatures come around, you'll be treated to a great fall color show, with foliage turning copper, red or purple before it falls.(5)	RB25-30	507p.
<i>billiardii</i>	'Triumphans'	A beautiful shrub with dense, conical panicles of purplish-rose flowers during summer. Not happy on shallow chalky soils.(5)	SHR60-80	300p.
<i>cinerea</i>	'Grefsheim'	Densely-branched shrub with arching branches, resembling 'Arguta' in general effect, but hardier.(5)	SHR60-80	341p.
<i>douglassii</i>		Rampant, suckering shrub with erect reddish shoots. Leaves grey-felted beneath. Flowers purplish-rose in dense terminal panicles, in June and July.(6)	SHR60-80	300p.
<i>japonica</i>	'Albiflora'	A dwarf, 'front-row' shrub of compact habit. Flowers white, in dense, terminal corymbs.(3-8)	SHR30-40	341p.
<i>japonica</i>	'Antony Waterer'	An excellent, dwarf shrub for the front of borders or for mass effect. The foliage is	SHR25-30 SHR30-40	248p. 300p.
<i>japonica</i>	'Bullata'	A dwarf, slow growing shrub of compact habit. Leaves small, broadly ovate, bullate	RB10-15 C15-20	486p. 589p.
<i>japonica</i>	'Crispa'	Dwarf growing shrub with dark green, fringed leaves that are reddish-purple when young. Pink flowers.(3-8)	C30-40	507p.
<i>japonica</i>	'Froebelii'	About 1m high growing, dense and broad. Flowers bright crimson in large, branched corymbs, July.(3-8)	SHR40-60	341p.
<i>japonica</i>	'Goldflame'	Slightly arching low shrub with orange-red young leaves turning to bright yellow and finally to pale green. Bears heads of deep rose-pink flowers.(3-8)	SHR30-40	341p.
<i>japonica</i>	'Little Princess'	Mound-forming neat shrub that produces many small heads of rose-pink blooms from mid-summer on. Small dark green leaves are bronze when young.(3-8)	SHR30-40	341p.
<i>japonica</i>	'Macrophylla'	New growth emerges reddish-purple, changing to bright green. Small pink flowers in late spring and nice red fall color gives this cultivar multi-seasonal interest.	SHR30-40	341p.
<i>japonica</i>	'Shirobana'	Unusual dwarf form producing a mixture of pink and white flowers on the same and different heads.(3-8)	SHR30-40	341p.
<i>nipponica</i>	'Gerlve's Rainbow'		SHR40-60	341p.
<i>nipponica</i>	'June Bride'	Lowgrowing schrub with white flowers.(5)	C	507p.
<i>nipponica</i>	'Snowmound'	A small shrub of mound-like habit. White flowers in small corymbs all along the branches, very free flowering.(5)	SHR40-60	341p.
<i>prunifolia</i>		Similar to vanhouttei but the flowers are a little bigger. Prairy-hardy cultivar, hardier than vanhouttei.(5)	SHR50-80	341p.

<i>thunbergii</i>		A popular, small to medium-sized, spreading shrub of dense, twiggy habit with slender, angular, downy stems and narrow, glabrous, sharply toothed leaves. Flowers white, in numerous clusters along the branches during March and April. Generally the earliest of the spiraeas in bloom, the pure white flowers often spotting the wiry stems.(5)	SHR40-60	341p.
<i>x vanhouttei</i>		Strong growing upright shrub with slender arching branches. In late spring and early summer abundant, small clusters of white flowers appear amid diamond-shaped, dark green leaves.(5)	SHR60-80	300p.
<i>x vanhouttei</i>	'Gold Fountain'	Upright, arching growth of bright golden-yellow, rounded leaves and white flower clusters. June-July. 1.5m. (5)	C30-40	516p.
<b>STEPHANANDRA (СТЕФАНАНДРА)</b>				
<i>incisa</i>		A small to medium-sized shrub of dense habit, with slender, warm brown, zig-zag stems. Leaves ovate, incisedly toothed and lobed. Flowers greenish-white in crowded panicles in June.(5)	C3L	454p.
<i>incisa</i>	'Crispa'	A dwarf shrub with small, crinkled leaves forming dense, low mounds. Excellent as groundcover especially in full exposure.(5)	P9	197p.
			C1.5L25-30	268p.
			C30-50	486p.
<i>tanakae</i>		A medium-sized shrub producing long, arching, rich brown stems. Leaves broadly ovate or triangular, incisedly toothed. An elegant shrub with stouter growths and larger leaves than <i>S.incisa</i> , the flowers also are a little larger though not showy.(6)	C	537p.
<b>SYMPHORICARPOS (СНЕЖНОЯГОДНИК)</b>				
	'Charming Fantasy'	New red snowberry in august-september with upright growing branches.	SHR	300p.
	'Greenpearl Fantasy'	Berries with a green blush.	SHR	300p.
	'Sweet Fantasy'	New upright snowberry with a special colour, soft pink, ripeness september-oktober.	SHR	300p.
<i>albus</i>		'Common Snowberry'. Shrub to about 1 m high, branches thin, erect finely pubescent, leaves ovate, 2-5 cm long, often lobed on long shoots, dark green above, lighter and soft pubescent beneath, flowers in terminal and axillary spikes or clusters.(3)	SHR	259p.
<i>orbiculatus</i>		'Coral Berry"Indian Currant'. Shrub, 1-2m high, narrowly upright, shoots pubescent, leaves oval-rounded, 2-4cm long, dull dark green above, more greygreen and pubescent beneath, often reddish in fall.(2)	SHR	300p.
<i>orbiculatus</i>	'Red Pearl'	Very beautiful fruits, dark pink fruits around mid september.	SHR	300p.
<i>x chenaultii</i>		Fine textured shrub, 1.5-2 m high or more, erect, abundantly and open branched, whole plant densely and finely pubescent, young shoots reddish, leaves ovate, 1-2 cm long, dark green above, blue-green beneath, fruits globose, red with white spots, often only white with red spots on the dorsal side.(5)	SHR	268p.
<i>x chenaultii</i>	'Hannock'	Branches procumbent and rooting, vigorous but only 30-50 cm high. Good ground	SHR30-40,2br,1Yr	108p.
			C30-50	259p.

<i>x chrysantha</i>	ПАННОК	but only 30-50 cm high. Good ground cover.(5)	SHR50-60,2Yr	300p.
			C50-80,2Yr	486p.
<i>x doorenbosii</i>	'White Hedge'	A small shrub of strong, upright, compact growth, freely producing small, white berries in erect clusters. An excellent, small, hedging shrub.(5)	SHR	300p.
<i>x doorenbosii</i>	'Magic berry'	A small shrub of compact, spreading habit, bearing large quantities of rose-pink berries.(5)	SHR	300p.
<i>x doorenbosii</i>	'Mother of Pearl'	Shrub , to 2 m high, vigorous growing, shoots short pubescent, leaves elliptic to broadly ovate, obtuse with a short tip, base obtuse to acute. Branches weighed down by heavy crops of white, rose-flushed, marble-like berries.(5)	SHR	300p.
<i>xdoorenbosii</i>	'Amethyst'	The vivid color of this new coral berry makes it superior to other varieties. The vibrant hot pink fruit is much brighter and showier in the landscape than that of other coral berry cultivars. AMETHYST™ has good branching and a neat habit, unlike the rangy forms seen in many older types. It provides vivid color in mid-summer. It has been reported to be somewhat deer resistant. Blooms in mid summer with vibrant hot pink berries abounding in autumn. Dark foliage is striking in spring to summer. Attractive to birds. (4)	SHR60-80	300p.
SYRINGA (СИРЕНЬ)				-p.
	'Josée'	Like 'Palibin' but wht larger, and darker flowers. Flowering may-june. Very beautiful.(4)	RB50-60	1 197p.
			RB60-80	1 498p.
			HSt 6-8	2 241p.
	'Sensation'	Like the species. Single, dark purple, white edge.(4)	SHR3-4br	989p.
			SHR5-8br	1 136p.
			HSt 6-8	2 271p.
<i>chinensis</i>	'Saugeana'	'Rouen Lilac'. A medium sized shrub of dense, bushy habit with ovate leaves and large, drooping panicles of fragrant, lilac-red flowers.(3)	RB50-60,4br+	1 272p.
<i>josikaea</i>		'Hungarian lilac'. A large shrub with leaves ovate to obovate, glossy dark green above, paler beneath. Flowers deep violet-mauve, fragrant. Strong grower.(4)	SHR40-60	929p.
<i>meyeri</i>	'Palibin'	'Lilac' A slow growing, small, oval leafed, eventually medium-sized shrub of very dense habit. Flowers pale pink in numerous short panicles in May. Sometimes a second crop of flowers appears in September. Beautiful shrub for a small garden and forms a very showy little globe when grafted on stems.(5)	C	1 197p.
<i>microphylla</i>	'Superba'	'Lilac'. Small-leafed medium-sized shrub (1.50m). Flowers fragrant, rosy-pink, born in May and in September again. Free	C50-60,4br+	1 197p.
			C60-80	1 498p.
			C80-100	1 817p.
<i>patula</i>	'Miss kim'	'Lilac'. Rather dense and bushy, very frost resistant selection with fairly large flower heads. Buds are violet-purple, opening to pale pink in May. Very fragrant (Sometimes listed under 'prestoniae' varieties).(4)	C30-40	1 197p.

<i>pekinensis</i>		'Lilac'. A small tree with ovate to ovate-lanceolate, long-tapered leaves. Flowers creamy-white, densely crowded in large panicles in June.(5)	SHR	1 197p.
<i>reflexa</i>		'Lilac'. A large shrub with large oval leaves up to 20 cm long. Flowers purplish-pink outside and white within in long drooping panicles borne May-June. Free flowering.(5)	SHR100-150	1 177p.
<i>swegiflexa</i>		A beautiful, strong-growing, variable hybrid of open habit with large, dense, cylindrical panicles of usually pink flowers, red in bud.(6)	SHR100-150	1 177p.
<i>tomentella</i>		'Lilac'. A strong growing, wide-spreading species up to 3.6-4.5m high. Leaves ovate to elliptic, 5-13cm long, dark green and corrugated above, grey-downy beneath. Flowers sweetly-scented, deep lilac-pink, white inside, paling with age, produced in broad, terminal panicles in late May and June.(6)	SHR60-100	929p.
<i>vulgaris</i>		'Common Lilac'. Large vigorous shrub or even small tree of suckering habit. Ovate leaves. Fragrant, lilac flowers in erect, dense, panicles in May. Has given rise to many cultivars, differing both in colour and their single or double flowers.(4)	SHR50-80	486p.
<i>vulgaris</i>	'Andenken an Ludwig Späth'	Like the species. Panicles to 30cm long, narrow, symmetrical, flowering abundantly, individual flowers large, lobes somewhat hood-like and inclined together in a cupulate fashion, dark purple-red. (4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB175-200	4 790p.
<i>vulgaris</i>	'Belle de Nancy'	Like the species, purple- red in bud, opening lilac-pink; large panicles.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB150-200	4 790p.
<i>vulgaris</i>	'Charles Joly'	Like the species. Dark purplish-red, late. A reliable and popular lilac.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB150-200	4 790p.
<i>vulgaris</i>	'Katherine Havemeyer'	Like the species, with purple-lavender, fading to pale lilac-pink; broad, compact panicles. First class.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB150-200	4 790p.
<i>vulgaris</i>	'Michel Buchner'	Like the species. Pale rosy-lilac; large, dense panicles.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB150-200	4 790p.
<i>vulgaris</i>	'Mme Casimir Périer'	Like the species with flowers cream in bud, opening white.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB150-200	4 790p.
<i>vulgaris</i>	'Mme Lemoine'	Like the species. Creamy-yellow in bud, opening pure white. An old and popular lilac.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB150-200	4 790p.

<i>vulgaris</i>	'Président Grévy'	Like the species. Lilac-blue; massive panicles.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB150-200	4 790p.
<i>vulgaris</i>	'Primrose'	Zone 3 tot 7Like the species. This has the prettiest yellow flowers of any lilac. It is a creamy, butter yellow color. Not all 'Primrose' lilacs are the same. Ours are propagated from an outstanding form which originated at	SHR 3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB150-200	4 790p.
<i>vulgaris</i>	'Princesse Clémentine'	Like the species. Creamy-yellow in bud, opening white; very floriferous.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB175-200	4 790p.
<i>vulgaris</i>	'Réaumur'	Like the species. Deep carmine-violet; broad panicles; late.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 6-8	2 241p.
			RB125-150	3 191p.
			RB150-175	4 790p.
<i>x hyacinthiflora</i>	'Esther Staley'	Red buds open to large, single, pink flowers. This shrub is a hybrid lilac with good cold hardiness. The parents are S. oblata and S. vulgaris. It is usually present in landscapes in	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 100Cm	2 241p.
			RB125-150	3 191p.
<i>x josiflexa</i>	'James Macfarlane'	Dark pink flowers on an upright and dense shrub with dark green leaves. Preston Lilacs, developed in Ottawa, bloom two weeks later than common lilacs. Thrives in full sun or	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 100Cm	2 241p.
			RB125-150	3 191p.
<i>x prestoniae</i>	'Coral'	Preston Lilacs, developed in Ottawa, bloom a few weeks later than other lilacs. Thrives in full sun or partial shade. Coral pink flowers.(5)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 100Cm	2 241p.
			RB125-150	3 191p.
<i>x prestoniae</i>	'Redwine'	Preston Lilacs, developed in Ottawa, bloom a few weeks later than other lilacs. Red Wine variety has pink-red flowers. Thrives in full sun or partial shade.(4)	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 100Cm	2 241p.
			RB125-150	3 191p.
<i>x prestoniae'</i>	'Nocturne'	Deep purple flowers on an upright and dense shrub with dark green leaves. Preston Lilacs, developed in Ottawa, bloom two weeks later than common lilacs. Thrives in full sun or	SHR3-4br	929p.
			SHR5-8br	1 094p.
			HSt 100Cm	2 241p.
			RB125-150	3 191p.
<b>TAMARIX (ТАМАРИКС)</b>				
<i>parviflora</i>		'Tamarisk'. Large shrub with long brown branches and bright, tiny, narrow, green leaves. Deep pink flowers in plumes on shoots of the previous year in May.(5)	SHR60-80	300p.
<i>ramocissima</i>	'Pink Cascade'	Similar to the species but darker coloured flowers.(2)	SHR	372p.
<i>ramosissima</i>		'Tamarisk'. A large, glabrous shrub or small tree with reddish-brown branches. Flowers pink in slender racemes during summer, on shoots of the current year.(2)	SHR60-80	372p.
<i>ramosissima</i>	'Rosea'	'Tamarisk'. Like the species with rose-pink borne in late summer and early autumn. One of the finest late flowering shrubs, the whole bush becoming a feathery mass of rose-pink, intermingled with the delightful foliage.(2)	SHR40-60	372p.
<i>ramosissima</i>	'Rubra'	'Tamarisk'. Like the species. A splendid selection with darker flowers.	SHR40-60	372p.
<i>tetandra</i>		'Tamarisks'. A large shrub of loose, open growth, with long, dark branches and green	SHR60-80	300p.
			RB60-80	507p.
<b>ТИЛІА (ЛИПА)</b>				

<i>americana</i>		'American Lime'. A medium-sized tree with glabrous shoots and enormous broad leaves up to 30cm long. They are coarsely-toothed, green on both sides, and glabrous, except for minute axillary tufts beneath. Flowers in pendulous cymes. Fruits ellipsoid to nearly globose.(2)	150-175	1 197p.
			175-200	1 486p.
			200-250	1 941p.
			250-300	2 117p.
			St6-8	2 601p.
			St8-10	3 005p.
			St10-12	3 727p.
			St12-14	4 769p.
<i>americana</i>	'Nova'	An selection of 'American lime'with very big,dark green leaves. (2)	150-175	1 197p.
			175-200	1 486p.
			200-250	1 941p.
			250-300	2 117p.
			St6-8	2 601p.
			St8-10	3 005p.
			St10-12	3 727p.
			St12-14	4 769p.
<i>cordata</i>		'Small-leaved lime'. A medium-sized to large, native tree of rounded habit. Leaves heart-shaped, rather leathery, glossy dark green above, pale green, with reddish-brown axillary tufts beneath. The characteristic spreading inflorescences appear in late July, generally after those of the Common Lime and Large-leaved Lime. Flowers ivory-coloured and sweetly-scented. Fruits	150-175	1 197p.
			175-200	1 486p.
			200-250	1 941p.
			250-300	2 117p.
			St6-8	2 601p.
			St8-10	3 005p.
			St10-12	3 727p.
			St12-14	4 769p.
<i>cordata</i>	'Monto'	Globe growing, like T.cordata'Lico' but smaller leaves.(3-7)	St14-16	6 916p.
			St8-10	4 294p.
			St10-12	5 368p.
			St12-14	6 503p.
<i>cordata</i>	'Bohlje'	'Erecta'. Upright habit for the numerous branches that are erect. Small rounded leaves, dark green. Not as tall and wide as T. cordata.(3-7)	St14-16	8 134p.
			150-175	1 197p.
			175-200	1 486p.
			200-250	1 941p.
			250-300	2 117p.
			St6-8	2 601p.
			St8-10	3 005p.
			St10-12	3 727p.
<i>cordata</i>	'Greenspire'	Like T.cordata. A fast-growing American selection of upright habit making a narrowly oval crown. Round and larger leaves, dark green. (3-7)	St12-14	4 769p.
			St14-16	6 916p.
			150-175	1 197p.
			175-200	1 486p.
			200-250	1 941p.
			250-300	2 117p.
			St6-8	2 601p.
			St10-12	2 601p.
<i>cordata</i>	'Rancho'		St8-10	3 005p.
			St12-14	3 005p.
			St14-16	3 727p.
			150-175	1 486p.
			175-200	1 817p.
			200-250	2 138p.
			250-300	2 365p.
			St6-8	2 725p.
<i>cordata</i>			St8-10	3 314p.
			St10-12	4 140p.
			St12-14	5 079p.
			St14-16	7 155p.

<i>cordata</i>	'Winter Orange'	A medium to large tree with an oval crown, it is distinguished by its red buds and orange shoots in the winter. Its white, sweetly scented flowers appear in July. It is a good prospect for avenues and tolerates air pollution well. Mature Height: 15-20m(4)	150-175	1 652p.
			175-200	2 065p.
			200-250	2 477p.
			250-300	4 129p.
<i>flavescens</i>	'Glenleven'	American selection with a rounded crown. Stronger growing than <i>T.cordata</i> . Very straight stem. Darkgreen leaves, small.(3)	St6-8	2 601p.
			St8-10	3 005p.
			St10-12	3 727p.
			St12-14	4 769p.
			St14-16	6 916p.
<i>henryana</i>		A rare, medium-sized, attractive tree with broadly ovate leaves, up to 15cm long, with conspicuous bristle-like, soft teeth. Flowers in autumn. Very slow growing. Although related to the common parkland lime, this is a much smaller tree that is ideal for the average garden because of its slow growth habit. The foliage is handsome with a glossy surface, serrated edges and a rough silvery underside. The leaves also colour well in the autumn for added interest. (4)	150-175	1 652p.
			175-200	2 065p.
			200-250	2 477p.
			250-300	4 129p.
<i>mongolica</i>		'Mongolian Lime'. A small tree of compact rounded habit and dense twiggy growth, with glabrous, reddish shoots. Leaves, dark green, three to five-lobed.(3)	150-175	1 136p.
			175-200	1 409p.
			200-250	1 839p.
			250-300	2 034p.
			St6-8	2 430p.
			St8-10	2 816p.
			St10-12	3 576p.
			St12-14	4 542p.
<i>platyphyllos</i>		Broad-leaved Lime"Summer Linden". A large, vigorous tree of rounded habit with downy shoots. Leaves roundish-ovate, sharply-toothed, shortly pubescent above, densely so beneath, especially on veins and midrib. Flowers appearing in late June or early July. Fruits tomentose. A commonly planted tree, especially in parks.	150-175	1 074p.
			175-200	1 301p.
			200-250	1 610p.
			250-300	1 931p.
			St6-8	2 250p.
			St8-10	2 787p.
			St10-12	3 427p.
			St12-14	4 480p.
<i>platyphyllos</i>	'Delft'	Selection of <i>T.platyphyllos</i> with a pyramidal crown and bright green leaves, resisting long into autumn.	St14-16	5 368p.
			St6-8	2 601p.
			St8-10	3 005p.
			St12-14	3 005p.
<i>platyphyllos</i>	'Fastigiata'	An erect-branched form of broadly conical habit.	St10-12	3 727p.
			St12-14	4 769p.
			St14-16	6 916p.
			St6-8	2 601p.
<i>platyphyllos</i>	'Rubra'	'Red- twigged lime'. Vigorous spreading tree, (30l)with large, rounded, dark green leaves and bright brownish-red twigs. Semi-upright habit. Small, dull yellowish-white flowers in early summer. Slow growing.	St8-10	3 005p.
			St10-12	3 727p.
			St12-14	4 769p.
			St14-16	6 916p.



<i>tomentosa</i>	'Brabant'	'Siver Linden'. Selected form of the silver linden. Large tree (25m) with broad, pyramidal crown. Foliage dark green and silvery beneath, yellow in autumn. Excellent street tree as it tolerates heat and drought and is resistant to city air pollution.	150-175	1 486p.
			175-200	1 817p.
			200-250	2 138p.
			St8-10	3 314p.
			St10-12	4 140p.
			St12-14	5 079p.
<i>tomentosa</i>	'Doornik'	An Belgium selection of <i>T.tomentosa</i> with on older trees a more large-ovale crown. Good upright grower.(4)	150-175	1 486p.
			175-200	1 817p.
			200-250	2 138p.
			St8-10	3 314p.
			St10-12	4 140p.
			St12-14	5 079p.
<i>tomentosa</i>	'Pendula'	Weeping silver lime. A large, round-headed tree with graceful, downward-sweeping branches. Leaves long-stalked, dark green above, white-felted beneath, especially	St14-16	7 155p.
			St8-10	4 140p.
			St10-12	5 317p.
			St12-14	6 565p.
<i>tomentosa</i>	'Silver Globe'	A globe shape form with leaves silvery-white underneath.(4)	St14-16	7 753p.
			St8-10	4 140p.
			St10-12	5 317p.
<i>tomentosa</i>	'Szeleste'	An Hungarian selection of <i>T.tomentosa</i> with on older forms an ovate crown. Darkgreen leaves, tomentose beneath.(4)	St12-14	6 565p.
			St14-16	7 753p.
			150-175	1 486p.
			175-200	1 817p.
			200-250	2 138p.
<i>x europaea</i>		'Common Lime'. A familiar avenue tree and at least in the past the most commonly planted lime. A large, vigorous tree with glabrous, greenish zig-zag shoots. Leaves broadly ovate or rounded, obliquely heart-shaped at base, sharply-toothed, glabrous except for axillary tufts beneath. Flowers grouped, pendulous on long cymes. Fruits nearly globose, indistinctly ribbed, tomentose, hard	St8-10	3 314p.
			St10-12	4 140p.
			St12-14	5 079p.
			150-175	1 197p.
			175-200	1 486p.
			200-250	1 941p.
			250-300	2 117p.
			St6-8	2 601p.
			St8-10	3 005p.
<i>x europaea</i>	'Euchlora'	'Crimean Linden'. A medium-sized tree with generally glabrous green twigs. Basal branches very pendulous, young shoots glabrous. Leaves orbicular-ovate, shining dark green above, paler almost glaucous, with brown axillary tufts beneath. Flowers grouped, pendulous cymes. Fruits densely shaggy-tomentose, short ellipsoid. It is a 'clean' lime, being free from aphids, but its	St10-12	3 727p.
			St12-14	4 769p.
			St14-16	6 916p.
			150-175	1 197p.
			175-200	1 486p.
			200-250	1 941p.
			250-300	2 117p.
			St6-8	2 601p.
			St8-10	3 005p.
<i>x europaea</i>	'Pallida'	'Kaiser Linden'. Ascending branches form a broadly conical crown. Reddish brown young twigs colour the head in winter. Rounded leaves are yellowish-green beneath. Well known lime especially in Berlin. (3)	St10-12	3 727p.
			St12-14	4 769p.
			St14-16	6 916p.
			150-175	1 197p.
			175-200	1 486p.
			200-250	1 941p.
			250-300	2 117p.
			St6-8	2 601p.
<b>ULMUS (BЯ3)</b>				
	'Camperdownii'	'Camperdown Elm'. Beautiful, strongly weeping tree with sinuous branches. Leaves are very large, rough and dull green. Full	St8-10	3 097p.
			St10-12	3 954p.
			St6-8	2 209p.
			St8-10	2 705p.

	'Dodoens'	'Elm'. Upright habit.	St10-12	3 159p.
			St12-14	4 326p.
			St14-16	5 925p.
	'Lobel'	'Elm'. Narrow habit and fast growing.	St6-8	2 209p.
			St8-10	2 705p.
			St10-12	3 159p.
			St12-14	4 326p.
	'Plantijn'	'Elm'. Fast growing, closed habit. Branches and leaves gray.	St6-8	2 209p.
			St8-10	2 705p.
			St10-12	3 159p.
			St12-14	4 326p.
	'Sapporo Autumn Gold'	A fast growing, medium-sized tree of spreading habit, with glossy green leaves, red-tinged when young, turning yellow-green in autumn. Proving resistant to the	St6-8	2 261p.
			St8-10	2 705p.
			St10-12	3 283p.
			St12-14	4 553p.
<i>glabra</i>		'Wych Elm"Scotch Elm'. A large native tree, usually developing a dome-shaped crown with spreading branches, arching or pendulous at their extremities. Leaves shortly stalked, large and rough to the touch above,	St6-8	1 807p.
			St8-10	2 261p.
			St10-12	2 601p.
			St12-14	3 191p.
			St14-16	4 398p.
<i>glabra</i>	'Lutescens'	'Elm' Like the specie but with leaves soft cream-yellow in spring, becoming yellowish-green.(5)	St6-8	2 209p.
			St8-10	2 705p.
			St10-12	3 159p.
			St12-14	4 326p.
			St14-16	5 925p.
<i>glabra</i>	'Pendula'	'Weeping Wych Elm'. A small tree, developing a wide head of spreading	8-10CM	3 097p.
			10-12CM	3 954p.
<i>hollandica</i>	'Dampieri'	'Elm'. A narrow, conical tree, with broadly-ovate, double-toothed leaves, densely crowded on short branchlets.(5)	RB75-100	858p.
			RB100-125	1 064p.
			RB125-150	1 218p.
			150-175	1 250p.
			175-200	1 425p.
			200-250	1 704p.
			250-300	1 972p.
<i>hollandica</i>	'Commelin'	'Elm'. Straight stemmed, open crowned, more regular than 'Vegeta' and leaves also smaller.(5)	St6-8	2 209p.
			St8-10	2 705p.
			St10-12	3 159p.
			St12-14	4 326p.
			St14-16	5 925p.
<i>hollandica</i>	'Groeneveld'	'Elm'. Upright habit. Smal dark green leaves. Very resitant to Elm disease.(5)	St6-8	2 209p.
			St8-10	2 705p.
			St10-12	3 159p.
			St12-14	4 326p.
			St14-16	5 925p.
<i>hollandica</i>	'Vegeta'	'Huntingdon Elm'. Large tree with a short trunk and long, ascending branches. Leaves large, elliptic.(5)	St6-8	2 209p.
			St8-10	2 705p.
			St10-12	3 159p.
			St12-14	4 326p.
			St14-16	5 925p.
<i>hollandica</i>	'Wredei'	'Golden Elm'. Like 'Dampieri', but with golden yellow leaves, slower growing.(5)	RB75-100	961p.
			RB100-125	1 321p.
			RB125-150	1 745p.
			RB150-175	2 126p.
			HSt 6-8	2 282p.
			RB175-200	2 427p.
			St6-8	2 828p.
			RB200-250	3 014p.
			St8-10	3 613p.
			RB250-300	3 675p.
		'Smooth-leaved Elm'. A large tree of graceful, open habit, with slender, often pendulous	St6-8	1 807p.
			St8-10	2 261p.

<i>minor</i>		shoots. Leaves narrowly oval to oblanceolate, double-toothed, glabrous, shining dark green above, hairy in the vein axils beneath. (7)	St10-12	2 601p.
			St12-14	3 191p.
			St14-16	4 398p.
<i>minor</i>	'Carpinifolia'		St6-8	1 807p.
			St8-10	2 261p.
			St10-12	2 601p.
			St12-14	3 191p.
			St14-16	4 398p.
<i>minor</i>	'Jacqueline Hillier'	'Elm'. A small to medium-sized, suckering shrub of dense habit. The slender, brown pubescent twigs are neatly clothed with small, double-toothed, scabrid leaves. (7)	C30-50	754p.
			C50-60	961p.
			St8-10	3 097p.
			St10-12	3 954p.
<i>minor</i>	'Sarniensis'	'Wheatley Elm'. A large tree of conical habit with strictly ascending branches. (7)	St6-8	2 209p.
			St8-10	2 705p.
			St10-12	3 159p.
			St12-14	4 326p.
			St14-16	5 925p.
<i>minor</i>	'var.vulgaris'	'English Elm'. A large, stately tree. Shoots downy, leaves oval or rounded, acute, rough to the touch above, sharply double-toothed.(6)	St6-8	1 807p.
			St8-10	2 261p.
			St10-12	2 490p.
			St12-14	3 191p.
<b>VIBURNUM (КАЛИНА)</b>				
	'Pragense'	An attractive, spreading, evergreen shrub of medium to large size. Elliptic, corrugated leaves, are lustrous dark green above, white-	C30-40	961p.
			C40-60	1 321p.
			C60-80	1 858p.
<i>carlesii</i>		One of the most popular of all shrubs. Bushy, dense, shrub (1.50m) with dark green leaves often colouring in autumn. Very fragrant, rounded heads of white and pink flowers,	C30-40	1 321p.
			40-50	1 590p.
			C60-80	1 920p.
			HSt,C	2 767p.
<i>carlesii</i>	'Aurora'	Broadly oval leaves are bronze when young and turn purple-red in autumn. From mid-to late spring bears red buds that open to	C30-50	1 321p.
			C50-60	1 590p.
			C60-80	1 920p.
<i>davidii</i>		A small, evergreen shrub of compact habit, generally forming a low, widespreading mound and creating good groundcover. The	C20-25	858p.
			RB25-30	1 126p.
			C30-40	1 466p.
<i>farreri</i>		Upright shrub. In late autumn and during mild periods in winter bears fragrant pale pink flowers. Dark green foliage is bronze when young.(6)	C50-60	1 188p.
			C60-80	1 539p.
			C80-100	1 920p.
			C100-125	2 725p.
<i>lantana</i>		'Wayfaring tree'. Vigorous upright shrub (3m). Extremely hardy. Has oval, grey-green leaves that redden in autumn. Flattened heads of	SHR50-80	321p.
			SHR80-100	486p.
			SHR100-125	661p.
<i>odoratissimum</i>		Large, leathery, dark green, glossy leaves and clusters of extremely fragrant, small, white flowers, completely covering the plant	RB50-60	1 188p.
			RB60-80	1 539p.
			RB80-100	1 920p.
<i>opulus</i>		'Guelder rose'. Vigorous shrub (3m) with oval, lobed, leaves that redden in autumn. In early summer, flattened, lace-cape-like heads of white flowers producing bright red fruits.(3)	SHR60-90	321p.
<i>opulus</i>	'Compactum'	Like the species. Dwarf form of compact habit (1m.) that flowers freely and bears therefore masses of red fruits.(3)	C30-40	981p.
<i>opulus</i>	'Nanum'	Curious dwarf form of dense, tufted habit, which seldom flowers. Beautiful autumn colours. Extremely hardy and especially excellent for low hedges.(3)	25-30	981p.
<i>opulus</i>	'Notcutt's Variety'	A selected form with larger flowers and fruits.(3)	C60-80	1 466p.
<i>opulus</i>	'Roseum'	'Snowball'. Very popular, hardy shrub. The flowers are sterile and gathered in attractive,	SHR60-80	486p.
			HSt,C	2 241p.

<i>plicatum</i>		A wide-spreading, medium-sized to large shrub of architectural value, with a distinctive mode of branching. The branches are produced in layers creating, in time, an attractive and characteristic tiered effect. The bright green pleated, ovate to oval leaves are followed in May and early June by 7.5-10cm wide umbels of small, fertile, creamy-white flowers surrounded by conspicuous, white ray florets. Fruits red, finally black. The leaves are often attractively tinted in autumn.(5-6)	C30-50	1 374p.
<i>plicatum</i>	'Cascade'	Taller than 'Mariesii', but lower than 'St. Keverne', branches widespreading, inflorescens umbrella-shaped, very large, 8-10 cm wide, with large sterile outer flowers, white, May-June, red fruits in fall, fruits very abundantly.(5-6)	C40-60	1 374p.
<i>plicatum</i>	'Lanarth'	A very fine form resembling 'Mariesii', but stronger in growth and less horizontal in habit of branching.(5-6)	C40-60	1 374p.
<i>plicatum</i>	'Mariesii'	A superb shrub with a tanbulate arrangement of branching. Its abundance of flower gives the effect of a snow-laden bush. The ray	C40-60 C60-80 C80-100	1 374p. 1 858p. 3 129p.
<i>plicatum</i>	'Pink Beauty'	A charming selection in which the ray-florets change to a delightful pink as they age. Free fruiting.(5-6)	C30-50	1 590p.
<i>plicatum</i>	'Popcorn'	Semi-rounded white flowers that look like balls of popcorn. A David Leach introduction. Purple-red to dark maroon fall color. Blackish red fruits. Grows well in sun to partial shade and any moist soil. Bloom Color: White Bloom Time: Spring Foliage Color: Green (5)	RB30-40	1 590p.
<i>plicatum</i>	'Rotundifolium'	Like the species, but slower growing. Leaves wider, venation reddish beneath.	C60-80 C80-100	1 858p. 2 385p.
<i>plicatum</i>	'Watanabe'	A slow-growing form, conical and dense. (1.80). Produces small flower heads or less continuously from late spring until early	RB25-30 C30-40 40-50	1 064p. 1 374p. 1 858p.
<i>plicatum</i>	f.tomentosum	The wild form, branches horizontally spreading and overlapping, usually wider than high. Leaves deep wine-red in fall.	C40-60 C60-80 C80-100	1 374p. 1 858p. 2 385p.
<i>rhytidophyllum</i>		A large, fast-growing, handsome, evergreen shrub with large, elliptic to oblong, attractively corrugated leaves, dark glossy green above, densely grey-tomentose beneath. Small, creamy-white flowers are produced in stout, tomentose cymes during May. Fruits	C40-60 C60-80 C80-100 C100-125 C125-150 C150-200	754p. 908p. 1 167p. 1 590p. 2 385p. 3 996p.
<i>sargentii</i>	'Onondaga'	A splendid form with deep maroon young leaves, reddish-purple in autumn. Fertile flowers, deep red in bud, are surrounded by a ring of white, sterile flowers, the inflorescence contrasting effectively with the young foliage.(3)	C50-60	1 466p.
<i>sargentii</i>	'Susquehanna'	Leaves deep green, very tough. Flowers cream-white, with a crown of sterile outer flowers, late May. Fruits remain yellow-green for a long time, later becoming deep red and persisting until winter.(3)	C60-80	1 466p.
<i>tinus</i>		One of the most popular evergreens. A medium-sized to large shrub of dense, bushy habit with luxunous masses of dark glossy	C30-40 40-50 C50-60	929p. 1 064p. 1 466p.

		green, oval leaves. Flattened cymes of white,	C60-80	1 993p.
<i>tinus</i>	'Eve Price'	A selected form of dense, compact habit with smaller leaves than the type and very attractive, carmine bud and pink-tinged flowers.(7)	RB25-30	929p.
			C30-40	1 064p.
			40-50	1 321p.
			C50-60	1 817p.
<i>tinus</i>	'Gwenlian'	A compact form with small leaves. Flowers rich, deep pink in bud opening to white, flushed pink on the backs of the lobes.(7)	C30-40	1 064p.
<i>x bodnantense</i>	'Dawn'	Upright shrub with oval, bronze, young leaves that mature to dark green. Racemes of deep pink buds open to fragrant pink flowers	C50-60	1 126p.
			C60-80	1 394p.
			C80-100	1 920p.
<i>x burkwoodii</i>		Semi-evergreen, bushy, open shrub (2m). Fully hardy. Rounded heads of pink, then white, fragrant flowers amid oval, dark green leaves from mid to late spring.(5)	C40-60	1 064p.
			C60-80	1 321p.
			C80-100	1 858p.
			C100-125	2 385p.
<i>x burkwoodii</i>	'Anne Russell'	A lovely hybrid with clusters of fragrant flowers.(5)	C40-60	1 321p.
			C60-80	1 858p.
			C40-60	1 064p.
<i>x carlcephalum</i>		Rounded, bushy shrub (3m). In late spring rounded heads of pink buds opening to fragrant white flowers. The dark green foliage often turns red in autumn.(5)	C60-80	1 321p.
			C80-100	1 858p.
			C100-125	2 385p.
			HSt 100Cm	2 767p.
<i>x carlcephalum</i>	'Cayuga'	A backcross with <i>V.carlesii</i> . It is more compact than the typical form with smaller but more profuse heads of fragrant, white flowers, pink in bud.(5)	--	1 652p.
<i>x rhytidophylloides</i>	'Willowwood'	A very vigorous, large shrub with elliptic-ovate to oblong-ovate, rugose leaves and stout cymes of yellowish-white flowers in May. In general effect intermediate between the parents ( <i>V.lantana</i> x <i>V.rhytidophyllum</i> ). A splendid shrub for screen planting.(5-6)	C60-80	1 466p.
<b>VINCA (БАРВИНОК)</b>				
<i>major</i>		'Greater Periwinkle'. A rampant species with shortly ascending shoots which later lengthen and trail along the ground, rooting only at their tips. Leaves ovate, 2.5-7.5cm long, dark glossy green and ciliate. Flowers bright blue, 4cm across, borne in the leaf axils, produces continuously from late April to June. An excellent shrub for covering soils.(8-9)	C	199p.
<i>major</i>	'variegata'	Leaves blotched and margined creamy-white, a conspicuous plant, as viderous as the green-leaved form.(8-9)	C	281p.
<i>minor</i>		'Lesser Periwinkle'. A familiar cottage-garden plant with long, trailing stems rooting at intervals. Leaves oval or elliptic-lanceate, 2.5cm long. The bright blue flowers, 2.5cm across, are borne singly in the leaf axils of short, erect, flowering shoots. They appear continuously from April to June and intermittently until autumn. There are numerous named selections.(8-9)	C	164p.
<i>minor</i>	'Argenteovariegata'	Leaves variegated creamy-white, flowers blue. Previously listed as 'Variegata'.(8-9)	--	281p.
<i>minor</i>	'Atropurpurea'	Like the species. Flowers deep plum-purple.(8-9)	--	281p.
<b>WEIGELA (ВЕЙГЕЛА)</b>				

	'Carnaval'	One of best new Weigela is a French introduction called Weigela 'Carnaval' (or 'Courtalor'). This plant puts on a remarkable floral display of pink, white and nearly red blooms. The effect is breathtaking. A close examination of the flowers reveals its tetraploid nature. Its flowers are extra thick, relatively large and the colors are vivid. The trumpet-like corolla is shallow and the lobes are turned out giving the flowers an azalea-like appearance. It is long blooming and produces no fruit capsules. (5)	C	516p.
	'New Gold'		C	516p.
	'Rumba'	Dark red flowers with a yellow throat cover this plant in June. The foliage is light green tinged with dark brown. A semi-dwarf plant. (5)	C	516p.
florida	'Minor Black'	A new dwarf variety of this popular & easy shrub, with neat, almost black leaves & red pink flowers in may-june.(4-8)	C	516p.
florida	'Minuet'	Rounded form, with dark ruby red flowers profusely borne over the purple tinged dark green foliage. Flowers are slightly fragrant. Bloom Color: Red Bloom Time: June Foliage Color: Dark green w/purple tinge (4-8)	C	516p.
florida	'Suzanne'	Pale white-green variegated foliage turning red in fall. White and pink flowers on the same plant in May-June with a reblooming in August. (4-8)	C	516p.
florida	'Tango'	Compact plant with green purple foliage. New growth is purple. Abundant dark red flowers in June and then sporadically until fall. (4-8)	C	516p.
hortensis	'Nivea'	Rare & beautiful variety, quite distinct from other weigelas, with large, pure white flowers in may-june & large, elegant leaves, with a white down beneath.(5)	C	516p.
	'Abel Carrière'	Free flowering cultivar with large, bright rose-carmine flowers. Arching branches.(5)	SHR60-90 C HSt,C	341p. 507p. 1 556p.
	'Bristol Ruby'	Vigorous, erect growing cultivar. Free flowering ruby-red.(5)	SHR C HSt,C	300p. 507p. 1 466p.
	'Candida'	Large pure white flowers.(5)	SHR60-90 C HSt,C	341p. 507p. 1 466p.
	'Eva Rathke'	Slower and more compact growing cultivar. Broad-mouthed, crimson flowers open from darker buds over a long period.(5)	SHR50-60 C HSt,C	341p. 507p. 1 466p.
	'Féerie'	Flowers large and numerous, rose-pink, in erect trusses.(5)	SHR40-50 C HSt,C	341p. 507p. 1 466p.
	'Newport Red'	More upright than 'Eva Rathke' with larger flowers of a lighter red.(5)	SHR60-90 C HSt,C	341p. 507p. 1 466p.
	'Red Prince'	The best red hybrid, not fading to purple. Very hardy, free flowering, medium-sized	C HSt,C	507p. 1 466p.
	'Styriaca'	Pink flowering.(5)	SHR60-90 C HSt,C	341p. 507p. 1 466p.

<i>florida</i>		A medium-sized shrub with ovate-oblong to obovate, acuminate leaves. Flowers funnel-shaped, reddish or rose-pink on the outside, paler within, May and June. (3-8)	SHR60-80	300p.
<i>florida</i>	'Nana Purpurea'	Like the species but lower growing with leaves deep brown-red, flowers dark pink.	SHR40-60 C	341p. 507p.
<i>florida</i>	'Nana Variegata'	Like the species. Low growing compact habit. Leaves creamy-white edged and pink.	SHR C	341p. 507p.
<i>florida</i>	'Victoria'	Like the species with purple leaves. (3-8)	C30-50	507p.
<i>middendoriana</i>		Small shrub with flaking bark. Sulphur yellow, bell-shaped flowers, with dark orange	SHR C60-90	486p. 692p.
<b>YUCCA (ЮКА)</b>				
<i>filamentosa</i>		'Adam's Needle'. A stemless species producing dense clumps of spreading or	RB25-30 C30-40	723p. 858p.
<i>filamentosa</i>	'Bright Edge'	Like the species with narrow golden-yellow margin leaves. (5)	C30-40	1 466p.
<i>flaccida</i>	'Golden Sword'	Good evergreen yellow variegated leaves in a spiky rosette that clumps up well, relatively short heads of cream flowers Jul-Nov, 60cm. Hardy to at least -20C.	RB25-30 C30-40	723p. 858p.

## ХВОИНИКИ

НАИМЕНОВАНИЕ		ОПИСАНИЕ	РАЗМЕР	ЦЕНА / ШТ.
<b>ABIES (ПИХТА)</b>				
<i>alba</i>	'Pectinata'	European Silver Fir'. The common species of Europe, being particularly predominant in the mountains of France, Switzerland and Germany. A large or very large tree with smooth, grey bark.	40-50	961p.
			50-60	1 094p.
			60-80	1 858p.
			80-100	2 312p.
			100-125	2 725p.
			125-150	3 273p.
<i>balsamea</i>	'Nana'	Dwarf species of the 'Balsam Fir'. Small shrub. Leaves strongly balsam-scented, glossy dark green above, and	20-25	1 952p.
			25-30	2 778p.
			30-40	3 913p.
			40-50	5 585p.
<i>concolor</i>		'Colorado White Fir'. A very beautiful, large tree with smooth, grey bark, grooved and scaly on old trees. Leaves up to 5.5cm long, thick, almost round in section, attractive blue-green or grey-green, arranged mainly in 2 ranks, but also standing above the shoot. Cones pale.	40-50	1 415p.
			50-60	1 642p.
			60-80	2 044p.
			80-100	2 592p.
			100-125	3 273p.
			125-150	4 831p.
			150-175	6 804p.
			175-200	9 859p.
<i>grandis</i>		Giant Fir" This remarkably fast growing tree quickly attains a large size. Leaves dark shining green above, marked with 2 glaucous-grey bands	200+	17 528p.
			250+	26 736p.
			40-50	961p.
			50-60	1 094p.
			60-80	1 445p.
<i>koreana</i>		A small, slow-growing tree of neat habit. Leaves dark green above, later green, marked with 2 pale bands beneath, crowded and curved on the upper sides of the branchlets, loosely spreading below. Cones 5-7cm long, purple	80-100	1 858p.
			100-125	2 312p.
			30-40	1 126p.
			40-50	1 374p.
			50-60	1 590p.
			60-80	1 982p.
			80-100	2 509p.
			100-125	3 170p.
125-150	4 687p.			
150-175	6 597p.			
175-200	9 570p.			

		when young.	200+	17 012p.
			250+	25 952p.
koreana	'Silberlock'	A slow-growing form, the leaves twisted upwards revealing their white undersides.	30-40	2 055p.
			40-50	2 498p.
			50-60	3 356p.
			60-80	5 234p.
			80-100	6 700p.
			100-125	9 157p.
			125-150	12 284p.
lasiocarpa	'Compacta'	A slow-growing shrub of compact, conical habit, leaves a conspicuous blue-grey.	25-30	1 755p.
			30-40	2 055p.
			40-50	2 498p.
			50-60	3 356p.
			60-80	5 234p.
			80-100	6 700p.
			100-125	9 157p.
nordmanniana		'Caucasian Fir'. A noble species of great ornamental value. A large to very large tree, reaching 50-60m in its native habitats, with tiered branches sweeping downwards. Leaves shining green above, marked with 2 white stomatic bands beneath. pectinate below.	125-150	12 284p.
			40-50	1 518p.
			50-60	1 776p.
			60-80	2 333p.
			80-100	2 881p.
			100-125	3 562p.
			125-150	4 934p.
pinsapo	'Glauca'	Spanish Fir'. A medium-sized to large tree, easily recognized by its short, rigid, blue-grey leaves. Pinsapo is the Spanish name of the tree.	150-175	6 804p.
			175-200	9 859p.
			200+	17 528p.
			250+	26 736p.
			25-30	1 931p.
			30-40	2 250p.
			40-50	2 736p.
procera	'Glauca'	A selection of A.procera with blue-grey leaves. A most beautiful, large to very large tree.	50-60	3 675p.
			60-80	5 739p.
			80-100	7 340p.
			100-125	10 034p.
			125-150	13 451p.
			30-40	2 250p.
			40-50	2 736p.
<b>CHAMAECYPARIS</b>				
nootkatensis	'Aurea'	A conical tree with flattened sprays of golden-yellow foliage.	50-60	1 012p.
			60-80	1 259p.
			80-100	1 672p.
			100-125	2 230p.
			125-150	2 943p.
			150-175	4 471p.
			175-200	6 700p.
nootkatensis	'Glauca'	A medium to large, conical tree with dark sea-green foliage.	200+	10 054p.
			250+	16 755p.
			50-60	899p.
			60-80	1 126p.
			80-100	1 445p.
			100-125	1 952p.
			125-150	2 778p.
			150-175	4 191p.
			175-200	5 585p.
			200+	9 497p.
250+	16 755p.			
			50-60	1 879p.



nootkatensis	'Pendula'	A superb specimen tree of medium to large size. Branchlets hanging vertically in long, graceful streamers. There are 2 forms of this tree in cultivation.	60-80	2 581p.
			80-100	3 283p.
			100-125	4 212p.
			125-150	5 854p.
			150-175	8 196p.
			175-200	10 529p.
			200+	16 383p.
obtusa	'Coralliflora'	Small to medium-sized bush with densely arranged, twisted, cord-like, brown	250+	25 736p.
			20-25	1 518p.
obtusa	'Crippsii'	A small slow-growing, loosely conical tree with spreading branches and broad, frond-like sprays of rich golden-yellow foliage. One of the loveliest and most elegant of	25-30	2 044p.
			30-40	2 767p.
			40-50	1 518p.
			50-60	2 044p.
obtusa	'Kosteri'	A dwarf bush, intermediate in growth between 'Nana' and 'Pygmaea'. Conical with flattened and mossy sprays of bright green foliage, bronzing	60-80	2 767p.
			80-100	3 489p.
			100-125	4 512p.
			125-150	5 854p.
			20-25	1 445p.
obtusa	'Nana Aurea'	A looser, slightly taller-growing, miniature bush of dense, dome-shaped habit. Foliage in densely crowded and congested cockscombs.	25-30	1 952p.
			30-40	2 643p.
			40-50	3 913p.
			50-60	5 585p.
obtusa	'Nana Graciosa'	A conical bush of dense or small tree of dense, compact habit. Foliage dark green, in short, neat, shell-like sprays. Perhaps the most commonly planted dwarf conifer.	20-25	1 560p.
			25-30	2 085p.
			30-40	2 778p.
			40-50	3 913p.
			50-60	5 585p.
obtusa	'Pygmaea'	A small, widespreading bush with loose sprays of bronze-green foliage, tinged reddish-bronze in winter, arranged in flattened tiers.	20-25	1 415p.
			25-30	1 920p.
			30-40	2 592p.
			40-50	3 840p.
			50-60	5 482p.
obtusa	'Tetragona'	An unusual, large shrub or small tree of angular appearance. Branches spare, usually widespreading, thickly covered with golden-yellow.	60-80	7 671p.
			20-25	899p.
			25-30	1 126p.
			30-40	1 539p.
			40-50	2 230p.
pisifera	'Aurea'	Sawara cypress'. A large tree of broadly conical habit, with spreading branches and horizontally flattened sprays of dark green foliage. The sharply pointed, scale-like leaves, with white markings below, distinguish it from other species. Young foliage	50-60	3 335p.
			60-80	5 038p.
			25-30	1 332p.
			30-40	1 672p.
			40-50	2 230p.
			50-60	2 778p.
			60-80	3 913p.
pisifera	'Boulevard'	An outstanding, medium-sized bush of dense, conical habit. Foliage steel-blue, soft to the touch, becoming attractively purple-tinged in winter.	50-60	846p.
			60-80	1 064p.
			80-100	1 394p.
			100-125	1 952p.
			125-150	2 778p.
			150-175	4 191p.
			175-200	6 152p.
			200+	9 497p.
pisifera	'Boulevard'	An outstanding, medium-sized bush of dense, conical habit. Foliage steel-blue, soft to the touch, becoming attractively purple-tinged in winter.	250+	16 755p.
			20-25	486p.
			25-30	557p.
			30-40	713p.
			40-50	961p.
			50-60	1 239p.
			60-80	1 518p.
			80-100	2 188p.
pisifera	'Boulevard'	An outstanding, medium-sized bush of dense, conical habit. Foliage steel-blue, soft to the touch, becoming attractively purple-tinged in winter.	100-125	3 138p.
			125-150	4 388p.

pisifera	'Fillifera Au	Smaller and slower-growing than 'Fillifera', making a medium-sized to large bush with attractive, golden-yellow foliage. Can burn in full sun.	20-25	888p.
			25-30	1 094p.
			30-40	1 363p.
			40-50	1 920p.
			50-60	2 592p.
pisifera	'Fillifera Na	A dense, rounded, flat-topped, dwarf bush with long, string-like branchlets. Suitable for a rock garden.	60-80	3 840p.
			20-25	888p.
			25-30	1 094p.
			30-40	1 363p.
pisifera	'Nana Aurea	Similar in habit to 'Nana' (flat-topped dome), but foliage possessing a golden tinge.	50-60	1 920p.
			60-80	2 592p.
			20-25	1 043p.
pisifera			25-30	1 312p.
			30-40	1 642p.
pisifera	'Plumosa	Young growths bright yellow deepening with age to soft yellow-green, stained bronze-yellow.	40-50	734p.
			50-60	961p.
			60-80	1 188p.
			80-100	1 539p.
			100-125	2 230p.
			125-150	3 335p.
			150-175	5 038p.
			175-200	8 382p.
			200-+	14 968p.
pisifera	'Sungold'	Similar to 'Fillifera Aurea' but not as bright yellow and withstands full sun.	20-25	888p.
			25-30	1 094p.
			30-40	1 363p.
			40-50	1 920p.
<b>JUNIPERUS (МОЖЖЕВЕЛЬНИК)</b>				
chinensis	'Blaauw'	"Chinese Juniper". A strong growing shrub, up to 1.5m, with strongly ascending main branches and shorter outer branches, all densely clothed with feathery sprays of mainly	25-30	940p.
			30-40	1 126p.
			40-50	1 404p.
			50-60	1 941p.
			60-80	2 581p.
chinensis	'Blue Alps	"Chinese Juniper". A vigorous, large shrub with striking steel-blue foliage. Fruits like 'Blaauw'	80-100	3 748p.
			25-30	837p.
			30-40	961p.
			40-50	1 239p.
chinensis	'Expansa	"Chinese Juniper". A dwarf shrub with rigid, widespreading almost horizontal, thick branches, eventually developing into a	50-60	1 642p.
			60-80	1 259p.
			40-50	991p.
chinensis	'Keteleeri'	"Chinese Juniper". Small, conical tree of dense habit with crowded masses of vivid green, scale-like leaves and an abundance of small, light green fruits.	60-80	1 642p.
			80-100	1 064p.
			100-125	1 312p.
			125-150	1 776p.
			150-175	2 509p.
			175-200	3 335p.
			200-+	4 471p.
chinensis	'Kuriwao	"Juniper". A large, dense, shrub with an upright branching habit, yellow-green foliage and spreading, bright	250-+	11 169p.
			25-30	704p.
			30-40	851p.
			40-50	1 023p.
			50-60	1 350p.
chinensis	'Obelisk'	"Chinese Juniper". Medium-sized shrub of erect, columnar habit; foliage bluish-green, awl-shaped, densely packed.	50-60	1 193p.
			60-80	1 499p.
			80-100	1 976p.
			100-125	2 544p.
			125-150	3 248p.
			150-175	4 542p.
			175-200	7 040p.

chinensis	'Plumosa	"Chinese Juniper". A low-growing male shrub with widespreading branches bearing crowded, plume-like sprays of densely set, green,	25-30	1 053p.
			30-40	1 321p.
			40-50	1 745p.
			50-60	2 333p.
			60-80	3 489p.
chinensis	'Stricta'	"Chinese Juniper". A large shrub of compact, conical habit, with erect branches. Foliage juvenile, soft to the touch and glaucous.	30-40	610p.
			40-50	785p.
			50-60	1 167p.
			60-80	1 683p.
			80-100	2 468p.
			100-125	4 026p.
			125-150	5 585p.
chinensis	'Variegata	"Chinese Juniper". Usually a large conical bush of dense, compact habit. Leaves mostly juvenile, glaucous, with scattered sprays of white variegation.	30-40	610p.
			40-50	785p.
			50-60	1 167p.
			60-80	1 683p.
			80-100	2 468p.
			100-125	4 026p.
			125-150	5 585p.
communis	'Compressa	"Common Juniper". A gem for a rock garden or scree. A dwarf, compact, slow-growing column. Several specimens planted with variously	20-25	846p.
			25-30	1 126p.
			30-40	1 445p.
			40-50	1 952p.
			50-60	2 509p.
communis	'Depressa	"Common Juniper". Leaves and young shoots golden-yellow during early summer.	25-30	826p.
			30-40	1 012p.
			40-50	1 528p.
communis	'Gold Cone		25-30	796p.
			30-40	970p.
			40-50	1 177p.
			50-60	1 466p.
communis	'Green Carpet	Common Juniper. Dense, low-growing and widespreading with bright green foliage.	25-30	713p.
			30-40	888p.
			40-50	1 094p.
communis	'Hibernica	"Irish Juniper". A dense, compact form of slender, columnar habit, attaining 3m. Leaves densely arranged. A very popular conifer, excellent for use in formal gardens.	50-60	672p.
			60-80	899p.
			80-100	1 188p.
			100-125	1 683p.
			125-150	2 684p.
			150-175	4 471p.
communis	'Hornibrookii	"Common Juniper". A dwarf, creeping groundcover taking on the shape of the object over which it creeps. Leaves comparatively small, loosely	25-30	702p.
			30-40	846p.
			40-50	1 012p.
			50-60	1 280p.
			60-80	1 672p.
communis	'Repanda'	"Common Juniper". A dwarf, carpet-forming shrub with densely-packed, semi-prostrate stems and forward-pointing, loosely arranged	25-30	661p.
			30-40	805p.
			40-50	961p.
			50-60	1 271p.
communis	'Sentinel'	"Common Juniper". A very narrowly columnar form with dense, erect branches. Deep bluish-green leaves contrast	25-30	702p.
			30-40	846p.
			40-50	1 012p.
			50-60	1 332p.
communis	'Suecica'	"Swedish Juniper". A medium-sized shrub, similar to 'Hibernica' in habit, but the ascending branches are open	50-60	672p.
			60-80	899p.
			80-100	1 188p.
			100-125	1 683p.
			125-150	2 911p.

		and drooping at the tips.	150-175	5 585p.
			175-200	7 815p.
horizontalis	'Andorra Compacta'	"Creeping Juniper". A dwarf or prostrate shrub with long, sometimes procumbent branches, in time forming	25-30	713p.
			30-40	878p.
			40-50	1 321p.
			50-60	1 858p.
horizontalis	'Blue Chip'	"Creeping Juniper". A prostrate form with bright blue foliage throughout the year.	25-30	734p.
			30-40	908p.
			40-50	1 363p.
			50-60	1 920p.
horizontalis	'Emerald Spreading'	"Creeping Juniper". Very low-growing, forming dense mats of bright green foliage.	25-30	734p.
			30-40	908p.
			40-50	1 363p.
			50-60	1 920p.
horizontalis	'Hughes'	"Creeping Juniper". A vigorous form with ascending branches and grey-green foliage.	25-30	704p.
			30-40	851p.
			40-50	1 023p.
			50-60	1 350p.
horizontalis	'Jade River'	Creeping Juniper. Compact groundcover. Grey-green leaves.	25-30	734p.
			30-40	908p.
			40-50	1 363p.
			50-60	1 920p.
horizontalis	'Plumosa'	"Creeping Juniper". A dense, procumbent form of compact habit, with ascending, plumose branchlets up to 60cm high. Leaves awl-	25-30	704p.
			30-40	851p.
			40-50	1 023p.
			50-60	1 294p.
			60-80	1 693p.
horizontalis	'Wiltonii'	"Creeping Juniper". One of the best forms, its branches long and prostrate, forming flattened, glaucous blue carpets.	25-30	681p.
			30-40	837p.
			40-50	991p.
			50-60	1 312p.
			60-80	1 920p.
procumbens	'Nana'	"Creeping Juniper". A dwarf, procumbent species with long, stiff branches, forming	20-25	888p.
			25-30	1 209p.
			30-40	1 642p.
sabina	'Rockery Compacta'		25-30	681p.
			30-40	837p.
			40-50	991p.
			50-60	1 312p.
			60-80	1 920p.
			80-100	2 725p.
sabina	'Tamariscifolia'	"Savin". A low-growing, compact variety with horizontally-packed branches, forming, in time, a widespreading, flat-topped bush. Leaves mostly awl-	25-30	681p.
			30-40	837p.
			40-50	991p.
			50-60	1 312p.
			60-80	1 920p.
			80-100	2 725p.
scopulorum	'Blue Arrow'	"Rocky Mountain Juniper". A small, cypress-like tree of narrow conical habit, often with several main stems. Bark red-brown and shredding. Foliage blue-grey. Fruits rounded, 6mm across, dark blue and bloomy. An improvement of 'Skvrocket'.	50-60	589p.
			60-80	775p.
			80-100	940p.
			100-125	1 353p.
			125-150	1 941p.
			150-175	2 963p.
			175-200	4 182p.
			200+	7 155p.
			300+	11 924p.
scopulorum	'Blue Haven'	"Rocky Mountain Juniper". A small, conical tree with striking blue foliage.	50-60	1 002p.
			60-80	1 239p.
			80-100	1 560p.
			100-125	2 188p.
			125-150	2 911p.
			150-175	4 398p.

			175-200	5 854p.
			200+	9 013p.
scopulorum	'Moonglow	"Rocky Mountain Juniper". A small tree of compact, conical habit with blue-grey foliage.	50-60	569p.
			60-80	738p.
			80-100	908p.
			100-125	1 272p.
			125-150	1 839p.
			150-175	2 816p.
			175-200	3 975p.
			200+	6 813p.
			250+	11 355p.
scopulorum	'Skyrocke	"Rocky Mountain Juniper". A spectacular form of extremely narrow columnar habit. Foliage blue-grey. One of the narrowest of all conifers and as such an excellent plant of breaking up low or horizontal planting schemes. Particularly effective in a heather garden.	50-60	589p.
			60-80	775p.
			80-100	940p.
			100-125	1 353p.
			125-150	1 941p.
			150-175	2 963p.
			175-200	4 182p.
			200+	7 155p.
			250+	11 924p.
scopulorum	'Springbar	"Rocky Mountain Juniper". Small tree of erect, columnar habit with ascending and spreading branches and slender branchlets; foliage silvery grey-green.	50-60	1 002p.
			60-80	1 239p.
			80-100	1 560p.
			100-125	2 188p.
			125-150	2 911p.
			150-175	4 398p.
squamata	'Blue Carp	"Juniper". A low-growing form with spreading branches and blue-grey foliage. Nodding tips to the shoots and short, awl-shaped leaves. Fruits	25-30	681p.
			30-40	837p.
			40-50	991p.
			50-60	1 312p.
			60-80	1 920p.
			squamata	'Blue Spid
30-40	837p.			
40-50	991p.			
50-60	1 312p.			
60-80	1 920p.			
squamata	'Blue Star'	"Juniper". A low-growing bush of dense habit making a compact, dwarf bun with comparatively large, silvery-blue, awl-shaped leaves. A		
			25-30	1 167p.
			30-40	1 725p.
			40-50	2 643p.
			50-60	3 996p.
			squamata	'Meyeri'
30-40	805p.			
40-50	991p.			
50-60	1 209p.			
60-80	1 920p.			
80-100	2 725p.			
virginiana	'Burkii'	"Pencil Cedar". One of the hardiest and most accommodating of conifers, forming an excellent columnar, compact conifer with ascending branches and both scale-like and awl-shaped, steel-blue leaves,	100-125	4 120p.
			50-60	1 188p.
			60-80	1 486p.
			80-100	1 952p.
			100-125	2 509p.
			125-150	3 200p.
			150-175	4 471p.
			175-200	6 152p.
			200+	9 497p.
virginiana	'Canaertii'	"Pencil Cedar". Small, conical tree of rather dense habit. Foliage bright green, very attractive when peppered with	50-60	1 188p.
			60-80	1 486p.
			80-100	1 952p.
			100-125	2 509p.
			125-150	3 200p.

		small, cobalt-blue to purple-bloomed, violet fruits.	150-175	4 471p.
			175-200	6 152p.
			200-+	9 497p.
virginiana	'Glauca'	"Pencil cedar". A dense, columnar form with spreading branches clothed with silvery-grey, mainly scale-like, bright green leaves. Fruits rounded or ovoid, brwonish-purple.	50-60	1 229p.
			60-80	1 539p.
			80-100	2 085p.
			100-125	2 778p.
			125-150	3 645p.
virginina	'Grey Owl'	"Pencil Cedar". A splendid, medidum-sized, vigorous shrub with widespreading branches. Foliage soft silvery-grey.	150-175	5 038p.
			30-40	713p.
			40-50	908p.
			50-60	1 094p.
			60-80	1 920p.
virginina	'Hetz'	"Pencil Cedar". A shrub of columnar habit, with erect branches first than horizontal. Blue-grey leaves.	80-100	2 457p.
			100-125	3 562p.
			30-40	557p.
			40-50	661p.
			50-60	858p.
x media	'Gold Coas'	Juniper. A flat-topped, low-growing and widespreading form with golden foliage.	60-80	1 094p.
			80-100	1 518p.
			25-30	734p.
			30-40	908p.
			40-50	1 167p.
x media	'Mint julep'	"Juniper". A spreading, flat-topped bush with arching shoots resembling 'Pfitzeriana' but with bright green foliage.	50-60	1 363p.
			60-80	1 776p.
			80-100	2 188p.
			30-40	713p.
			40-50	878p.
x media	'Old Gold'	Juniper. A sport of 'Pfitzeriana Aurea', from which it differs in its more compact habit, and bronze-gold foliage which does not fade in winter.	50-60	1 064p.
			60-80	1 858p.
			80-100	2 385p.
			25-30	713p.
			30-40	878p.
x media	'Pfitzerian'	Golden Pfitzer. Terminal shoots and foliage suffused golden-yellow in summer, becoming yellowish-green in winter. A sport of 'Pfitzeriana'.	40-50	1 126p.
			50-60	1 321p.
			60-80	1 920p.
			80-100	2 767p.
			30-40	692p.
x media	'Pfitzerian'	Pfitzer Juniper. One of the most popular and commonly planted of all conifers. An eventually medium-sized, widespreading shrub with stout, ascending, arm-like	40-50	878p.
			50-60	1 064p.
			60-80	1 858p.
			80-100	2 385p.
			100-125	3 459p.
<b>LARIX (ЛИСТВЕННИЦА)</b>				
decidua		'European Larch' 'Common Larch'. A large tree with a slender, cone)shaped crown when young. Branches and branchlets drooping on old specimens. Shoots yellowish or grey, glabrous. Rosette leaves 1.5cm-3.5cm long, light green. Cones ovoid, 2-	100-125	1 012p.
			125-150	1 229p.
			150-175	1 672p.
			175-200	2 457p.
			200-+	3 356p.
			St6-8	4 120p.
			St8-10	4 966p.
			250-+	6 700p.
		Japanese Larch'. A vigorous tree of large size, with reddish shoots. Leaves 2-3cm long,	St10-12	6 989p.
			100-125	702p.
			125-150	1 012p.
			150-175	1 229p.

kaempferi		sea-green, broader than those of L.decidua. Cones ovoid, 2-3cm long with scales turned outward and downward at tips. A commonly planted larch used	175-200	1 911p.
			200-+	2 684p.
			St6-8	3 159p.
			St8-10	3 840p.
			St10-12	5 420p.
kaempferi	'Blue Rabb		250-+	5 585p.
			HSt 6-8	3 314p.
			St8-10	5 636p.
kaempferi	'Pendula'	Like the specie but with long weeping branches. Beautiful, tall, elegant tree.(2b)	St10-12	7 444p.
			HSt 6-8	3 294p.
			St8-10	5 678p.
			St10-12	7 494p.
<b>METASEQUOIA (МЕТАСЕКВОИЯ)</b>				
glyptostroboides		'Dawn Redwood'. A strong-growing, vigorous,20-25m, deciduous tree of conical habit when young, with shaggy, cinnamon-brown bark. Leaves linear, flattened, borne in 2 opposite ranks on short, deciduous branchlets.	60-80	1 012p.
			80-100	1 167p.
			100-125	1 590p.
			125-150	2 117p.
			150-175	2 643p.
			175-200	3 459p.
			200-+	4 521p.
glyptostroboides	'Gold Rus'	Originally raised in Japan, 'Gold Rush' is a beautiful new deciduous conifer that is easily identifiable by its bright gold feathery foliage. Although 'Gold Rush' appears to grow well in full sun, like many gold foliage plants it will probably benefit from partial shade.	RB80-100	5 678p.
glyptostroboides	'Matthaei Broom'		STD 120cm	6 194p.
<b>MICROBIOTA (МИКРОБИОТА)</b>				
decussata		A monotypic genus related to Juniperus, differing in its fruits which possess hardened, almost woody scales,	25-30	785p.
			30-40	991p.
			40-50	1 209p.
			50-60	1 539p.
<b>PICEA (ЕЛЬ)</b>				
abies		"Common Spruce". The commonest spruce in general cultivation and the species popularly known as the "Christmas tree". A large tree with orange or reddish-brown, usually glabrous shoots. Leaves 1-2.5cm long, shining	60-80	619p.
			80-100	734p.
			100-125	1 012p.
			125-150	1 312p.
			150-175	1 672p.
			175-200	2 230p.
			200-+	4 315p.
abies	'Acrocona	"Common spruce". Like the species. A large, spreading bush or small tree with semi-pendent branches which, even at an early age, usually terminate in a precocious cone.	250-+	6 927p.
			30-40	2 963p.
			40-50	3 810p.
			50-60	4 976p.
			60-80	7 020p.
			80-100	8 774p.
			100-125	14 504p.
			125-150	23 391p.
			150-175	34 861p.
abies	'Frohburg'	"Spruce". Like the species. Green pendulant variety.	175-200	57 778p.
			30-40	2 498p.
			40-50	2 849p.
			50-60	3 386p.
			60-80	4 521p.
			80-100	5 657p.
			100-125	7 320p.

abies	'Gregorya'		20-25	1 012p.
			25-30	1 229p.
			30-40	1 560p.
			40-50	1 952p.
			50-60	2 509p.
abies	'Inversa'	"Common spruce". Like the species. An unusual form usually seen as a large shrub with depressed branches. Pendulant form.	30-40	2 498p.
			40-50	2 849p.
			50-60	3 386p.
			60-80	4 521p.
			80-100	5 657p.
			100-125	7 320p.
			125-150	9 983p.
			150-175	13 296p.
abies	'Little Gem'	"Common spruce". Like the species. A dwarf, slow-	20-25	1 672p.
			25-30	1 952p.
abies	'Maxwellii'	"Common Spruce". Like the species. A squat, dwarf, rounded, slow-growing dome with coarse, rigid, spine-pointed, sea-green leaves.	20-25	961p.
			25-30	1 126p.
			30-40	1 445p.
			40-50	1 858p.
			50-60	2 457p.
			60-80	3 572p.
abies	'Nidiformis'	Common Spruce. Like the species. A very popular and commonly planted form, making a dwarf, dense, flat-topped bush of spreading habit, the branches forming a series of tight, horizontal	20-25	961p.
			25-30	1 126p.
			30-40	1 445p.
			40-50	1 858p.
			50-60	2 457p.
			60-80	3 572p.
abies	'Ohlendorfi'	"Common Spruce". Like the species. Small, conical bush of dense habit; leaves yellowish-green, rather small.	20-25	1 012p.
			25-30	1 229p.
			30-40	1 560p.
			40-50	1 952p.
			50-60	2 509p.
			60-80	3 572p.
abies	'Pumila Ni'	"Common Spruce". Like the species. Dwarf bush, slow growing, flat-topped bush of spreading, compact but irregular habit. Leaves	20-25	961p.
			25-30	1 126p.
			30-40	1 445p.
			40-50	1 858p.
			50-60	2 457p.
abies	'Remontii'	'Common Spruce'. Like the species. A dense, slow-growing, conical bush. Leaves yellow-green.	20-25	1 012p.
			25-30	1 229p.
			30-40	1 560p.
			40-50	1 952p.
			50-60	2 509p.
abies	'Repens'	'Common Spruce'. A slow-growing, dwarf, flat-topped bush with branches in layers. A low, widespreading clone, suitable for a large rock	20-25	961p.
			25-30	1 126p.
			30-40	1 445p.
			40-50	1 858p.
			50-60	2 457p.
breweriana		'Brewer's Weeping Spruce'. Perhaps the most beautiful of all spruces and one of the most popular of all ornamental conifers. A small	30-40	3 562p.
			40-50	4 398p.
			50-60	5 265p.
			60-80	7 258p.
			80-100	9 942p.
glauca	'Alberta G'	White Spruce'. Form with dense habit, making a compact, rounded bun. Decurved branches,	20-25	1 466p.
			25-30	1 745p.
			30-40	2 333p.
			40-50	3 489p.
		White spruce'. A slow-growing, perfectly cone-	25-30	557p.
			30-40	713p.
			40-50	1 043p.



glauca	'Conica'	growing, perfectly cone-shaped bush of dense, compact habit with bright grass-green leaves. A deservedly popular cultivar.	50-60	1 415p.
			60-80	2 200p.
			80-100	3 076p.
			100-125	4 388p.
			125-150	6 576p.
			150-175	8 765p.
glauca	'Echiniform'	'White spruce'. Dwarf, slow-growing, globular bush of dense habit; leaves glaucous grey-green, forward-pointing,	20-25	1 569p.
			25-30	1 858p.
			30-40	2 560p.
			40-50	3 716p.
jezoensis		'Yezo Spruce'. A medium-sized to large tree with deflexed branches and shining, pale brown to yellowish-brown young shoots. Leaves flattened, glossy dark	30-40	2 106p.
			40-50	2 395p.
			50-60	2 840p.
			60-80	3 799p.
			80-100	4 760p.
			100-125	6 152p.
mariana	'Nana'	'Black spruce'. A slow-growing, dwarf, mound-forming bush of dense habit, with grey-green leaves.	20-25	1 280p.
			25-30	1 560p.
			30-40	1 952p.
			40-50	2 509p.
omorika		'Serbian Spruce'. One of the most beautiful and adaptable spruces in cultivation, quickly forming a tall, graceful, slender tree. A medium-sized to large tree with relatively short, drooping branches which curve upwards at the tips. Young shoots pale brown. Leaves flattened, dark	50-60	619p.
			60-80	816p.
			80-100	1 064p.
			100-125	1 466p.
			125-150	2 014p.
			150-175	3 356p.
			175-200	4 914p.
			200+	7 815p.
omorika	'Nana'	'Serbian Spruce'. Like the species, medium-sized, densely conical bush of compact habit. The conspicuous stomatal bands	50-60	6 700p.
			30-40	2 106p.
			40-50	2 395p.
			50-60	2 840p.
			60-80	3 799p.
			80-100	4 760p.
orientalis		'Oriental Spruce'. A large, densely branched tree of broadly conical habit, with branches to ground level. Young shoots pale brown. Leaves to 8mm long, with blunt tips, dark shining green, densely pressed on the upper surfaces of the branchlets.	100-125	6 152p.
			125-150	8 382p.
			150-175	11 169p.
			175-200	14 514p.
			30-40	2 106p.
			40-50	2 395p.
			50-60	2 840p.
			60-80	3 799p.
orientalis	'Aureospic'	'Oriental Spruce'. Like the species. Young shoots creamy-yellow, becoming golden-yellow, finally green. A spectacular tree in spring.	80-100	4 760p.
			100-125	6 152p.
			125-150	8 382p.
			150-175	11 169p.
			175-200	14 514p.
			50-60	1 032p.
			60-80	1 404p.
			80-100	2 179p.
pungens		'Colorado Spruce'. A medium-sized to large tree of conical habit, with stout orange-brown young shoots, glaucous at first. Leaves rigid, sharply pointed, green to grey, spreading all round the branchlets, but denser on the	100-125	3 108p.
			125-150	4 687p.
			150-175	6 556p.
			175-200	9 364p.
			200+	16 383p.
			20-25	2 374p.

pungens	'Glauca G	Blue Spruce'. Dwarf, flat-topped, globular bush of dense habit; leaves glaucous blue.	25-30	3 046p.
			30-40	3 985p.
			40-50	5 512p.
			50-60	7 960p.
			60-80	10 644p.
pungens	'Glauca'	Blue Spruce'. Like the species. A medium-sized to large tree with glaucous leaves. A variable form, occurring both in the wild and in cultivation. The leaves tend to lose their intensity as they age, those at the base of the branches being greyish-green	40-50	1 053p.
			50-60	1 353p.
			60-80	1 704p.
			80-100	2 581p.
			100-125	3 510p.
			125-150	4 914p.
			150-175	6 556p.
			175-200	9 364p.
			200+	16 383p.
			pungens	'Hoopsii'
50-60	3 294p.			
60-70	4 161p.			
70-80	5 028p.			
80-90	5 936p.			
90-100	7 340p.			
100-125	9 538p.			
125-150	12 233p.			
150-175	18 344p.			
175-200	24 456p.			
200+	31 547p.			
250+	42 551p.			
300+	62 361p.			
pungens	'Koster'	The most popular form of Blue Spruce. A small to medium-sized, conical tree with intense silver-blue leaves.	40-50	2 828p.
			50-60	3 294p.
			60-70	4 161p.
			70-80	5 028p.
			80-90	5 936p.
			90-100	7 340p.
			100-125	9 538p.
			125-150	12 233p.
			150-175	18 344p.
			175-200	24 456p.
			200+	31 547p.
			250+	42 551p.
			300+	62 361p.
pungens	'Moerheim	'Blue Spruce'. A small to medium-sized tree of dense, conical habit with intensely glaucous blue leaves. One of the most satisfactory of the group.	40-50	2 828p.
			50-60	3 294p.
			60-70	4 161p.
			70-80	5 028p.
			80-90	5 936p.
			90-100	7 340p.
			100-125	9 538p.
			125-150	12 233p.
			150-175	18 344p.
			175-200	24 456p.
			200+	31 547p.
			250+	42 551p.
			300+	62 361p.
<b>PINUS (COCHA)</b>				
cembra		Arolla Pine . A small to medium-sized tree of characteristic, dense, conical or columnar habit in cultivation. Leaves in 5s, 5-8cm long, densely crowded and dark blue-green, with blue-white surfaces. Cones	20-25	991p.
			25-30	1 486p.
			30-40	1 931p.
			40-50	2 457p.
			50-60	3 076p.
			60-80	4 099p.
			80-100	5 265p.
			100-125	7 020p.

		deep blue, to 8cm long, never opening, the seeds being	125-150	8 774p.
		'Japanese Red Pine'. A	150-175	11 697p.
densiflora	'Umbracul	miniature tree of extremely slow growth, with a dense umbrella-like head of branches, bearing tiny cones.	25-30	1 486p.
			30-40	1 911p.
			40-50	2 406p.
			50-60	2 943p.
			60-80	3 913p.
leucodermis		Bosnian Pine'; A very distinct, medium-sized tree with smooth, greenish-grey bark, possessing a dense, ovoid habit. Young shoots glaucous. leaves in pairs, to 9cm long, rigid and erect,	20-25	1 404p.
			25-30	1 828p.
			30-40	2 230p.
			40-50	2 911p.
			50-60	3 810p.
leucodermis	'Satellit'	Bosnian Pine'. Like the species. A narrowly conical form with the leaves densely	60-80	4 687p.
			80-90	6 441p.
			25-30	1 828p.
			30-40	2 230p.
			40-50	2 911p.
mugo		Mountain Pine'. A very hardy, large shrub or small tree of dense, bushy habit. Leaves in pairs, 3-4cm long, rigid and curved, dark green. Cones solitary or in clusters, to 6cm	30-40	754p.
			40-50	1 147p.
			50-60	1 704p.
			60-80	2 271p.
			80-100	3 314p.
mugo	'Gnom'	Mountain Pine'. Like the species. A small, compact selection forming a dense, dark green, globular mound.	100-125	5 131p.
			20-25	1 858p.
			25-30	2 344p.
			30-40	3 211p.
			40-50	4 099p.
mugo	'Mops'	Mountain Pine'. Like the species. Dwarf, globular bush of dense, slow growth.	50-60	5 565p.
			20-25	2 509p.
			25-30	3 046p.
			30-40	3 985p.
			40-50	5 389p.
mugo	var. mugh	Mountain Pine'. Like the species. Shrub, 2-3m high. Slow-growing. Leaves in pairs, and cones to 6cm long.	50-60	7 258p.
			25-30	754p.
			30-40	981p.
			40-50	1 486p.
			50-60	2 509p.
mugo	var. pumili	'Mountain Pine'. Like the species. A dwarf form, often prostrate, but occasionally reaching 2m.	60-80	3 418p.
			80-100	5 244p.
			20-25	805p.
			25-30	1 002p.
			30-40	1 425p.
nigra	var. nigra	Austrian Pine'. A commonly planted and familiar, large tree with rough, greyish-brown or dark brown bark and a dense head of large branches. Leaves in pairs, dark green, stiff and stout, densely crowded on the branchlets. Cones solitary or	40-50	1 858p.
			50-60	1 229p.
			60-80	1 745p.
			80-100	2 601p.
			100-125	4 108p.
			125-150	5 822p.
			150-175	9 178p.
			175-200	15 165p.
parviflora	'Blue Gian		200-+	21 276p.
			250-+	30 576p.
			40-50	1 941p.
			50-60	2 354p.
			60-80	2 911p.
parviflora	'Glauca'	Japanese White Pine'. A small to medium-sized tree, conical when young, flat-topped in maturity. Leaves in 5s, 5-7cm long, slightly	80-100	3 645p.
			100-125	4 471p.
			30-40	1 941p.
			40-50	2 354p.
			50-60	2 911p.
			60-80	3 645p.
			80-100	4 471p.

		curved, deep blue-green with blue-white inner surfaces. Cones solitary or in clusters, erect or spreading. 5-8cm	100-125	5 585p.
			125-150	7 267p.
			150-175	9 724p.
			175-200	13 844p.
parviflora	'Tempelho'	Like the species but a more vigorous form with glaucous blue foliage.	30-40	1 941p.
			40-50	2 354p.
			50-60	2 911p.
			60-80	3 645p.
			80-100	4 471p.
			100-125	5 585p.
			125-150	7 267p.
			150-175	9 724p.
strobis		Weymouth Pine 'White Pine'. A large tree, conical habit when young, later developing a rounded head. Leaves in 5s, to 15cm long, somewhat glaucous green. Cones to 15cm long, pendent on slender stalks liberally flecked	175-200	13 844p.
			60-80	846p.
			80-100	1 126p.
			100-125	1 560p.
			125-150	2 230p.
			150-175	3 067p.
			175-200	4 471p.
			200+	7 267p.
strobis	'Radiata'	Like the species. A dwarf, compact bush until 1.5m high.	250+	12 956p.
			20-25	1 911p.
			25-30	2 581p.
			30-40	3 283p.
			40-50	4 212p.
			50-60	6 318p.
			60-80	9 364p.
			80-100	12 873p.
sylvestris		'Scots Pine'. A familiar tree usually seen as a large, tall-stemmed and, occasionally, a low, picturesque, spreading tree. It is easily recognized by its characteristic and	60-80	1 663p.
			80-100	2 447p.
			100-125	3 799p.
			125-150	5 203p.
			150-175	8 207p.
			175-200	12 233p.
sylvestris	'Watereri'	Scots Pine'. A slow-growing, medium-sized bush or rarely a small tree, conical in habit at first, later becoming rounded. It is suitable for a heather garden, but eventually becomes too large	20-25	1 911p.
			25-30	2 581p.
			30-40	3 283p.
			40-50	4 212p.
			50-60	6 318p.
			60-80	9 364p.
wallichiana		Bhutan Pine'. An elegant, large, broadheaded tree, retaining its lowest branches when isolated. Leaves in 5s, to 20cm long, blue-green, slender and drooping with age. Cones stalked, solitary or in bunches, banana-shaped, 15-25cm long. A	80-100	12 873p.
			50-60	1 239p.
			60-80	1 518p.
			80-100	2 241p.
			100-125	3 468p.
			125-150	4 760p.
			150-175	7 494p.
			175-200	11 169p.
<b>TAXUS (TMCC)</b>				
baccata		Common yew. A small to medium-sized tree or large shrub with dark, almost black-green leaves, to 3cm long. Fruits with a red aril. A well-known tree, a common and familiar resident of churchyards where specimens of great age are occasionally found. The low, prostrate forms make wonderful groundcover	250+	24 568p.
			40-50	908p.
			50-60	1 043p.
			60-80	1 239p.
			80-100	1 672p.
			100-125	2 560p.
			125-150	3 996p.
			RB, Ball 40cm	5 317p.
			150-175	6 194p.
			175-200	9 291p.
			RB, Ball 50cm	10 632p.
RB, Ball 60cm	14 679p.			
200+	15 484p.			

		plants, even in dense shade	250+	19 613p.
baccata	'Dovaston	Westreton Yew A very distinct, widespreading, small, elegant tree with tiers of long, horizontal branches and long, weeping branchlets. Leaves blackish-green. It is normally female. Plants that have lost their leader when young form widespreading, shallowly vase-shaped bushes several	40-50	1 734p.
			50-60	2 354p.
			60-80	3 129p.
			80-100	4 191p.
			100-125	5 585p.
			125-150	7 815p.
			150-175	11 169p.
			175-200	14 514p.
			200+	21 214p.
			30-40	27 913p.
baccata	'Dovaston	Similar to 'Dovastoniana' in habit, but leaves margined bright yellow. A splendid male form.	40-50	1 734p.
			50-60	2 354p.
			60-80	3 129p.
			80-100	4 191p.
			100-125	5 585p.
			125-150	7 815p.
			150-175	11 169p.
			175-200	14 514p.
			200+	21 214p.
			30-40	27 913p.
baccata	'Elegantis	The most popular of the golden yews. A dense-growing, large bush with ascending branches. The yellow of the young leaves becomes straw-yellow and	30-40	1 147p.
			40-50	1 342p.
			50-60	1 787p.
			60-80	2 457p.
			80-100	3 356p.
			100-125	5 141p.
baccata	'Fastigiata	Golden Irish yew'. A male form, similar to 'Fastigiata', but leaves with yellow margin.	40-50	1 776p.
			50-60	2 230p.
			100-125	6 834p.
			125-150	8 547p.
			150-175	11 387p.
			175-200	15 711p.
baccata	'Fastigiata	Irish Yew'. A female clone of erect habit, forming a dense, compact, broad column of closely-packed branches. As a young specimen it is narrowly columnar. Leaves black-green, radially arranged. A very popular yew and a familiar redent of churchyards.	40-50	1 601p.
			50-60	2 014p.
			60-70	2 684p.
			70-80	3 356p.
			80-90	4 026p.
			90-100	4 698p.
			100-125	5 813p.
			125-150	7 267p.
			150-175	10 054p.
175-200	13 844p.			
baccata	'Repander	A low growing, often semi-prostrate, female bush, with long, spreading branches, drooping at the tips. A splendid groundcover plant	25-30	1 569p.
			30-40	1 858p.
			40-50	2 406p.
			50-60	3 356p.
			60-80	4 760p.
			25-30	1 601p.
baccata	'Semperau	'Common yew'. A slow-growing, male bush of medium size, with ascending branches and short, crowded branchlets well clothed with	30-40	1 858p.
			40-50	2 406p.
			50-60	3 356p.
			60-80	4 760p.
baccata	'Standishi	'Common yew'. A slow-growing, female form of 'Fastigiata Aurea'. It is of dense, columnar habit with erect, tightly packed branches and radially arranged, golden-yellow leaves. The best of its colour and habit, but slow in growth	25-30	1 776p.
			30-40	2 117p.
			40-50	2 911p.
			50-60	3 872p.
			60-70	4 450p.
			70-80	5 017p.
			80-90	5 925p.
			90-100	7 061p.
			100-125	8 878p.

		growtn.	125-150	12 522p.
baccata	'Summery	Common Yew'. A low shrub with broadly spreading branches. Foliage yellow in summer becoming green with a yellow margin. Does not	30-40	1 209p.
			40-50	1 466p.
			50-60	1 911p.
			60-80	2 457p.
			80-100	3 356p.
baccata	'Washingt	'Common Yew'. A vigorous, female form with ascending branches forming a broad, medium-sized bush. Young leaves rich yellow, ageing to yellowish-green, becoming	25-30	1 209p.
			30-40	1 466p.
			40-50	1 734p.
			50-60	2 241p.
			60-80	2 798p.
cuspidata	'Nana' '	Japanese Yew'. A dense, small male bush with ascending branches, nodding	25-30	1 209p.
			30-40	1 507p.
			40-50	1 796p.
media	'Hicksii'	Yew'. A broadly columnar, female bush. It makes an excellent hedge.	50-60	1 126p.
			60-80	1 383p.
			80-100	1 982p.
			100-125	2 922p.
			125-150	4 790p.
			150-175	7 980p.
			175-200	11 913p.
media	'Strait Hed		200+	20 419p.
			250+	31 691p.
			50-60	1 229p.
			60-80	1 548p.
			80-100	2 344p.
			100-125	3 191p.
<b>THUJA (ТУЯ)</b>				
occidentalis		American Arbor-vitae'. An extremely hardy, medium-sized, columnar tree with reddish-brown, peeling bark. Branches spreading, upcurved at the tips. Leaves with conspicuous resin glands, dark green above, pale green beneath, borne in	60-80	557p.
			80-100	734p.
			100-125	1 167p.
			125-150	1 920p.
			150-175	3 014p.
			175-200	4 666p.
			200+	7 134p.
			250+	11 180p.
occidentalis	'Brabant'	Like the species. Fast growing. Green foliage throughout the year.	300+	17 746p.
			60-80	516p.
			80-100	692p.
			100-125	1 085p.
			125-150	1 796p.
			150-175	2 828p.
			175-200	4 388p.
occidentalis	'Danica'	Like the species. A dwarf bush of dense, compact, globular habit. Foliage held vertically in erect, flattened sprays.	200+	6 710p.
			250+	10 529p.
			300+	16 723p.
			20-25	908p.
			25-30	1 126p.
			30-40	1 425p.
occidentalis	'Europe G	Like the species. A Dutch selection of narrowly conical habit, making a large shrub or small tree with golden-yellow foliage.	40-50	837p.
			50-60	961p.
			60-80	1 094p.
			80-100	1 363p.
			100-125	1 642p.
			125-150	2 188p.
occidentalis	'Globosa'	Like the species. A compact, globular bush, slowly reaching about 1.2m high by	150-175	3 273p.
			25-30	640p.
			30-40	805p.
			40-50	1 064p.

		reaching about 1.5m high by 2m wide.	50-60	1 321p.
			60-80	1 725p.
occidentalis	'Golden G	Like the species. A small shrub of dense, rounded habit with year-round golden-yellow foliage.	20-25	734p.
			25-30	908p.
			30-40	1 094p.
			40-50	1 363p.
			50-60	1 745p.
			60-80	2 188p.
			80-100	2 725p.
			100-125	3 840p.
occidentalis	'Little Cha	Like the species. Compact, globular bush until 50cm high. Foliage bright green.	20-25	640p.
			25-30	805p.
			30-40	961p.
occidentalis	'Little Gem	Like the species. A dwarf, conical bush of dense, slightly flat-topped habit. Foliage deep green, in crowded,	20-25	805p.
			25-30	929p.
			30-40	1 167p.
			40-50	1 590p.
occidentalis	'Ohlendor	Like the species. One of the most distinct and curious of dwarf or semi-dwarf conifers, carrying dense clusters of soft	20-25	851p.
			25-30	989p.
			30-40	1 239p.
			40-50	1 693p.
occidentalis	'Pyramida	Like the species. Conical, pyramidal habit. Foliage a bit larger, dark green throughout the winter. Excellent for a hedge.	50-60	640p.
			60-80	805p.
			80-100	961p.
			100-125	1 332p.
			125-150	2 023p.
			150-175	3 303p.
			175-200	5 533p.
200+	7 444p.			
occidentalis	'Rheingold	Like the species. A slow-growing bush of ovoid or conical habit eventually making a large shrub. Foliage mainly adult, a rich deep old-	20-25	713p.
			25-30	878p.
			30-40	1 064p.
			40-50	1 321p.
			50-60	1 858p.
occidentalis	'Rosentha	Like the species. Compact, columnar habit. Dark green foliage. Slow growing. Excellent for hedging.	50-60	796p.
			60-80	1 023p.
			80-100	1 272p.
			100-125	1 693p.
			125-150	2 408p.
			150-175	3 111p.
			175-200	4 826p.
200+	6 813p.			
occidentalis	'Semperau	Like the species. Dwarf habit. Foliage golden-yellow at the tops.	60-80	931p.
			80-100	1 136p.
			100-125	1 409p.
			125-150	1 976p.
			150-175	2 816p.
			175-200	4 258p.
200+	6 246p.			
occidentalis	'Smaragd'	Like the species. A narrowly conical, small tree with bright green foliage.	40-50	537p.
			50-60	692p.
			60-80	961p.
			80-100	1 321p.
			100-125	1 982p.
			125-150	2 973p.
			150-175	4 615p.
175-200	6 721p.			
200+	8 671p.			
		Like the species. A dense,	20-25	734p.
			25-30	908p.
			30-40	1 094p.
			40-50	1 363p.

occidentalis	'Sunkist'	small shrub of broadly conical, round-topped habit, with golden-yellow foliage in summer.	50-60	1 776p.
			60-80	2 188p.
			80-100	3 014p.
			100-125	4 388p.
			125-150	5 214p.
			150-175	6 804p.
occidentalis	'Tiny Tim'	Like the species. A very slow-growing dwarf bush of rounded habit.	175-200	8 765p.
			20-25	908p.
			25-30	1 126p.
			30-40	1 425p.
			40-50	1 858p.
			occidentalis	'Yellow Rib'
50-60	818p.			
60-80	1 136p.			
80-100	1 556p.			
orientalis	'Aurea Nana'	Chinese Arbor-vitae'. A dwarf, globular bush of dense habit, with crowded, vertically arranged sprays of light yellow-green foliage. This species is distinct in its foliage	20-25	837p.
			25-30	961p.
			30-40	1 291p.
			40-50	1 776p.
			50-60	2 312p.
			60-80	3 510p.
orientalis	'Elegantissima'	Chinese Arbor-vitae'. A medium-sized to large bush of dense, columnar habit. Foliage golden-yellow, tinged old-gold, becoming green in Western Red Cedar'. A large,	40-50	1 094p.
			50-60	1 363p.
			60-80	1 920p.
			80-100	2 592p.
plicata	'Atrovirens'	Western Red Cedar'. A large, fast-growing, ornamental tree with shredding bark and spreading branches. Leaves bright glossy green above, faintly glaucous beneath, carried in large, drooping sprays and with a pleasant, fruity odour when crushed. An important timber tree in North	100-125	3 273p.
			50-60	413p.
			60-80	516p.
			80-100	692p.
			100-125	1 085p.
			125-150	1 858p.
			150-175	2 922p.
			175-200	4 521p.
			200+	6 916p.
			300+	10 850p.
400+	17 230p.			
plicata	'Exelsa'	Western Red Cedar'. A narrowly columnar form, fast growing, horizontal branches. Leaves persistent during the whole year. Very useful for hedges.	50-60	413p.
			60-80	516p.
			80-100	692p.
			100-125	1 085p.
			125-150	1 858p.
			150-175	2 922p.
			175-200	4 521p.
			200+	6 916p.
			250+	10 850p.
			300+	17 230p.
plicata	'Gelderland'	'Western Red Cedar'. Compact, conical bush. Foliage dark green.	60-80	516p.
			80-100	692p.
			100-125	1 085p.
			125-150	1 858p.
			150-175	2 922p.
			175-200	4 521p.
			200+	6 916p.
			250+	10 850p.
plicata	'Martin'	Martin' is a medium, evergreen, coniferous tree that has mid-green, neat foliage that is tinged bronze in Western Red Cedar'. A conical tree, the sprays of green foliage banded with	300+	17 230p.
			60-80	516p.
			80-100	692p.
			100-125	1 085p.
			125-150	1 858p.
		Western Red Cedar'. A conical tree, the sprays of green foliage banded with	50-60	754p.
			60-80	1 012p.
			80-100	1 332p.



plicata	'Zebrina'	creamy-yellow. A strong-growing, large tree, certainly one of the best variegated conifers, the variegations being so crowded as to give a yellow effect to the whole	100-125	1 817p.
			125-150	2 663p.
			150-175	3 831p.
			175-200	5 317p.
			200+	8 506p.
			250+	12 759p.
<b>THUJOPSIS (ТУОПСИС)</b>				
dolabrata		Hiba'. Related to Thuja, differing in its broader, flatter branchlets and larger leaves. It thrives in all types of well	30-40	1 218p.
			40-50	1 755p.
			50-60	2 416p.
			60-80	3 294p.
dolabrata	'Nana'	Like the species. A dwarf, compact, spreading, flat-topped bush, smaller in all its parts.	20-25	1 693p.
dolabrata	'Variegata'	Like the species. A strong-growing clone with scattered patches of creamy-white foliage.	30-40	1 218p.
			40-50	1 755p.
			50-60	2 416p.
			60-80	3 294p.
<b>TSUGA (ТСУГА)</b>				
canadensis		Eastern Hemlock'. A large tree, often with several main stems from near the base. The best species for limey soil. Leaves to 15mm long, marked with 2 whitish bands beneath. Cones ovoid, slender stalked, 1.5-2.5cm	50-60	961p.
			60-80	1 147p.
			80-100	1 436p.
			100-125	1 911p.
			125-150	2 633p.
			150-175	3 819p.
			175-200	5 492p.
			200+	8 352p.
canadensis	'Jeddeloh'	Like the species. A reliably dwarf bush of compact habit with the branches arching	20-25	1 012p.
			25-30	1 332p.
			30-40	1 849p.
canadensis	'Pendula'	Like the species. A most attractive form developing into a low mound of	40-50	2 385p.
			50-60	3 583p.
			60-80	5 255p.
heterophylla		Western Hemlock'. A large, fast-growing tree with gracefully spreading branches. Leaves to 20mm long, marked with 2 bright white bands beneath. Cones to 2.5cm long. A beautiful conifer, particularly when	60-80	920p.
			80-100	1 085p.
			100-125	1 374p.
			125-150	1 828p.
			150-175	2 509p.
			175-200	3 645p.
			200+	5 244p.
250+	7 969p.			